

HARDGOODS SEASON 25/26





THE TIME HAS COME...

TIME TO WORK ON THAT TURN YOU HAVEN'T STOPPED THINKING ABOUT ALL SUMMER. TIME TO GET BACK INTO THE ZONE WHERE EVERYTHING IS POSSIBLE, THE PROGRESSION YOU MISSED OUT ON LAST YEAR IS WAITING FOR YOU. TIME TO BE FREE, GO FAST, AND FIND YOUR FLOW. IT'S THAT TIME AGAIN.

HERE'S TO BEING FAR AWAY IN THE MOUNTAINS BUT FEELING MORE AT HOME THAN EVER. THE WIND IN YOUR FACE, THE SNOW UNDER YOUR SKIS, THESE ARE THE DAYS WE DREAM OF.

WINTER 25/26 IS HERE.

CONTENTS

INTRO Highlights Winter 25/26 SKIS Line Overview Freeski Skis Race Skis 14 20 Performance Skis All Mountain Skis 28 **Touring Skis** 36 Women's Skis 40 44 **Junior Skis Ski Constructions** 50 **BINDINGS** Line Overview 56 58 Freeski Bindings **Touring Bindings** 66 70 **Race Bindings** 72 Performance Bindings 75 **All Mountain Bindings** Women's Bindings 76 78 **Junior Bindings Boot Binding Compatibility** 81 82 Brake Overview 83 **Drill Template Overview**

BOOTS	
Line Overview	86
Race Boots	88
High Performance Boots	88
Performance Boots	92
All Mountain Boots	102
Freeski Boots	110
Touring Boots	114
Junior Boots	116
HELMETS	
Line Overview	124
F-Series Helmets	126
Race Helmets	130
R-Series Helmets	132
C-Series Helmets	138
V-Series Helmets	144
Junior Helmets	146
Helmet Technology	148
Visors & Lenses	149
GOGGLES	
Line Overview	152
Race Goggles	154
Magnify Goggles	156
Horizon 2.0 Goggles	157
Neves Goggles	158
Contex Goggles	162
OTG Goggles	164
F-LYT Goggles	166
Solar Goggles	167

Junior Goggles Goggle Technology

Spare Lenses

Perfect Match

168

170 171

173

ine Overview	176
reeski Bags	178
ace Bags	182
erformance Bags	186
ouring Bags	188
/omen's Bags	189
unior/Snowboard Bags	190
reeski Poles	191
ace Poles	192
erformance Poles	194
ouring Poles	196
/omen´s Poles	197
unior Poles	198
ouring Skins	200
	8
RENTAL	
ental Skis	204
ental Bindings	214
ental Poles	217
ental Boots	219
ental Helmets	226
ental Snowboards	230
Land of	
echnology Skis	240
echnology Bindings	241
echnology Boots	242
	*

ACCESSORIES



THIS IS WINTER 25/26

HIGHLIGHTS OF THE NEW HEAD WINTER SPORTS COLLECTION

KORE **BUILT TO SKI ANYTHING**

The outstanding new KORE collection. A seamless evolution of a classic philosophy. This new collection delivers signature performance, superior ride quality and new levels of fun and versatility.





ATTRACK HYBRID

DOUBLE THE FUN

The new Attack HYBRID is the ultimate freeride binding to access all areas. Combining the best of both worlds, uphill and downhill, with no compromise.



ATTACK THE BORING

New look, same great performance. Elevate your all-mountain adventures with the top-of-the-line Attack bindings, now available in new stylish colors.



XALIBER

PERSONALIZED PRECISION

Precision is integrated into every element of the new KALIBER. Designed to maximize the precision potential of BOA® like never before.





NOW WITH BOA®

Our best-selling, most accommodating EDGE boot just got even more tunable. BOA's® intuitive fit system delivers new levels of precision.

FÆRO

GET THE FÆRO FEELING!

The new FÆRO helmet platform blends safety and style in an innovative design. Advanced Sphere Fit, featuring innovative height adjustment, ensures a perfect fit and promises unparalleled comfort and seamless goggle integration.






-U- SUNSCREEN

The NEVES SUNSCREEN goggle features our unique solar-powered lens technology, Sunscreen, with an integrated LCD. This innovation allows the lens to adjust to the intensity of sunlight, automatically, within a split second.



SKILINE OVERVIEW

FREESKI Art. Nr. 315405 Model KORE 118 TI 315425 KORE 106 TI 315435 KORE 100 TI 315445 KORE 94 TI 315455 KORE 88 TI 315465 KORE 104 TI W Art. Nr. 315475 Model KORE 99 TI W 315565 OBLIVION 116 315485 KORE 93 TI W 315585 OBLIVION 102 315524 OBLIVION 84 **RACE** Art. Nr. 315544 Model OBLIVION 79 313225 WORLDCUP REBELS E-SPEED PRO 313245 WORLDCUP REBELS E-SPEED 313255 WORLDCUP REBELS E-RACE PRO 313265 WORLDCUP REBELS E-RACE 313235 WORLDCUP REBELS E-SL PRO 313205 WORLDCUP REBELS E-SL **PERFORMANCE** Art. Nr. 313365 313495 313495 313495 WORLDCUP REBELS E.SLR WORLDCUP REBELS E.GSR WORLDCUP REBELS E.S.R WORLDCUP REBELS E.S.R 313305 SUPERSHAPE E-MAGNUM 313395 313325 SUPERSHAPE E-ORIGINAL SUPERSHAPE E-SPEED





KORE

The new KORE is true to its original purpose but elevated to deliver new levels of versatility and fun keeping the weight low and the good times high. **NEW ROCKER AND SIDECUT** The construction includes a new rocker

NEW TITANAL LAYERS

and sidecut for more versatility and fun.

Two Titanal layers for stiffness with optimal dampening and made from at least 40% recyclable materials.

NEW CORE MATERIALS

Karuba and Beech cores in unisex models. A Poplar and PET core gives tuned performance for women.

NEW HYBRID TOP SURFACE

A smaller topsheet in Flax reduces chipping and scratching, increases dampening, and creates KORE's striking outline.









KORE 118 TI

NEW ARTICLE NUMBER ARTICLE NUMBER 315405 315415

PRODUCT FEATURES

Freeride Sandwich Cap Construction, Hybrid Top Surface, Karuba-Beech Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

I KODOOI	DETAILS
LENGTH	177/184/191
SIDECUT	145/118/130 @ Length 184
RADIUS	24,3 @ Length 184
BINDING	114632 ATTACK 17 GW W/O Brake [A]

PRODUCT FEATURES

KORE 112 TI

Freeride Sandwich Cap Construction, Hybrid Top Surface, Karuba-Beech Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

LENGTH	170/177/184/191
SIDECUT	140/112/128 @ Length 184
RADIUS	21,0 @ Length 184
BINDING	114641 ATTACK 14 GW W/O Brake [A]







KORE 106 TI

315425

KORE 100 TI ARTICLE NUMBER NEW ARTICLE NUMBER

PRODUCT FEATURES Freeride Sandwich Cap Construction, Hybrid Top Surface, Karu-

ba-Beech Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

LENGTH	163/170/177/184/191
SIDECUT	135/106/127 @ Length 184
RADIUS	18,5 @ Length 184
BINDING	114646 ATTACK 14 GW Brake [A] 110 mm

315435

PRODUCT FEATURES

Freeride Sandwich Cap Construction, Hybrid Top Surface, Karuba-Beech Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

LENGTH	156/163/170/177/184/191
SIDECUT	133/100/122 @ Length 177
RADIUS	17,2 @ Length 177
BINDING	114649 ATTACK 14 GW Brake [A] 110 mm









KORE 94 TI

NEW ARTICLE NUMBER ARTICLE NUMBER NEW 315445 315455

PRODUCT FEATURES

Freeride Sandwich Cap Construction, Hybrid Top Surface, Karuba-Beech Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

PRODUCT FEATURES Freeride Sandwich Cap Construction, Hybrid Top Surface, Karuba-Beech Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

KORE 88 TI

LENGTH	156/163/170/177/184/191
SIDECUT	128/88/112 @ Length 177
RADIUS	16,0 @ Length 177
BINDING	114651 ATTACK 14 GW Brake [A] 95 mm







KORE 99 TI W

ARTICLE NUMBER NE	N ARTICLE NUMBER	
315465	315475	
PRODUCT FEATURES	PRODUCT FEATURES	
PRODUCT FEATURES	PRODUCT FEATURES	
Freeride Sandwich Cap Construction, Hybrid Top Surface, PET	Freeride Sandwich Cap Construction, Hybrid Top Surface, PET	

PRODUCT DETAILS

KORE 104 TI W

LENGTH	156/163/170/177
SIDECUT	133/105/126 @ Length 177
RADIUS	16,7 @ Length 177
BINDING	114655 ATTACK 14 GW Brake [A] 110 mm

Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

Freeride Sandwich Cap Construction, Hybrid Top Surface, PET Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

-	LENGTH	156/163/170/177
	SIDECUT	132/99/121 @ Length 170
	RADIUS	15,6 @ Length 170
	BINDING	114597 ATTACK LYT 12 GW Brake [A] 110 mm









KORE 93 TI W

315485 PRODUCT FEATURES

ARTICLE NUMBER

Freeride Sandwich Cap Construction, Hybrid Top Surface, PET Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

	LENGTH	149/156/163/170
	SIDECUT	130/93/115 @ Length 170
	RADIUS	14,7 @ Length 170
	BINDING	114596 ATTACK LYT 12 GW Brake [A] 95 mm

KORE 87 TI W

NEW ARTICLE NUMBER NEW 315495

PRODUCT FEATURES

Freeride Sandwich Cap Construction, Hybrid Top Surface, PET Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170
SIDECUT	127/87/111 @ Length 170
RADIUS	14,6 @ Length 170
BINDING	114596 ATTACK LYT 12 GW Brake [A] 95 mm



WORLDCUP REBELS

The Race Performance collection features tried and tested geometry merged with cutting-edge technology.



TIP DESIGN

Narrower tip area for easier and less aggressive turn initiation, with an integrated tip protector.

technologies used by our elite athletes, like EMC, GRAPHENE and TITANAL®.

SIDECUT

Longer radius geometries give a stable, predictable feel when you are racing, particularly on the e-Speed Pro.







WORLDCUP REBELS E-SPEED PRO

ARTICLE NUMBER

313225

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	170/175/180/185	
SIDECUT	108/65/93 @ Length 180	
RADIUS	20,5 @ Length 180	
PLATE	RACEPLATE WCR 14 SHORT	
BINDING	100904 FREEFLEX ST 16 Brake [A] 85 mm	

WORLDCUP REBELS E-SPEED

ARTICLE NUMBER

313245

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

PRODUCT DETAILS		
LENGTH	165/170/175/180/185	
SIDECUT	114/68/99 @ Length 180	
RADIUS	18,2 @ Length 180	
PLATE	RACEPLATE EVO 14	
BINDING	100905 FREEFLEX ST 14 Brake [A] 85 mm	



















WORLDCUP REBELS E-RACE PRO

ARTICLE NUMBER

313255

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	160/165/170/175/180
SIDECUT	117/68/102 @ Length 170
RADIUS	14,8 @ Length 170
PLATE	RACEPLATE WCR 14 SHORT
BINDING	100904 FREEL EX ST 16 Brake [A] 85 mm

WORLDCUP REBELS E-RACE

ARTICLE NUMBER

313265

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	160/165/170/175/180	
SIDECUT	117/68/102 @ Length 170	
RADIUS	14,8 @ Length 170	
PLATE	RACEPLATE EVO 14	
BINDING	100905 FREEFLEX ST 14 Brake [A] 85 mm	

WORLDCUP REBELS E-SL PRO

ARTICLE NUMBER

313235

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	150/155/160/165/170	
SIDECUT	122/68/107 @ Length 160	
RADIUS	12,0 @ Length 160	
PLATE	RACEPLATE WCR 14 SHORT	
BINDING	100904 FREEFLEX ST 16 Brake [A] 85 mm	

WORLDCUP REBELS E-SL

ARTICLE NUMBER

313205

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRUDUCT DETAILS		
LENGTH	150/155/160/165/170	
SIDECUT	122/68/107 @ Length 160	
RADIUS	12,0 @ Length 160	
PLATE	RACEPLATE EVO 14	
BINDING	100907 FREEFLEX 14 GW Brake [D] 85 mm	







WORLDCUP REBELS E.SLR

ARTICLE NUMBER

313365

PRODUCT FEATURES

EMC F, Worldcup Sandwich Cap Construction, Race structured UHM EMC F, Worldcup Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

PRODUCT DETAILS

LENGTH	149/156/163/170
SIDECUT	123/66/107 @ Length 163
RADIUS	11,2 @ Length 163
PLATE	LYT PR Base
BINDING	100911 PR 11 GW Brake [G] 78 mm

WORLDCUP REBELS E.GSR

ARTICLE NUMBER

313385

PRODUCT FEATURES

C base, Rebel Camber

PRODUCT DETAILS

PRODUCT DETAILS		
LENGTH	156/163/170/177	
SIDECUT	120/68/101 @ Length 170	
RADIUS	14,4 @ Length 170	
PLATE	LYT PR Base	
BINDING	100911 PR 11 GW Brake [G] 78 mm	





WORLDCUP REBELS E.XSR

ARTICLE NUMBER

313415

PRODUCT FEATURES

EMC F, Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

PRODUCT DETAILS

LENGTH	149/156/163/170/177	
SIDECUT	125/72/109 @ Length 170	
RADIUS	12,9 @ Length 170	
PLATE	LYT PR Base	
BINDING	100911 PR 11 GW Brake [G] 78 mm	

WORLDCUP REBELS XR

ARTICLE NUMBER

313495

PRODUCT FEATURES

Power Sidewall Jacket Construction, Wood Composite Core, Race structured UHM C base, Allride Rocker

NEW

PRODUCT DETAILS		
LENGTH	142/149/156/163/170/177	
SIDECUT	128/74/112 @ Length 170	
RADIUS	12,6 @ Length 170	
PLATE	LYT PR Base	
BINDING	100911 PR 11 GW Brake [G] 78 mm	





CROSSFORCE CARBON CONSTRUCTION

Direct contact from the binding to the ski's carbon construction for ultimate responsiveness.

WORLDCUP SANDWICH CAP CONSTRUCTION

A balanced mix of wood, Graphene and titanal provides extreme responsiveness.

ENERGY MANAGEMENT CIRCUIT

EMC is HEAD's proprietary technology that filters out negative vibrations.













ARTICLE NUMBER

313395

PRODUCT FEATURES

Crossforce Carbon, Worldcup Sandwich Cap Construction, EMC, Graphene , RD Race Structured UHM C Base, Speed Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170	
SIDECUT	125/66/108 @ Length 170	
RADIUS	12,1 @ Length 170	
PLATE	Better Balance PR Base	
BINDING	100925 PROTECTOR PR 13 GW Brake [P] 85 mm	

SUPERSHAPE E-SPEED

ARTICLE NUMBER

313325

PRODUCT FEATURES

Crossforce Carbon, Worldcup Sandwich Cap Construction, EMC, Graphene , RD Race Structured UHM C Base, Speed Rocker

I RODOCT DETAILS	
LENGTH	156/163/170/177/184
SIDECUT	119/68/102 @ Length 170
RADIUS	14,0 @ Length 170
PLATE	Better Balance PR Base
BINDING	100925 PROTECTOR PR 13 GW Brake [P] 85 mm















SUPERSHAPE E-MAGNUM

ARTICLE NUMBER

313305

PRODUCT FEATURES

Crossforce Carbon, Worldcup Sandwich Cap Construction, EMC, Graphene , RD Race Structured UHM C Base, Speed Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	126/72/110 @ Length 170
RADIUS	13,1 @ Length 170
PLATE	Better Balance PR wide Base
BINDING	100925 PROTECTOR PR 13 GV
	Brake [P] 85 mm

SUPERSHAPE E-RALLY

ARTICLE NUMBER

313345

PRODUCT FEATURES

Crossforce Carbon, Worldcup Sandwich Cap Crossforce Carbon, Worldcup Sandwich Cap Construction, EMC, Graphene , RD Race Structured UHM C Base, Speed Rocker

PRODUCT DETAILS

INODUCI	DETAILS
LENGTH	156/163/170/177/184
SIDECUT	128/78/112 @ Length 170
RADIUS	14,0 @ Length 170
PLATE	Better Balance PR wide Base
BINDING	100925 PROTECTOR PR 13 GW
	Brake [P] 85 mm

SUPERSHAPE E-TITAN

ARTICLE NUMBER

313285

PRODUCT FEATURES

Construction, EMC, Graphene , RD Race Structured UHM C Base, Speed Rocker

LENGTH	156/163/170/177/184
SIDECUT	129/84/113 @ Length 170
RADIUS	15,7 @ Length 170
PLATE	Better Balance PR wide Base
BINDING	100926 PROTECTOR PR 13 GW
	Brake [P] 95 mm





SHAPE

Everything about the amazing Shape skis is designed to make skiing easier. The technology, the construction and the geometry all add up to skis that practically turn themselves.

SHAPE VB

PR BASE

ENERGY MANAGEMENT CIRCUIT -

EMC in Shape e-V8 and Shape e-V10 skis. EMC front in the Shape e.V5.

It is a two piece lightweight design, lower and perfectly integrated in the ski frame.

PERFORMANCE BACKBONE -

Adapted 3D-Design on whole range for improved weight and ski thickness. LYT TECH continues - Light done right.











ARTICLE NUMBER

315205

PRODUCT FEATURES

LYT Tech Construction, EMC, ERA 3.0, Graphene, Carbon Sandwich Cap Construction, KARUBA Light Weight Wood Core, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170/177	_
SIDECUT	139/85/121 @ Length 170	
RADIUS	13,6 @ Length 170	
PLATE	All Mountain PR Base	
BINDING	114509 PROTECTOR PR 11 GW Brake [P] 95 mm	

SHAPE E-V8

ARTICLE NUMBER

315225

PRODUCT FEATURES

LYT Tech Construction, EMC, ERA 3.0, Graphene, Carbon Sandwich Cap Construction, KARUBA Light Weight Wood Core, Structured UHM C Base, Allride Rocker

LENGTH	149/156/163/170/177
SIDECUT	130/75/112 @ Length 170
RADIUS	13,2 @ Length 170
PLATE	All Mountain PR Base
BINDING	114508 PROTECTOR PR 11 GW Brake [P] 85 mm















SHAPE E.V5

ARTICLE NUMBER

315255

PRODUCT FEATURES

LYT Tech Construction, EMC F, ERA 3.0, Graphene, Power Sidewall Jacket Construction, Wood tion, Wood Composite Core, Structured UHM Composite Core, Structured UHM C Base, C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	128/74/109 @ Length 170
RADIUS	13,0 @ Length 170
PLATE	All Mountain PR Base
BINDING	100942 PR 11 GW Brake [G] 85
	mm

SHAPE V4

ARTICLE NUMBER

315275

PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Graphene, Allride Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	128/74/109 @ Length 170
RADIUS	13,0 @ Length 170
PLATE	All Mountain PR Base
BINDING	100942 PR 11 GW Brake [G] 85
	mm

SHAPE V2

ARTICLE NUMBER

315285

PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

LENGTH	142/149/156/163/170/177
SIDECUT	128/70/108 @ Length 170
RADIUS	12,5 @ Length 170
PLATE	All Mountain PR Base
BINDING	100942 PR 11 GW Brake [G] 85
	mm





KORE X



28

LYT POWER RAIL BASE -

Sandwich Cap Construction.

For set option with the Protector binding.

DURABLE TOPSHEET

Topsheet with awesome matt wood like structure for high durability.









KORE X 90 LYT-PR

ARTICLE NUMBER

315195

PRODUCT FEATURES

Sandwich Cap Construction, Graphene, Structured UHM C Base, Allride Rocker also available without LYT PR Base (ART.Nr: 315145)

PPODIICT DETAILS

PRODUCT DETAILS		
LENGTH	156/163/170/177/184	
SIDECUT	130/91/113 @ Length 170	
RADIUS	14,7 @ Length 170	
PLATE	LYT PR Base	
BINDING	114469 PRW 11 GW Brake [G] 90 mm	

KORE X 85 LYT-PR

ARTICLE NUMBER

315175

PRODUCT FEATURES

Sandwich Cap Construction, Graphene , Structured UHM C Base, Allride Rocker also available without LYT PR Base (ART.Nr: 315155)

PRODUCT DETAILS

LENGTH	156/163/170/177/184
SIDECUT	127/85/108 @ Length 170
RADIUS	14,8 @ Length 170
PLATE	LYT PR Base
BINDING	114469 PRW 11 GW Brake [G] 90 mm











KORE X 80 LYT-PR

ARTICLE NUMBER 315165

PRODUCT FEATURES

Wood Composite Core, Graphene , Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	126/80/106 @ Length 170
RADIUS	13,2 @ Length 170
PLATE	LYT PR Base
BINDING	114352 PRW 11 GW Brake [G]
	85 mm

KORE X 78 LYT-PR

ARTICLE NUMBER

315125

PRODUCT FEATURES

Wood Composite Core, Graphene , Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

I KODOOI	DETRIES
LENGTH	149/156/163/170/177
SIDECUT	126/78/105 @ Length 170
RADIUS	12,7 @ Length 170
PLATE	LYT PR Base
BINDING	114352 PRW 11 GW Brake [G]
	85 mm


KORE X 74 LYT-PR

NEW ARTICLE NUMBER NEW 315115

PRODUCT FEATURES

Wood Composite Core, Graphene , Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

LENGTH	142/149/156/163/170/177
SIDECUT	128/74/112 @ Length 170
RADIUS	12,6 @ Length 170
PLATE	LYT PR Base
BINDING	114352 PRW 11 GW Brake [G]
	85 mm









ARTICLE NUMBER

315565

PRODUCT FEATURES

Carbon Sandwich Twintip Construction, PET Wood Core , Tuff-Wall/ Edge, ISS - Independent Suspension System, TNT Rocker

PRODUCT DETAILS

LENGTH	181/189	
SIDECUT	142/117/132 @ Length 189	
RADIUS	30,8 @ Length 189	
BINDING	114631 ATTACK 17 GW W/O Brake [A]	



OBLIVION 102

ARTICLE NUMBER

315585

PRODUCT FEATURES

Carbon Sandwich Twintip Construction, PET-Wood Core , UHM C Base, Tuff-Wall/Edge, ISS - Independent Suspension System, TNT Rocker

PRODUCT DETAILS

LENGTH	173/181/189
SIDECUT	135/102/125 @ Length 181
RADIUS	22,8 @ Length 181
BINDING	114640 ATTACK 14 GW Brake [A] 110 mm

CARBON CONSTRUCTION -

TWIN-TIP CONSTRUCTION -

Carbon layers throughout the ski improve stability and performance while simultaneously saving weight.

Sandwich Carbon Construction with TNT Rocker for more durability but plenty of playfulness in the tip and tail.

All elements of the ski, inside and out, have been developed in collaboration with Cole Richardson.

PROFESSIONAL PERFORMANCE AND GRAPHICS









OBLIVION 94

ARTICLE NUMBER

315514

PRODUCT FEATURES

Sandwich Twintip Construction, UHM C Base, Tuff-Wall/Base/Edge, ISS - Independent Suspension System, PNP Rocker

PRODUCT DETAILS

LENGTH	163/170/177/184
SIDECUT	128/94/118 @ Length 184
RADIUS	22,8 @ Length 184
BINDING	114639 ATTACK 14 GW Brake
	[A] 95 mm

OBLIVION 84

ARTICLE NUMBER

315524

PRODUCT FEATURES

Sandwich Twintip Construction, UHM C Base, Tuff-Wall/Base/Edge, ISS - Independent Suspension System, PNP Rocker

PRODUCI	DE IAILS
LENGTH	171/176/181
SIDECUT	120/84/109 @ Length 176
RADIUS	19,0 @ Length 176
BINDING	114638 ATTACK 14 GW Brake
	[A] 85 mm

OBLIVION 79

ARTICLE NUMBER 315544

PRODUCT FEATURES

Woodcore Twintip Construction, Highly Transparent UHM Base, PNP Rocker

LENGTH	154/163/172/181
SIDECUT	112/79/106 @ Length 172
RADIUS	19,1 @ Length 172
BINDING	114638 ATTACK 14 GW Brake
	[A] 85 mm





CRUX is the touring solution, uphill or downhill, this touring collection does it all. CRUX has the answer to every challenge your backcountry mission throws at you. SUPERLIGHT EQUIPMENT, ULTIMATE SKIABILITY The topsheet has been removed to save weight, while a Snow Free Coating repels snow.

LYT TECH CONSTRUCTION

Less weight equals more efficiency in the skin track and more energy in the tank for the descent.

GRAPHENE AND KARUBA WOOD CORE

Incredible power to weight ratio with strong dampening qualities.

FULL TRIAXIAL CARBON JACKET

Fibers woven in three angles provide exceptional torsional rigidity.









ARTICLE NUMBER

315804

PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, Karuba Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

PRODUCT DETAILS

I KODOOI	PEIMILO
LENGTH	170/177/184
SIDECUT	133/105/122 @ Length 184
RADIUS	25,6 @ Length 184
WEIGHT	1440g/pc @ Length: 184*
BINDING	114584 ALMONTE 12 PT Brake
	[M] 105 mm
SKIN	388384 - CRUX 105 Touring
	Skins L
	388394 - CRUX 105 Touring
	Skins M

CRUX 99 PRO

ARTICLE NUMBER

315814

PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, Karuba Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

PRODUCT DETAILS

LENGTH	163/170/177/184
SIDECUT	132/99/117 @ Length 184
RADIUS	22,7 @ Length 184
WEIGHT	1385g/pc @ Length: 184*
BINDING	114584 ALMONTE 12 PT Brake
	[M] 105 mm
SKIN	388404 - CRUX 99 Touring
	Skins L
	388414 - CRUX 99 Touring
	Skins M

CRUX 93 PRO

ARTICLE NUMBER

315824

PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, Karuba Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

PRODUCT DETAILS

LENGIH	163/170/171/184
SIDECUT	130/93/113 @ Length 177
RADIUS	18,6 @ Length 177
WEIGHT	1280g/pc @ Length: 177*
BINDING	114584 ALMONTE 12 PT Brake
	[M] 105 mm
SKIN	388434 - CRUX 93 Touring
	Skins L
	388444 - CRUX 93 Touring
	Skins M

GRAPHENE

^{*}production-related deviations must be taken into account





TOURING







TOURING





CRUX 87 PRO

ARTICLE NUMBER

315834

PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, Karuba Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

PRODUCT DETAILS

INODUCI	DETAILS
LENGTH	149/156/163/170/177/184
SIDECUT	126/87/108 @ Length 177
RADIUS	17,7 @ Length 177
WEIGHT	1220g/pc @ Length: 177*
BINDING	114583 ALMONTE 12 PT Brake
	[M] 90 mm
SKIN	388464 - CRUX 87 Touring
	Skins L
	388474 - CRUX 87 Touring
	Skins M
	388454 - CRUX 87 Touring
	Skins S
*production	on-related deviations must be take

CRUX 81 PRO

ARTICLE NUMBER

315844

PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, Karuba Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

PRODUCT DETAILS	
LENGTH	149/156/163/170/177/184
SIDECUT	124/81/105 @ Length 177
RADIUS	16,8 @ Length 177
WEIGHT	1165g/pc @ Length: 177*
BINDING	114583 ALMONTE 12 PT Brake
	[M] 90 mm
SKIN	388424 - CRUX 81 Touring
	Skins L
	388484 - CRUX 81 Touring
	Skins M
	388494 - CRUX 81 Touring
	Skins S
	,

*production-related deviations must be taken into account

CRUX 99

ARTICLE NUMBER

315904

PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, Poplar Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

PRODUCT DETAILS

LENGTH	163/170/177/184
SIDECUT	132/99/117 @ Length 184
RADIUS	22,7 @ Length 184
WEIGHT	1725g/pc @ Length: 184*
BINDING	114590 ALMONTE 10 PT Brake
	[M] 105 mm
SKIN	388404 - CRUX 99 Touring
	Skins L
	388414 - CRUX 99 Touring
	Skins M

CRUX 93

ARTICLE NUMBER

315914

PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, Poplar Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

PRODUCT DETAILS

INODUCI	DEINIES
LENGTH	163/170/177/184
SIDECUT	130/93/113 @ Length 177
RADIUS	18,6 @ Length 177
WEIGHT	1595g/pc @ Length: 177*
BINDING	114590 ALMONTE 10 PT Brak
	[M] 105 mm
SKIN	388434 - CRUX 93 Touring
	Skins L
	388444 - CRUX 93 Touring
	Skins M

CRUX 87

ARTICLE NUMBER

315924

PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, Poplar Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

PRODUCT DETAILS

	LENGTH	149/156/163/170/177/184
	SIDECUT	126/87/108 @ Length 177
	RADIUS	17,7 @ Length 177
	WEIGHT	1520g/pc @ Length: 177*
	BINDING	114589 ALMONTE 10 PT Brak
		[M] 90 mm
	SKIN	388464 - CRUX 87 Touring
		Skins L
		388474 - CRUX 87 Touring
		Skins M
		388454 - CRUX 87 Touring
		Skins S

CRUX 81

ARTICLE NUMBER

315934

PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, Poplar Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

	LENGTH	149/156/163/170/177/184
	SIDECUT	124/81/105 @ Length 177
	RADIUS	16,8 @ Length 177
	WEIGHT	1450g/pc @ Length: 177*
,	BINDING	114589 ALMONTE 10 PT Brake
		[M] 90 mm
	SKIN	388424 - CRUX 81 Touring
		Skins L
		388484 - CRUX 81 Touring
		Skins M
		388494 - CRUX 81 Touring
		Skins S

^{*}production-related deviations must be taken into account



JOY

For over 15 years, the JOY range has set the standard for bespoke female equipment. Featuring geometry that is biomechanically tuned for women, JOY is built from the bases up for women who crave to carve.

143

BETTER BALANCE PR BASE

Providing a constant ramp angle for easy turn initation and high speed stability.

FEMALE SPECIFIC FLEX PROFILE

HEAD

Softer flex in the middle to give a homogeneous pressure distribution.

SHOVEL DESIGN

Slimmed down shovel design for a smoother turn initiation and more control.

SIDECUT

Longer radius sidecut gives a more stable ski, for confident edge to edge transitions.









ARTICLE NUMBER

315675

PRODUCT FEATURES

LYT Tech Construction, EMC, Graphene, Light Weight Woodcore, Superlightweight Distribution, Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Speed Rocker

PRODUCT DETAILS

	LENGTH	153/158/163/168/173
	SIDECUT	113/70/98 @ Length 163
	RADIUS	15,1 @ Length 163
	PLATE	Better Balance PR Base
	BINDING	100927 PROTECTOR PR 13 GW Brake [P] 85 mm

SUPER JOY

ARTICLE NUMBER

315605

PRODUCT FEATURES

LYT Tech Construction, EMC, Graphene, Womens's Camber, Superlightweight Distribution, Carbon Sandwich Cap Construction, Light Weight Wood Core, Structured UHM C Base, Allride Rocker

LENGTH	143/148/153/158/163/168
SIDECUT	120/75/106 @ Length 163
RADIUS	14,0 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100913 PROTECTOR SLR 11 GW Brake [N] 80 mm













ABSOLUT JOY

ARTICLE NUMBER

315685

PRODUCT FEATURES LYT Tech Construction, EMC, Graphene, Womens's Camber, Super-

lightweight Distribution, Carbon Sandwich Cap Construction, Light Weight Wood Core, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

TOTAL JOY

315625

ARTICLE NUMBER

LENGTH	148/153/158/163/168
SIDECUT	128/85/114 @ Length 163
RADIUS	14,7 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100914 PROTECTOR SLR 11 GW Brake [N] 90 mm

PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Wood Composite Core, UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	143/148/153/158/163/168
SIDECUT	122/80/108 @ Length 163
RADIUS	14,8 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100953 JOY 9 GW SLR Brake [H] 85 mm





PURE JOY

ARTICLE NUMBER

315705

PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	143/148/153/158/163
SIDECUT	121/75/107 @ Length 163
RADIUS	13,1 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100952 JOY 9 GW SLR Brake [H] 78 mm

ARTICLE NUMBER 315735

PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Wood Composite Core, UHM C Base, Allride Rocker

I RODOCI DETAILS		
LENGTH	143/148/153/158/163	
SIDECUT	121/75/107 @ Length 163	
RADIUS	13,1 @ Length 163	
PLATE	JOY "BB" SLR PRO Base	
BINDING	100954 JOY 9 GW SLR Brake [H] 78 mm	



UNICORN

Designed from the ground up to be super-stable and super-controllable. The junior collection is crafted to help little one's pivot, slide and plough with ease. All the features of UNICORN are designed to make your child feel like they're winning right from the moment they step into the ski.



Narrower tip and tail profiles and longer radiuses on sizes 67-97cm, makes these skis much easier to handle for little skiers aged three to seven.

E4SY SYSTEM

MORE FUN!

Simple for every child to use. Featuring E4SY FLEX, E4SY HANDLING, E4SY WEIGHT and E4SY STEP IN.



ARTICLE NUMBER

PRODUCT FEATURES

PRODUCT DETAILS

EMC F, Graphene Sandwich Construction,

also available without JRS (ART.Nr: 314435)

100/110/120/130/140/150/160

100922 JRS 7.5 GW CA Brake

111/67/95 @ Length 140

10,8 @ Length 140

JRS Base

[H] 78 mm

UHM C Base, Structured Surface

314445

LENGTH

SIDECUT

RADIUS

PLATE

BINDING







ARTICLE NUMBER 314415

PRODUCT FEATURES

Power Sidewall Jacket, ERA 2.0, Structured
Surface, UHM C Base

PRODUCT DETAILS

LENGTH	110/120/130/140/150/160
SIDECUT	123/70/101 @ Length 140
RADIUS	9,7 @ Length 140
PLATE	JRS Base
BINDING	100922 JRS 7.5 GW CA Bra
	[H] 78 mm



SUPERSHAPE TEAM EASY JRS

ARTICLE NUMBER 314505

PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base black, Structured Surface, Junior Rocker also available without JRS (ART.Nr: 314535)

PRODUCT DETAILS

LENGTH	67/77/87/97/107/117/127/137/147
	157
SIDECUT	111/67/96 @ Length 127
RADIUS	8,7 @ Length 127
PLATE	JRS Base
BINDING	100923 JRS 4.5 GW CA Brake
	[I] 80 mm







MONSTER EASY JRS

ARTICLE NUMBER

314485

PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base black, Structured Surface, Junior Rocker

PRODUCT DETAILS

LENGTH	67/77/87/97/107/117/127/137/147/157	
SIDECUT	111/67/96 @ Length 127	
RADIUS	8,7 @ Length 127	
PLATE	JRS Base	
BINDING	114475 JRS 4.5 GW CA Brake [I] 80 mm	

PAW PATROL JRS

ARTICLE NUMBER

314465

PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base black, Structured Surface, Junior Jr. Power Frame, E Base black, Structured Surface, Junior Rocker

PRODUCT DETAILS

LENGTH	67/77/87/97	
SIDECUT	104/65/89 @ Length 97	
RADIUS	5,3 @ Length 97	
PLATE	JRS Base	
BINDING	114478 JRS 4.5 GW CA Brake [I] 80 mm	





UNICORN JRS

ARTICLE NUMBER

314575

PRODUCT FEATURES

Jr. Power Frame, E Base black, Structured Surface, Junior Rocker

PRODUCT DETAILS

LENGTH	67/77/87/97
SIDECUT	104/65/89 @ Length 97
RADIUS	5,3 @ Length 97
PLATE	JRS Base
BINDING	114478 JRS 4.5 GW CA Brake [I] 80 mm

JOY EASY JRS

NEW ARTICLE NUMBER

314455

PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base Black, Junior Rocker

PRODUCT DETAILS

INODOGI	DE INIES
LENGTH	107/117/127/137/147
SIDECUT	111/67/96 @ Length 127
RADIUS	8,0 @ Length 127
PLATE	JRS Base
BINDING	114478 JRS 4.5 GW CA Brake [I] 80 mm







KORE TEAM

ARTICLE NUMBER NEW ARTICLE NUMBER 314025 314035

PRODUCT FEATURES	P

Graphene, Sandwich Cap Construction, Hybrid Top Surface, Highly transparent UHM Base, Tip-Tail Rocker

PRODUCT	DETAILS
FNGTH	128/13

LENGTH	128/135/142/149/156/163
SIDECUT	123/84/107 @ Length 149
RADIUS	10,6 @ Length 149
BINDING	114598 ATTACK LYT 11 GW Brake [A] 95 mm

OBLIVION JR PRO

PRODUCT FEATURES Sandwich Twintip Construction, Highly transparent UHM Base, Tuff-

walls, PNP Rocker

PRODUCT DETAILS

LENGTH	149/157/165	
SIDECUT	132/100/122 @ Length 157	
RADIUS	17,3 @ Length 157	
BINDING	114603 ATTACK LYT 11 GW Brake [A] 110 mm	





ARTICLE NUMBER

314054

PRODUCT FEATURES

Sandwich Twintip Construction, Highly transparent UHM Base, Tuff- Twintip construction, E Base Black, Structured Surface walls, PNP Rocker

PRODUCT DETAILS

LENGTH	131/141/151/161
SIDECUT	116/81/106 @ Length 141
RADIUS	11,8 @ Length 141
BINDING	114606 ATTACK LYT 9 GW Brake [D] 85 mm



OBLIVION TEAM JRS

ARTICLE NUMBER

314494

JUNIOR


PRODUCT FEATURES

INODUCI	DETRIES	
LENGTH	87/97/107/117/127/137	
SIDECUT	104/68/92 @ Length 127	
RADIUS	9,4 @ Length 127	
PLATE	JRS Base	
BINDING	114475 JRS 4.5 GW CA Brake [I] 80 mm	

SKI CONSTRUCTIONS

FREERIDE SANDWICH CAP CONSTRUCTION Our Freeride Sandwich Cap Construction has two layers of Titanal® along with a Karuba/ Beech Wood Core in the unisex models and a specifically tuned Poplar/PET Wood Core for our women's line, both providing the ultimate combination of stability and liveliness. A Flax layer and Graphene round out the construction in all models to provide our most performance driven freeride construction to date. 1 Hybrid Top Sheet/Flax 6 Sidewall 2 Glass Fiber 7 Dampening Layer 3 Titanal® Layer 8 Edge 9 Base 5 Karuba/Beech Wood Core* * Poplar/PET-Wood Core for KORE W skis. GRAPHENE GRAPHENE

Relevant HEAD skis: all KORE & KORE W skis



Relevant HEAD skis: all Supershape skis, Worldcup Rebels e-Speed (Pro), Worldcup Rebels e-Race (Pro), Worldcup Rebels e-SL (Pro), Worldcup Rebels e.GSR, Power Joy



Relevant HEAD skis: Shape e-V10, Shape e-V8, Super Joy, Total Joy


TRIAXIAL CARBON SANDWICH CAP CONSTRUCTION Full Triaxial Carbon Jacket is a reinforcement fabric that is optimized to obtain a high strength-to-weight ratio. Carbon fibers weaved in three different directions offer a unique construction method where the top sheet is removed on the full ski, exposing a carbon wrap. Better power transmission of forces onto the slopes, ultralightweight, optimum bell curve for perfect flex behaviour. 1 Triaxial Carbon Jacket* 6 Sidewall 2 Carbon 7 Dampening Layer 3 Glass Fiber 8 Edge 4 Graphene 9 Base 5 Karuba Wood Core* 10 Glass Fiber (only Crux Skis)

*Crux: 1 Topsheet 5 Poplar Wood Core

Relevant HEAD skis: Crux Pro, Crux



Relevant HEAD skis: Oblivion 116, Oblivion 102



Relevant HEAD skis: KORE X 90, KORE X 85, Worldcup Rebels e.XSR, Worldcup e.Race Team JRS, Oblivion JR, Oblivion JR Pro, Oblivion 94, Oblivion 84, KORE Team



Relevant HEAD skis: KORE X 80, Shape e.V5, Shape V4, Absolut Joy, Real Joy, Worldcup Rebels XR, Kore X 78, Kore X 74, Shape VX R, Shape AM 74 R, Shape AM 80 R

SKI CONSTRUCTIONS





Relevant HEAD skis: Oblivion 79, Ambition Pro R



KI ARTNR	2. SKI NAME	BINDING ARTNR.	BINDING NAME	BINDING COLOR
RACE 813225	Worldcup Rebels e-Speed Pro	100904	FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A]	matt black/speed blue
		100903 100905 100906 100907	FREEFLEX ST 14 A BRANE 85 [A] FREEFLEX ST 14 BRANE 85 [A] FREEFLEX 11 RACE BRANE 85 [A] FREEFLEX 14 GW BRANE 85 [D]	matt black/speed blue matt black/speed blue matt black/speed blue
		100908	FREEFLEX 11 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
245	Worldcup Rebels e-Speed	100909 114300 100905 100903	FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX ST M BRAKE 85 [A] FREEFLEX ST M 8 BRAKE 85 [A]	matt black/speed blue solid black/white
210	нопасар невез е зреса	100903 100904	FREFEL FY ST 16 RRAKE RS (A)	matt black/speed blue matt black/speed blue matt black/speed blue
		100906 100907	FREEFLEX 11 RACE BRAKE 85 [A] FREEFLEX 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
		100908 100909 114300	FREEFLEX 11 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D] FREFFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue solid black/white
255	Worldcup Rebels e-Race Pro	100904 100903	FREEFLEX DEMO 14 GW BRAKE 85 (D) FREEFLEX ST 16 BRAKE 85 (A) FREEFLEX ST 14 X BRAKE 85 (A)	matt black/speed blue matt black/speed blue
		100905 100906 100907	FREEFLEX ST 14 BRAKE 85 [A] FREEFLEX 11 RACE BRAKE 85 [A] FREEFLEX 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue matt black/speed blue
		100908 100909	FREEFLEX TI GW BRAKE 85 [D] FREEFI EX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue matt black/speed blue
265	Worldcup Rebels e-Race	114300 100905 100903	FREEFLEX DEMO 14 GW BRAKE 85 (D) FREEFLEX ST 14 BRAKE 85 (A) FREEFLEX ST 14 X BRAKE 85 (A)	solid black/white matt black/speed blue
		100903 100904 100906	FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX 11 RACE BRAKE 85 [A]	matt black/speed blue matt black/speed blue matt black/speed blue
		100907	FREEFLEX 14 GW BRAKE 85 ID1	matt black/speed blue matt black/speed blue
		100908 100909 114300	FREEFLEX II GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue solid black/white
235	Worldcup Rebels e-SL Pro	100904 100903 100905	FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A]	matt black/speed blue matt black/speed blue matt black/speed blue
		100906 100907	FREEFLEX 11 RACE BRAKE 85 [A] FREEFLEX 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
		100908 100909 114300	FREEFLEX 11 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
205	Worldcup Rebels e-SL	100907	FREEFLEX 14 GW BRAKE 85 ID1	solid black/white matt black/speed blue matt black/speed blue
		100904 100905 100906	FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX ST 14 BRAKE 85 [A] FREEFLEX 11 RACE BRAKE 85 [A]	matt black/speed blue matt black/speed blue
		100908 100909	FREEFLEX TI GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue solid black/white
365 385	Worldcup Rebels e.SLR Worldcup Rebels e.GSR	114300 100911 100911	FREEFLEX DEMO 14 GW BRAKE 85 [D] PR 11 GW BRAKE 78 [G] PR 11 GW BRAKE 78 [G]	matt black/speed blue matt black/speed blue
415 495	Worldcup Rebels eXSR Worldcup Rebels XR	100911 100911	PR 11 GW BRAKE 78 [G] PR 11 GW BRAKE 78 [G] PR 11 GW BRAKE 78 [G]	matt black/speed blue matt black/speed blue
FORMANO 195		114561	PR 10 GW PHOMO BRAKE 85 [G] PROTECTOR PR 13 GW BRAKE 85 [P]	solid black/speed blue matt black
		100955 100941 100925	PROTECTOR PR 13 GW BRAKE 85 [P] PROT 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P]	black crystal matt black/white
325	Supershape e-Speed	100955	PROTECTOR PR 13 GW BRAKE 85 [P]	matt black black crystal
305	Supershape e-Magnum	100941 100925 100955	PRD 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P] PROTECTOR PR 13 GW BRAKE 85 [P]	matt black/white matt black black crystal
345	Supershape e-Rally	100941 100925	PROTECTOR PR 13 GW BRAKE 85 [P] PRO 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P]	matt black/white matt black
		100955 100941	PROTECTOR PR 13 GW BRAKE 85 [P] PROTECTOR PR 13 GW BRAKE 85 [P] PRO 12 GW BRAKE 85 [F] PRO 12 GW BRAKE 85 [F]	black crystal matt black/white
285	Supershape e-Titan	100926 100956 100946	PROTECTOR PR 13 GW BRAKE 95 [P] PROTECTOR PR 13 GW BRAKE 95 [P] PRD 12 GW BRAKE 95 [F]	matt black black crystal matt black/white
205	Shape e-VIO	114509 100943	PROTECTOR PR II GW BRAKE 95 [P] PR II GW BRAKE 90 IG1	matt black matt black
225 255	Shape e-V8 Shape e-V5	114508 100942 100942	PROTECTOR PR II GW BRAKE 85 [P] PR II GW BRAKE 85 [G] PR II GW BRAKE 85 [G]	matt black matt black matt black
275	Shape V4	114508 100942	PR II GW BRAKE 85 [G] PROTECTOR PR II GW BRAKE 85 [P] PR II GW BRAKE 85 [G] PR II GW BRAKE 85 [G]	matt black matt black
285 Limountai	Shape V2 N	100942		matt black
145	Kore X 90	114598 114602 114612	ATTACK LYT II GW BRAKE 95 [A] ATTACK LYT II GW BRAKE 95 [A] ATTACK LYT II GW DEMM BRAKE 95 [F]	sand solid black solid black
		114629	ATTACK LYT II GW DEMO BRAKE 95 [F] ATTACK HYBRID II MN/PT BRAKE 95 [O] AMBITION 10 MN W/O BRAKE [C]	solid black/silver solid black
195	Kore X 90 LYT-PR	114587 114469	ALMONTE 12 PT BRAKE 105 [M] PRW 11 GW BRAKE 90 [G]	black/metallic grey solid black
155	Kore X 85	114465 114509 114602	PRD 12 GW BRAKE 95 [F] PROTECTOR PR 11 GW BRAKE 95 [P] ATTACK LYT 11 GW BRAKE 95 [A]	matt black matt black solid black
		114612	ATTACK LYT TI GW DEMO BRAKE 95 [F] ATTACK HYBRID 11 MN/PT BRAKE 95 [G]	solid black solid black/silver
175	Kore X 85 LYT-PR	114304 114586	AMBITION 10 MN W/O BRAKE [C] ALMONTE 12 PT BRAKE 90 [M] PRW 11 GW BRAKE 90 [G]	solid black black/metallic grey
5175	Note X 85 LT1-PK	114465 114509	PRIN II GW BRANE 90 [G] PRD 12 GW BRANE 95 [F] PROTECTOR PR 11 GW BRANE 95 [P]	solid black matt black matt black
165	Kore X 80 LYT-PR	114352 114464 114508	PRW 11 GW BRAKE 85 [G]	solid black matt black
125	Kore X 78 LYT-PR	114508 114352 114464	PRD 12 GW BRAKE 85 (F) PROTECTOR PR 11 GW BRAKE 85 (P) PRW 11 GW BRAKE 85 (G) PRD 12 GW BRAKE 85 (F)	matt black solid black matt black
		114508 114528	PROTECTOR PR II GW BRAKE 85 [P] PR 10 GW PROMO BRAKE 85 [G]	matt black solid black
5115	Kore X 74 LYT-PR	114352 114464	PRW 11 GW BRAKE 85 [G] PRD 12 GW BRAKE 85 [F] PROTECTOR PR 11 GW BRAKE 85 [P]	solid black matt black
EESKI		114508 114528	PRUTELTUR PR IT GW BRAKE 85 [P] PR 10 GW PROMO BRAKE 85 [G]	matt black solid black
405	Kore 118 Ti	114632 114625	ATTACK 17 GW W/O BRAKE [A] ATTACK HYBRID 14 MN/PT W/O BRAKE [O]	sand solid black/gold
		114633 114593	ATTACK 14 GW W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P]	sand solid black matt black
		114658	ATTACK 14 MN DEMO W/O BRAKE [F] ATTACK LYT 13 GW DEMO W/O BRAKE [F] ALMONTE 12 PT W/O BRAKE [M]	solid black solid black
		114608 114582 114592	ALMONTE 10 PT DEMO BRAKE 105 [M]	black/sand black/metallic grey
415	Kore 112 Ti	114641 114625 114628	ATTACK 14 GW W/O BRAKE [A] ATTACK HYBRID 14 MN/PT W/O BRAKE [O] ATTACK HYBRID 11 MN/PT W/O BRAKE [O]	matt white solid black/gold solid black/silver
		114632 114634 114633	ATTACK 17 GW W/O BRAKE [A] ATTACK 14 GW W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A]	sand sand solid black
		114633 114593	ATTACK 14 MN W/O BRAKE [A] PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P]	matt black
		114608 114582	PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P] ATTACK 14 MN DEMO W/O BRAKE [F] ATTACK LYT 13 GW DEMO W/O BRAKE [F] AI MONTE 12 PT W/O BRAKE [M]	solid black solid black black/sand
125	Kore 106 Ti	114582 114592 114646	ALMONTE 12 PT W/O BRAKE [M] ALMONTE 10 PT DEMO BRAKE 105 [M] ATTACK 14 GW BRAKE 110 [A]	black/metallic grey green
		114627 114630	ATTACK HYBRID 14 MN/PT BRAKE 110 [0] ATTACK HYBRID 11 MN/PT BRAKE 110 [0]	solid black/gold solid black/silver sand
		114632 114636 114633	ATTACK 17 GW W/O BRAKE [A] ATTACK 14 GW BRAKE 110 [A] ATTACK 14 MN W/O BRAKE [A]	sand sand solid black
		114595 114658 114610	PROTECTOR ATTACK LYT 13 GW BRAKE 110 [P] ATTACK 14 MN DEMO WO BRAKE [F] ATTACK LYT 13 GW DEMO BRAKE 110 [F]	matt black solid black
		114582 114592	ATTACK LYT 13 GW DEMO BRAKE 110 [F] ALMONTE 12 PT W/O BRAKE [M] ALMONTE 10 PT DEMO BRAKE 105 [M] ATTACK 14 GW BRAKE 110 [A]	solid black black/sand black/metallic grey
135	Kore 100 Ti	114649 114627	ALMONTE ID PT DEMO BRAKE IOS (M) ATTACK 14 GW BRAKE IIO (A) ATTACK HYBRID 14 MN/PT BRAKE IIO (O) ATTACK HYBRID 11 MN/PT BRAKE IIO (O)	red solid black/gold
		114630 114632	ATTACK HYBRID 11 MN/PT BRAKE 110 [O] ATTACK 17 GW WO BRAKE [A]	solid black/silver sand
		114636 114633 114595	ATTACK IT GW WID BRAKE [A] ATTACK IT GW WID BRAKE [ID] ATTACK I4 MN WID BRAKE [ID] ATTACK I4 MN WID BRAKE [ID] PROTECTOR ATTACK IYT I3 GW BRAKE ID IP]	sand solid black matt black
		114599	PROTECTOR ATTACK LYT IS GW BRAKE 110 [P] ATTACK LYT II GW BRAKE 110 [A] ATTACK LYT II GW BRAKE 110 [A]	sand solid black
		114610 114613 114584	ATTACK LYT IS GW DEMO BRAKE 110 [F] ATTACK LYT IN GW DEMO BRAKE 110 [F] ATTACK LYT IN GW DEMO BRAKE 110 [F] ALMONTE 12 PF BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M]	solid black solid black
		114590 114592		black/sand black/metallic grey black/metallic grey
			ATTACK 14 GW BRAKE 95 [A]	sand
445	Kore 94 Ti	114635 114626	ATTACK 14 GW BRAKE 95 [A] ATTACK HYBRID 14 MN/PT BRAKE 95 [O]	solid black/gold
45	Kore 94 Ti	114629		solid black/silver sand
145	Kore 94 Ti	114629 114632 114633 114594	ATTACK 17 GW WID BRAKE [A] ATTACK 17 GW WID BRAKE [A] ATTACK 14 MN WIO BRAKE [A] PROTECTOR ATTACK 1YT 13 GW BRAKE 95 IP1	solid black/silver sand solid black matt black
445	Kore 94 Ti	114629	ATTACK HYBRIDT IMM(PF BRANE 95 (U) ATTACK TO WIND BRANE [A] ATTACK M NN IND BRANE [A] PROTECTOR ATTACK LYT IS ON BRANE 95 [P] ATTACK LYT II ON BRANE 95 [A] ATTACK HY IN DOWN WIND BRANE [F] ATTACK HY IN DOWN WIND BRANE 95 [F] ATTACK YIT IS GW IN PROBREM 95 [F]	solid black/silver sand solid black matt black sand solid black solid black
445	Kore 94 Ti	114629 114632 114633 114594 114598 114658 114609 114612 114584	AT IACK HYBROUT INNEY? BERKE, 95 (U) ATTACK TO RIVE DERBOEL SAL ATTACK HE MAN IND BERKE SAL ATTACK HE SAL ATTACK H	solid blackksilver sand solid black matt black sand solid black sand solid black solid black solid black solid black solid black
	Kore 94 Ti Kore 88 Ti	114629 114632 114633 114594 114598 114659 114612 114594 114612	ALLICA FERROR DIRRIVE ROMA SO (U) ATTICAT OF MID SHARE (A) PROTECTION ATTICAT OF THE OWN BRAKE SO (P) ATTICAT OF THE ORBITACE (THE OWN BRAKE SO (P) ATTICAT OF THE ORBITACE SO (T) ATTICATE OR ORBITACE SO (T) ATTICATE OR ORBITACE SO (T) ATTICATE OR ORBITACE SO (T) ANAMONIE OF THE ORBITACE SO (T) ANAMONIE OF THE ORBITACE SO (T) ATTICATE OR ORBITACE SO (T) ATTICATE OR ORBITACE SO (T) ATTICATE ORBITACE SO (T) ATTICATE ORBITACE SO (T) ATTICATE ORBITACE SO (T) ATTICATE ORBITACE SO (T)	solid blackksilver sand solid black matt black sand solid black so
		146,29 146,32 146,33 145,94 145,98 146,58 146,69 146,12 145,84 145,90 145,92 146,51 146,51 146,51 146,51 146,52	ATTICK OF THE PROPERTY OF THE	solid black/silver send solid black solid black/medallit. grey black/medallit. grey solid black/gold solid black/gold
		1146,29 1146,32 1146,33 114794 114799 1146,59 1146,	ALICAL FYREND THRIVEY BOARD SO JUL ATTICK TO FIRM DO SHALE CAL PROTECTION ATTICK IT THE OWN BOARD SO JUL ATTICK TO HE OWN BOARD SO JUL ATTICK THE OWN BOARD SO JUL ALICAL THE OWN BOARD SO JUL ALICAL THE OWN BOARD SO JUL ALICAL THE OWN BOARD SO JUL ATTICK THE OWN BOARD S	soft black/sheer sand soft black sand soft black soft b
		1946-29 1946-22 1946-32 1945-94 1945-95 1946-55 1946-97 1946-22 1945-91 1946-23 1946-51 1946-25 1946-25 1946-35 1946-35 1946-35 1946-35 1946-35 1947-94 1949-94	ALICA: HYBROTI THRIVEY BOARD SP. (U) ATTICK: TO HIB DEBACE (A). PROTECTION ATTICK: IT IS DUT BOARD SP. (E) ATTICK: TO HIB DEBACE (S). ATTICK: AT HIS DEBACE (S). ATTICK: M HIS DEFACE (S). ATTICK: LY HIS DEFACE (S). ATTICK: LY HIS DEBACE (S). ATTICK: LY HIS DEBACE (S). ALICA: LY HIS DEBACE (S). ATTICK: HIS DEBACE	solid black/alter seed seed ment black ment black and black seed seed seed seed seed seed seed see
		196.57 196.52 196.53 196.59 196.59 196.59 196.59 196.59 196.50 19	A DIAL FYREND THRIVEY BOARD, SO JUL ATTICK TO WITH DO SMACE CAL PROJECTION ATTICK IT THE OWN BOARD SO JUL ATTICK TO WITH DO SMACE SO JUL ATTICK THE OWN BOARD SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ALMONIC BY THE SMACE SO JUL ALMONIC BY THE SMACE SO JUL ATTICK M WIN BOARD SO JUL ATTICK M WIN BORNE SO JUL ATTICK M WIN BOS JUL ATTICK M WIN JULE WIN SO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JULE ATTICK M WIN JULE WIN SWO SMACE ST JULE ATTICK M WIN JULE	solid black/alver self black/alver self self self self self self self self
		HACK'S HAGE	A DIAL FYREND THRIVEY BOARD, SO JUL ATTICK TO WITH DO SMACE CAL PROJECTION ATTICK IT THE OWN BOARD SO JUL ATTICK TO WITH DO SMACE SO JUL ATTICK THE OWN BOARD SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ALMONIC BY THE SMACE SO JUL ALMONIC BY THE SMACE SO JUL ATTICK M WIN BOARD SO JUL ATTICK M WIN BORNE SO JUL ATTICK M WIN BOS JUL ATTICK M WIN JULE WIN SO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JULE ATTICK M WIN JULE WIN SWO SMACE ST JULE ATTICK M WIN JULE	solid Backylaher sale sale sale sale sale sale sale sale
455		1945;7 1945;1 19	A DIAL FYREND THRIVEY BOARD, SO JUL ATTICK TO WITH DO SMACE CAL PROJECTION ATTICK IT THE OWN BOARD SO JUL ATTICK TO WITH DO SMACE SO JUL ATTICK THE OWN BOARD SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ATTICK M WIN ECHO WIND SMACE SO JUL ALMONIC BY THE SMACE SO JUL ALMONIC BY THE SMACE SO JUL ATTICK M WIN BOARD SO JUL ATTICK M WIN BORNE SO JUL ATTICK M WIN BOS JUL ATTICK M WIN JULE WIN SO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN WO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JUL ATTICK M WIN JULE WIN SWO SMACE ST JULE ATTICK M WIN JULE WIN SWO SMACE ST JULE ATTICK M WIN JULE	sofit black-planer sold black-planer sold black-planer matt black matt black matt black matt black matt black matt black sold black sold black black-planed black-planed sold black black-planed sold black-planed ore sold black-planed sold black-plane matt black sold black-plane matt black sold black-plane sold black black-planed sold black sold black sold black black-planed black-plane black-planet black-pla
455	Kore 88 Ti	MacCo 1	ALLICA HYBORI THRIVE YEARS, STORE STORE THRIVE YEARS AND	solid black/sheer sale sale sale sale sale sale sale sale
455	Kore 88 Ti	HeAC	ALLICA HYBRID TO MAY PERSON, SP. (10) ATTICK TO MAY DESIDE (A). PROTECTOR ATTICK THE TO BE BRAKE SP. (P). ATTICK TO MAY DESIDE (A). ATTICK THE TO BE BRAKE SP. (A). ATTICK THE BRAKE SP. (B).	soft blackylater set of the set
455	Kore 88 Ti	MeA-52 MeA-53 M	ALLICA HYBORI THROW THE SERVE SP. IP ATTICK I WIN TO BRANE SP. IP PROTECTOR ATTICK THE SID BRANE SP. IP ATTICK I WIN TO BRANE SP. IR ATTICK I WIN TO BRA	sofic black-planer sold black-planer sold black-planer matt black sold black sold black black-planed black-planed sold black black-planed sold black-plane plane sold black-plane sold blac
455	Kore 88 Ti	HeAC	ALLICA HYBROT THRIVEY BOXES, 59 (II) ALLICA HYBROT THRIVEY BOXES, 50 (III) PROTECTOR ATTACK LYT IS ON BRAKE 55 (II) ATTACK A HIM TOO BRAKE 54 (II) ATTACK A HIM TOO HIM DEALE 54 (III) ATTACK A HIM TOO HIM DEALE 54 (III) ATTACK A HIM TOO HIM DEALE 55 (III) ALMONTE D FT BRAKE 55 (III) ALMONTE D FT BRAKE 55 (III) ALMONTE D FT BRAKE 55 (III) ATTACK H OW BRAKE 57 (III) ALMONTE D FT BRAKE 55 (III) ALMONTE D FT	soft blacksheer Seed Se
6445	Kore 88 Ti	MeA-52 MeA-53 M	ALLICA HYBORI THROW THE SERVE SP. IP ATTICK I WHITE OR BRAKE ST. IP REFILECTOR ATTICK I THE OW BRAKE ST. IP ATTICK I WHITE OR BRAKE ST. IR ATTICK I WHITE OR BRAKE ST. IR ATTICK I THE OW BRAKE ST. IR ATTICK I WHITE OR BRAKE ST. IN ATTICK I WHITE OR BRAKE ST.	soft black-placer send send mult black mult black and black send soft black soft black soft black soft black black black-place black-place black-place black-place black-place black-place black-place black-place black-place soft black-place soft black-place soft black-place soft black-place soft black-place soft black

		114584 114590	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT DEMO BRAKE 105 [M]	black/sand black/metallic grey
315475	Kore 99 Ti W	114590 114592 114597	ALMONTE 10 PT DEMO BRAKE 105 [M] ATTACK LYT 12 GW BRAKE 110 [A1	black/metallic grey black/metallic grey matt white
-10113	mark of the H	114627 114630	ATTACK LYT 12 GW BRAKE 110 [A] ATTACK HYBRID 14 MN/PT BRAKE 110 [O] ATTACK HYBRID 11 MN/PT BRAKE 110 [O]	solid black/gold solid black/silver
		114636 114646	ATTACK 14 GW BRAKE 110 [A] ATTACK 14 GW BRAKE 110 [A]	sand green
		114633 114595 114599	ATTACK 14 MN WO BRAKE [A] PROTECTOR ATTACK LYT 13 GW BRAKE 110 [P] ATTACK LYT 11 GW BRAKE 110 [A]	solid black matt black
		114605	ATTACK LYT 11 GW BRAKE 110 FA1	sand solid white
		114657 114658 114610	ATTACK LYT II GW BRAKE IIO [A] ATTACK 14 MN DEMO W/O BRAKE [F] ATTACK LYT I3 GW DEMO BRAKE IIO IEI	pink solid black solid black
		114616 114613	ATTACK LYT 13 GW DEMO BRAKE 110 [F] ATTACK LYT 11 GW DEMO BRAKE 110 [F] ATTACK LYT 11 GW DEMO BRAKE 110 [F]	solid white/black solid black
		114584 114590	ATTACK LYT II GW DEMO BRAKE IIO [F] ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M]	black/sand black/metallic grey
315485	Kore 93 Ti W	114592 114596	ALMONTE 10 PT DEMO BRAKE 105 [M] ATTACK LYT 12 GW BRAKE 95 [A] ATTACK HYBRID 14 MM/PT BRAKE 95 [O]	black/metallic grey matt white
		114626 114629	ATTACK HYBRID 14 MN/PT BRAKE 95 [0] ATTACK HYBRID 11 MN/PT BRAKE 95 [0]	solid black/gold solid black/silver
		114629 114635 114633 114594	ATTACK HYBRID II IMMPT BRAKE 95 (0) ATTACK HYBRID II IMMPT BRAKE 95 (0) ATTACK 14 GW BRAKE 95 (A) ATTACK 14 MIN WO BRAKE (A) PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P]	sand solid black matt black
		114598	PROTECTION AT LACK LYT'S OW BRANK 95 [P] ATTACK LYT II OW BRANCE 95 [A] ATTACK LYT II OW BRANCE 95 [A] ATTACK LYT II OW BRANCE 100 [A] ATTACK MY II OW BRANCE 100 [A] ATTACK MY II OW BRANCE [P] ATTACK MY II SOW DEAN BRANCE 95 [F] ATTACK LYT II SOW DEAN BRANCE 95 [F]	sand solid white
		114605 114657 114658	ATTACK LYT II GW BRAKE IIO [A] ATTACK 14 MN DEMO WO BRAKE IFI	pink solid black
		114609 114615 114612	ATTACK LYT 13 GW DEMO BRAKE 95 [F] ATTACK LYT 11 GW DEMO BRAKE 95 [F]	solid black solid white/black solid black
		114584	ATTACK LYT 11 GW DEMO BRAKE 95 [F] ALMONTE 12 PT BRAKE 105 [M]	black/sand
DIFADE	V 07 T-W	114590 114592	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT DEMO BRAKE 105 [M]	black/metallic grey black/metallic grey
315495	Kore 87 Ti W	114596 114626 114629	ATTACK LYT I2 GW BRAKE 95 [A] ATTACK HYBRID 14 MN/PT BRAKE 95 [O] ATTACK HYBRID 14 MN/PT BRAKE 95 [O]	matt white solid black/gold solid black/silver
		114635 114633	ATTACK HYBRID 11 MN/PT BRAKE 95 [0] ATTACK 14 GW BRAKE 95 [A] ATTACK 14 MN W/O BRAKE [A]	sand solid black
		114594 114598	PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK LYT 11 GW BRAKE 95 [A] ATTACK LYT 11 GW BRAKE 110 [A]	matt black sand
		114605 114657 114658	ATTACK LYT II GW BRAKE IIO [A] ATTACK LYT II GW BRAKE IIO [A]	solid white pink
		114609	ATTACK LYT II GW BRAKE IIO [A] ATTACK HYN DEMO WO BRAKE [F] ATTACK LYT II GW DEMO BRAKE [F] ATTACK LYT II GW DEMO BRAKE [95 [F] ATTACK LYT II GW DEMO BRAKE [95 [F]	solid black solid black
		114615 114612 114583	ATTACK LYT II GW DEMO BRAKE 95 [F] ATTACK LYT II GW DEMO BRAKE 95 [F] AT MONTE 12 PT PD AVE OO TAN	solid white/black solid black black/sand
		114583 114589 114591	ATTACK LYT I TOW DUMB BRAKE 39 [F] ATTACK LYT I TOW DUMB BRAKE 39 [F] ALMONTE LYT BOW BRAKE 50 [M] ALMONTE DY TE BRAKE 30 [M] ALMONTE DY TE BRAKE 30 [M] ATTACK I TO WIN D BRAKE [A] ATTACK I TOW WO BRAKE [A] ATTACK HYBRIO 14 MWPT WO BRAKE [D] ATTACK OF WIN D BRAKE [A]	black/sand black/metallic grey black/metallic grey
315565	Oblivion 116	114631	ATTACK 17 GW W/O BRAKE [A] ATTACK HYBRID 14 MN/PT W/O BRAKE FOI	solid black solid black/gold
		114625 114632 114665	ATTACK 17 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A]	sand
		114633 114637	ATTACK 17 GW W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK 14 GW W/O BRAKE [A]	solid black solid black
		114593 114658	PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P] ATTACK 14 MN DEMO W/O BRAKE [F]	matt black solid black
315585	Oblivion 102	114608 114640 114627	ATTACK LYT 13 GW DEMO W/O BRAKE [F] ATTACK 14 GW BRAKE 110 [A] ATTACK HYBRID 14 MN/PT BRAKE 110 [O]	solid black solid black solid black/nold
		114630 114631	ATTACK HYBRID 11 MN/PT BRAKE 110 [0] ATTACK 17 GW W/D BRAKE 1A1	solid black/gold solid black/silver solid black
		114633	ATTACK HYBBIO JA MINYYY BRAKE, IDI (JU) ATTACK HYBBIO JA MINYY BRAKE, IDI (DI) ATTACK TO WIND BRAKE [A] ATTACK HAN HIN (DI BRAKE [A] ATTACK HAN DE BROY (DI) BRAKE [D]	solid black solid black
		114603 114595 114658	PROTECTOR ATTACK LYT 13 GW BRAKE 110 [P] ATTACK 14 MN DEMO W/O BRAKE [F]	matt black solid black
		114610 114613	ATTACK LYT 13 GW DEMO BRAKE 110 [F] ATTACK LYT 11 GW DEMO BRAKE 110 [F]	solid black solid black
315514	Oblivion 94	114639 114626 114629	ATTACK THE OWN DRAWS TO IT! ATTACK THE OWN DRAWS TO IT! ATTACK HE OWN BRANK 55 JAI ATTACK HERBO IMM/TE BRAKE 55 [O] ATTACK HERBO IMM/TE BRAKE 55 [O] ATTACK HERBO IMM/TE BRAKE 55 [O] ATTACK OF IMM OR BRAKE JAI ATTACK HERBO IMM NIQUE BRAKE JAI ATTACK HERBO IMM NIQUE BRAKE JAI ATTACK HERBO IMM NIQUE BRAKE JAI ATTACK THE IME BRAKE JAI ATTACK THE JAI ATTACK T	solid black solid black/gold
		114629 114631 114633	ATTACK I7 GW W/O BRAKE [A] ATTACK 14 MM W/O BRAKE [A]	solid black/silver solid black solid black
		114633 114602 114594	ATTACK LYT II GW BRAKE 95 [A] PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P]	solid black solid black matt black
		114658 114609	PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK 14 MN DEMO W/O BRAKE [F] ATTACK LYT 13 GW DEMO BRAKE 95 [F]	solid black solid black
315524	Oblivion 84	114612 114638	ATTACK LYLTI GW DEMO BRAKE 95 [F] ATTACK 14 GW BRAKE 85 [A1	solid black solid black
		114626 114629 114631	ATTACK HYBRID 14 MM/PT BRAKE 95 [0] ATTACK HYBRID 11 MM/PT BRAKE 95 [0] ATTACK 17 GW W/O BRAKE [A]	solid black/gold solid black/silver
		114633		solid black solid black
		114601 114594	ATTACK LYT II GW BRAKE 65 [A] PROTECTOR ATTACK LYT II GW BRAKE 95 [P] ATTACK 14 MN DEMO WO BRAKE [F] ATTACK LYT II G W DEMO BRAKE 95 [F] ATTACK LYT II GW DEMO BRAKE 95 [F]	solid black matt black solid black
		114658 114609 114612	ATTACK LYT 13 GW DEMO BRAKE 95 [F] ATTACK LYT 13 GW DEMO BRAKE 95 [F]	solid black solid black
315544	Oblivion 79	114638 114626	ATTACK 14 GW BRAKE 85 [A] ATTACK HYBRID 14 MN/PT BRAKE 95 (0)	solid black solid black/gold
		114629 114631		solid black/silver solid black
		114633	ATTACK 17 GW W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK LYT II GW BRAKE 85 [A]	solid black solid black
		114594 114658	PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK 14 MN DEMO W/O BRAKE [F]	matt black solid black
TOURNE		114609 114612	ATTACK LYT 13 GW DEMO BRAKE 95 [F] ATTACK LYT 11 GW DEMO BRAKE 95 [F]	solid black solid black
TOURING 315804	Crux 105 Pro	114584 114587	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 12 PT BRAKE 105 [M]	black/sand
		114590 114592	ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT DEMO BRAKE 105 [M] AMBITION 10 MN W/O BRAKE [C]	black/metallic grey black/metallic grey black/metallic grey
315814	Crux 99 Pro	114304 114584	AMBITION 10 MN W/O BRAKE [C] ALMONTE 12 PT BRAKE 105 IM1	solid black black/sand
		114587 114590	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M]	black/metallic grey black/metallic grey
215024	Court 02 C	114592 114304	ALMONYE, 10 F1 BRANE, 105 [M] ALMONYE 10 F7 DEMO BRANE 105 [M] AMBITION 10 MN WIO BRANE [C] ALMONYE 12 FT BRANE 105 [M] ALMONYE 12 FT BRANE 105 [M] ALMONYE 10 FT BRANE 105 [M]	black/metallic grey solid black
315824	Crux 93 Pro	114584 114587 114590	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 12 PT BRAKE 105 [M]	black/sand black/metallic grey
		114590 114592 114304		black/metallic grey black/metallic grey
			AMBITION 10 MN W/O BRAKE [C] ALMONTE 12 PT BRAKE 90 [M]	solid black
315834	Crux 87 Pro	114583	ALMONTE 12 PT BRAKE 90 FM1	black/sand black/metallic grev
315834	Crux 87 Pro	114583	ALMONTE 12 PT BRAKE 90 FM1	black/metallic grey black/metallic grey
315834	Crux 87 Pro Crux 81 Pro	114583 114586 114589 114591 114304 114583	ALMONTE 12 PT BRAKE 90 [M] ALMONTE 10 PT BRAKE 90 [M] ALMONTE 10 PT DEMO BRAKE 90 [M] AMBITTION 10 MN W/O BRAKE [C]	black/metallic grey black/metallic grey black/metallic grey solid black black/sand
		114583 114586 114589 114591 114304 114583 114586 114589	ALMONTE 12 PT BRAKE 90 [M] ALMONTE 10 PT BRAKE 90 [M] ALMONTE 10 PT DEMO BRAKE 90 [M] AMBITION 10 MN W/O BRAKE ICI ALMONTE 12 PT BRAKE 90 [M] ALMONTE 12 PT BRAKE 90 [M] ALMONTE 12 PT BRAKE 90 [M]	black/metallic grey black/metallic grey black/metallic grey solid black black/sand black/sand black/metallic grey black/metallic grey
315844	Crux 81 Pro	114585 114586 114589 114591 114304 114583 114586 114589 114591	ALMONTE E PT BRAKE 90 IMI ALMONTE OPT BRAKE 90 IMI ALMONTE IO PT BRAKE 90 IMI ALMONTE IO PT GENO BRAKE 90 IMI ALMONTE IO DET IOEMO BRAKE 90 IMI ALMONTE E PT BRAKE 90 IMI ALMONTE E PT BRAKE 90 IMI ALMONTE IO PT SEMA 90 BRAKE 90 IMI ALMONTE IO PT SEMA 90 BRAKE 90 IMI	black/metallic grey black/metallic grey black/metallic grey solid black black/sadi black/metallic grey black/metallic grey black/metallic grey solid black
		114583 114586 114589 114599 114304 114304 114583 114586 114589 114591 114304 114590	ALMONTE DE PERAKE SO JUM	black/metallic grey black/metallic grey black/metallic grey solid black black/metallic grey black/metallic grey black/metallic grey solid black black/metallic grey black/metallic grey black/metallic grey black/metallic grey
315844	Crux 81 Pro	114583 114586 114591 114591 114304 114583 114586 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591	A MONTE OF PERMANE DO M. ALMONTE OF PERMANE SO M. AMONTE OF PERMANE SO M. AMONTE OF PERMANE SO M. AMONTE OF PERMANE SO M. A MONTE OF PERMANE SO M. A MONTE OF PERMANE SO M. AMONTE OF PERMANE SO M.	black/metallis grey black/metallis grey black/metallis grey solid black black/sand black/metallis grey black/metallis grey
315844	Crux 81 Pro	14583 14588 14589 14599 14304 14588 14588 14588 14588 14589 14594 14590 14587 14590 14587 14591 14591 14591 14592 14591 14582 14591 14582 14591 14582 14591 14582 14591 14582 14591 14582 14591 14582 14591 14591 14592 14591	A MONTE OF PERMACE DO MI AMONTE OF PERMACE SO MI AMONTE DO PERMACE SO MI AMONTE DO PERMACE SO MI AMONTE OF PERMACE DO MI AMONTE DO DO M	black/metallic grey black/metallic grey black/metallic grey solid black black/sand black/metallic grey black/metallic grey black/metallic grey solid black black/metallic grey black/metallic grey
315844	Crux 81 Pro	14583 14586 14589 14599 143304 14588 14588 14588 14588 14589 14590 14590 14590 14587 14590 14587 14590 14587 14590 14587 14590 14587 14587 14590 14587 14587 14587 14587 14587 14587 14587 14594 14594 14594 14587 14594	A MONTE OF PERMACE DO MI AMONTE OF PERMACE SO MI AMONTE DO PERMACE SO MI AMONTE DO PERMACE SO MI AMONTE OF PERMACE DO MI AMONTE DO DO M	black/metallic grev black/metallic grev black/metallic grey black/metallic grey solid black black/sand black/metallic grey solid black black/metallic grey solid black black/metallic grey solid black black/metallic grey solid black
315844 315904 315914	Crux SI Pro Crux S9 Crux S9	11583 11588 11588 11588 11588 11588 11588 11589 11588 11588 11588 11588 11588 11589	A MONTE OF PERRAY SO MI AMMONTE DE PERRAY SO MI AMMONTE DE PARRIX SO MI AMMONTE DE PARRIX SO MI AMMONTE DE PERRAY SO MI	Black/intellife, grey
315844 315904 315914	Crux SI Pro Crux S9 Crux S9	11638. 11638. 11638. 11638. 11639.	A MONTE OF PERMACE DO MI ALMONTE DE PERMACE SO MI ALMONTE DE PERMACE SO MI AMONTE DE PERMACE SO MI AMONTE DE PERMACE DO MI AMONTE DE PERMACE DO MI ALMONTE DE PERMACE DO MI AMONTE DE PERMACE DO MI ALMONTE DE PERMACE DO MI ALMONTE DE PERMACE DO MI AMONTE DE PERMACE DO MI ALMONTE DE PERMACE DO MI	Black/heddis/ grey soft black black/heddis/ grey soft black black/heddis/ grey black/hedd
315844 315904 315914 315924	Crux 88 Pro Crux 89 Crux 89	H5581 H5582 H5591 H5594 H5594 H5594 H5585 H5586 H5586 H5596 H5597	ALMONIC EP I BRAKE SO MI ALMONIC DE PERRACE SO MI AMONICO DE PERRACE SO MI AMONICO DE PERRACE SO MI AMONICO DE PERRACE SO MI ALMONICO DE PERRACE SO MI ALMONICO DE PERRACE SO MI ALMONICO DE PERRACE SO MI AMONICO DE PERRACE	Black-Intellatic grey
315844 315904 315914 315924 315934 WOMEN'S	Crux 88 Pro Crux 99 Crux 93 Crux 87	1658 1659 1659 1659 1659 1659 1659 1659 1659	ALMONIC OF PERMACE DO MI AMONIC DO PERMACE DO ME AMONICO DO PERMACE PERMACENTA DO ME AMONICO DO PERMACE PERMACENTA DO ME AMONICO D	Black-Intellific gray Black-Intellific gray Black Nintellific gray Black Nintellific gray Black Nintellific gray Black-Intellific gr
315844 315904 315924 315934 WOMENS 315625	Crux 8I Pro Crux 99 Crux 99 Crux 93 Crux 87 Crux 87	14688 1 14688 1 14688 1 14688 1 14688 1 14691 1 14691 1 14688 1 14691 1 14688 1 14691	ALMONIC OF PERMACE DO MI AMONIC DO PERMACE DO ME AMONICO DO PERMACE PERMACENTA DO ME AMONICO DO PERMACE PERMACENTA DO ME AMONICO D	Black-Intellatic grey
315844 315904 315914 315924 315924 WOMEN'S 315625 315675	Crux 88 Pro Crux 99 Crux 93 Crux 93 Crux 87 Crux 88 Fotal Joy Fower Joy	1968 1 1688 1 1688 1 1698 1 1698 1 1698 1 1698 1 1699 1 16	ALMONIC EPT BRAKE SO MI AMONIC DE PERRACE SO ME AMONIC DE DE DOMES SO DE AMONICO DE DE MOSANCE SO DE AMONICO DE DE DE AMONICO DE DE AMONICO DE AMONICO DE DE AMONICO AMONICO AMONICO AMONICO AMONICO AMONICO AMONI	Blackinstallic grey soft black. Blackinstallic grey blackinstalli
315844 315904 315924 315934 WOMENS 315625	Crux 8I Pro Crux 99 Crux 99 Crux 93 Crux 87 Crux 87	H688 H6	ALMONIC OF PERMACE ON M. ALMONIC DE PERMACE SO MI AMONICO DE PERMACE SO MI AMONICO DE PERMACE SO MI AMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI AMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI A	Black-Intellific gray
315844 315904 315914 315924 315924 WOMEN'S 315625 315675	Crux 88 Pro Crux 99 Crux 93 Crux 93 Crux 87 Crux 88 Fotal Joy Fower Joy	1968 1 1968 1 1968 1 1969 1 19	ALMONIC OF PERMACE ON M. ALMONIC DE PERMACE SO MI AMONICO DE PERMACE SO MI PROTECCIO SE SE OLI PRIMACE SO DIO PROTECCIO SE SE OLI P	black/infedialic gray soft black must black
315844 315904 315914 315924 315924 WIMEN'S 315625 315605	Crux 88 Pro Crux 99 Crux 93 Crux 87 Crux 88 Total Joy Power Joy Super Joy	1968 1969 19	ALMONIC OF PERMACE ON M. ALMONIC DO PERMACE ON M. AMONICO DO PERMACE ON M. AMONICO DE PERMACE DO	Black-inheldis grey black-
315904 315904 315914 315924 315934 WOMENS 315625 315605	Crux 88 Pro Crux 97 Crux 97 Crux 97 Crux 87 Crux 81 Total Joy Power Joy Aboolut Joy Aboolut Joy	H688 H689 H699 H6	ALMONIC OF PERMACE ON M. ALMONIC DE PERMACE SO M. AMENICO DE PERMACE SO M. PROTECCIO SELECTO DE PERMACE SO M. AMENICO DE	Black-Intellific gray Black-Intellific gray Black Nintellific gray Black Nintellific gray Black Nintellific gray Black Nintellific gray Black Need and Black-Intellific gray Bla
315904 315904 315924 315934 WOMEN'S 315625 315605 315605 315605 315705 JUNIOR	Crux 88 Pro Crux 99 Crux 93 Crux 87 Crux 87 Crux 81 Total Joy Power Joy Super Joy Abcolut Joy Real Joy Fure Joy Fure Joy	H688 H6	ALMONIC OF PERMACE ON M. ALMONIC DE PERMACE SO MI AMONICO DE PERMACE SO MI AMONICO DE PERMACE SO MI AMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI AMONICO DE PERMACE SO MI ALMONICO DE PERMACE SO MI A	Blackherhaldic grey Blackh
315944 315904 315914 315924 315934 315934 315625 315605 315605 315605 315685 315735	Crux 8I Pro Crux 99 Crux 93 Crux 87 Crux 87 Crux 88 Fetal Joy Power Joy Super Joy Aboolut Joy Real Joy	1468. 1468. 1469.	ALMONIC OF PERMANE SO MIN AMMONIC DE PERMANE SO MIN AMMONICA DE MARMONICA DE MA	black/inhelialic_gray soft black must shale
315904 315904 315924 315934 WOMEN'S 315625 315605 315605 315605 315705 JUNIOR	Crux 88 Pro Crux 99 Crux 93 Crux 87 Crux 87 Crux 81 Total Joy Power Joy Super Joy Abcolut Joy Real Joy Fure Joy Fure Joy	1468 1468 1468 1468 1468 1469 14	ALMONIC DE PI BRAKE SO DIM AMONIC DE PI BRAKE SO DIM AMONICA DE PI BRAKE SO DIM A	black/metallic_upry black/
35944 35994 35994 35994 35994 35994 35994 35994 35994 35954 35955 35655 36655 35655 36655 356555 35655	Crux 88 Pro Crux 99 Crux 93 Crux 87 Crux 88 Crux 88 Total Joy Power Joy Super Joy Absolut Joy Real Joy Pure Joy Real Joy Fore Team	H688 H688 H689 H6	ALMONIC DE PI BRAKE SO DIM AMONIC DE PI BRAKE SO DIM AMONICA DE PI BRAKE SO DIM A	Black/inchediac.gory black/inc
35944 35904 35904 35904 35904 35904 35904 35904 35904 35904 35904 35905	Crux 99 Crux 99 Crux 93 Crux 87 Crux 88 Total Joy Fower Joy Super Joy Absolut Joy Real Joy Pure Joy Fore Team Oblivion Jr. Pro	1658 1659 1659 1659 1659 1659 1659 1659 1659	ALMONIC DE PI BRAKE SO MI ALMONIC DE PI BRAKE SO MI AMONIC DE PI BRAKE SO MI PROFECCOS SE DI ONI BRAKE SO NI ATTACL CUTT DE DI BRAKE SO SI ATTACL CUTT DE DI BRAKE SO SI SE TANDONIC DE PI BRAKE SO SI ATTACL CUTT DE DI BRAKE SO SI ATTACL CUTT DE B	black/inhelialic_gray
35944 35994 35994 35994 35994 35994 35994 35994 35994 35954 35955 35655 36655 35655 36655 356555 35655	Crux 88 Pro Crux 99 Crux 93 Crux 87 Crux 88 Crux 88 Total Joy Power Joy Super Joy Absolut Joy Real Joy Pure Joy Real Joy Fore Team	H688 H688 H688 H688 H688 H688 H689 H6	ALMONIC OF PERMANE SO MIN ALMONIC DE PERMANE SO MIN AMMONIC DE PERMANE SO MIN ALMONIC DE PERMANE SO MIN ALMONIC DE PERMANE SO MIN ALMONIC DE PERMANE SO MIN AMMONIC DE PERMANE SO MIN AMMONIC DE PERMANE SO MIN AMMONIC DE PERMANE SO MIN ALMONIC DE PERMANE SO MIN ALMONICA DE PERMANE SO MIN	black/metallic_grey black/
355944 35594 35594 35594 35594 35594 35595 35555 35555 35555 35555 35555 35455 35455	Crux 89 Crux 93 Crux 83 Crux 81 Crux 81 Crux 81 Sale Joy Power Joy Aboolut Joy Real Joy Pure Joy Kore Team Golivion Jr. Pro	H688 H688 H689 H6	ALMONIC DE PI BRAKE SO MI ALMONIC DE PI BRAKE SO MI AMONIC DE PI BRAKE SO MI PROTECCOS SE DE SO BRAKE SO MI PROTECCOS SE DE SO BRAKE SO MI PROTECCOS SE DE SORA SE SIP ATTACK L'Y I	black/inhelitic gray black/inhelitic gray black binelitic gray black bin
35944 35904 35904 35904 35904 35904 35904 35904 35904 35904 35904 35905	Crux 99 Crux 99 Crux 93 Crux 87 Crux 88 Total Joy Fower Joy Super Joy Absolut Joy Real Joy Pure Joy Fore Team Oblivion Jr. Pro	1668 1669 16	ALMONIC DE PI BRAKE SO DIM ALMONIC DE PI BRAKE SO DIM AMERICA DE PIBRAKE	black/inhelialic_gray
35944 35994 35994 35994 35935 35655 35655 35665 35665 35665 35665 35665 35665 35665 35665 35665 35665 35665 35665 35665 35665	Crux 88 Pro Crux 99 Crux 93 Crux 87 Crux 87 Crux 88 Total Joy Power Joy Super Joy Absold Joy Real Joy Pure Joy Kore Team Oblivion Jr. Pro Oblivion Jr. Pro Oblivion Jr. Pro	H688 H689 H691 H691 H691 H692 H691 H692 H693 H693 H693 H693 H693 H693 H693 H693	ALMONIC DE PI BRAKE SO DIM AMENICIA DE PIBRAKE SO DIM AM	black/metallic.gray black/
35984 35994 35994 35994 35994 35994 35994 35994 35994 35994 35994 35994 35994 35994 35994 35995 35965	Crux 89 Crux 93 Crux 93 Crux 87 Crux 87 Crux 88 Total Joy Power Joy Absolut Joy Real Joy Pure Joy Rore Team Oblivion Jr Worldcup e.Race Team JRS	Mess Me	ALMONIC DE PI BRAKE SO DIM ALMONIC DE PI BRAKE SO DIM AMONICA DE PI BRAKE SO DIM JOST GON SER B	black/infeatility.cgrv
35944 35944 35944 35944 35944 35944 35944 35954 35954 35954 35954 35955 35655 35655 357555 35755	Crux 88 Pre Crux 99 Crux 93 Crux 93 Crux 87 Crux 88 Crux 88 Total Joy Power Joy Super Joy Absolut Joy Read Joy Pure Joy Kore Team Oblivion Jr. Pre Oblivion Jr. Worldcup e Race Team Supershape JRS	H688 H688 H688 H688 H688 H688 H689 H6	ALMONIC OF PERMACE ON MA ALMONIC OF PERMACE SO MI AMONIC OF PERMACE SO MI AMON	black/infealing.cgrey sold black must black sold black-infea s
35844 35894 35894 35894 35894 35894 35894 35895 358555 35855	Crux 99 Crux 93 Crux 93 Crux 87 Crux 87 Crux 87 Crux 88 Total Joy Power Joy Super Joy Abooled Joy Read Joy Pure Joy Kore Team Oblivion Jr Worldcup e.Race Team JRS Worldcup e.Race Team Supershape JRS Supershape JRS Supershape JRS Supershape JRS Supershape JRS	H688 H688 H688 H688 H688 H688 H689 H6	ALMONIC DE PI BRAKE SO MI AMONIC DE PI BRAK	black/inhelialic_gray
35844 35994 35994 35994 35994 35994 35995 35655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 3665 36	Crux 89 Crux 99 Crux 93 Crux 87 Crux 87 Crux 81 Crux 81 Intal Joy Power Joy Super Joy Mondat Joy Real Joy Pure Joy Kore Team Worldcup e Race Team JRS Worldcup e Race Team Supershape JRS Supershape JRS Supershape Farm Easy Supershape Farm Easy Supershape Team Easy Supershape Farm Easy	MeSS	ALMONIC DEPTERANCE DO MI ALMONIC DEPTERANCE DO MI AMERICA DE PERANCE DE DE UNI AMERICA DE PERANCE DE UNI AMERICA DE PERANCE DE UNI AMERICA DE PERANCE DO MI AMERICA DE LOS DESARCES D	black/infeatilic gray
35844 38994 38994 38994 38994 38994 38993 38905 38905 38905 38905 38905 38905 38405 38445 38445 38445 38445	Crux 89 Crux 93 Crux 87 Crux 87 Crux 88 Crux 88 Tetal Joy Power Joy Aboolut Joy Real Joy Pure Joy Kore Team Colivion Jr. Pro Oblivion Jr. Pro Oblivion Jr. Supershape Race Team Supershape JRS Supershape Race Team Supershape IRS Supershape IRS	Media	ALMONIC DEPT BRAKES DIM ALMONIC DEPT BRAKES DIM AMONIC DEPT BRAKES DIM AMON	black/inhelialic gray
35844 35994 35994 35994 35994 35994 35995 35655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 36655 3665 36	Crux 89 Crux 99 Crux 93 Crux 87 Crux 87 Crux 81 Crux 81 Intal Joy Power Joy Super Joy Mondat Joy Real Joy Pure Joy Kore Team Worldcup e Race Team JRS Worldcup e Race Team Supershape JRS Supershape JRS Supershape Farm Easy Supershape Farm Easy Supershape Team Easy Supershape Farm Easy	1658 1659 1659 1659 1659 1659 1659 1659 1659	ALMONIC DEPTERANCE DO MI ALMONIC DEPTERANCE DO MI AMERICA DE PERANCE DE DE UNI AMERICA DE PERANCE DE UNI AMERICA DE PERANCE DE UNI AMERICA DE PERANCE DO MI AMERICA DE LOS DESARCES D	Black/infealist_carey

BINDINGS

FREESKI | TOURING | RACE | PERFORMANCE ALL MOUNTAIN | WOMEN'S | JUNIOR





BINDINGS

LINE OVERVIEW

TOUR	ING	Art. Nr.	Model	Brake	Color	DIN		Art	Nr. Model	Brake	Color	DIN
-		114582	ALMONTE 12 PT	W/0 [M]	black/sand	5-12	-0	1145	88 ALMONTE 10 PT	W/O [M]	black/metallic grey	4-10
-		114583	ALMONTE 12 PT	90 [M]	black/sand	5-12	-0 (1145	89 ALMONTE 10 PT	90 [M]	black/metallic grey	4-10
-		114584	ALMONTE 12 PT	105 [M]	black/sand	5-12	-0 (1145	PO ALMONTE 10 PT	105 [M]	black/metallic grey	4-10
-	(Eliza	114585	ALMONTE 12 PT	W/0 [M]	black/metallic grey	5-12	-a)n 11	1145	P1 ALMONTE 10 PT DEMO	90 [M]	black/metallic grey	4-10
-	GELS	114586	ALMONTE 12 PT	90 [M]	black/metallic grey	5-12	-a)n 11	1145	92 ALMONTE 10 PT DEMO	105 [M]	black/metallic grey	4-10
-	CE LO	114587	ALMONTE 12 PT	105 [M]	black/metallic grey	5-12	THE HOLE	1143	04 AMBITION 10 MN	W/0 [C]	solid black	3-10
RACE	· ·						_	_				
40	(4)	100904	FREEFLEX ST 16	85 [A]	m. black/speed blue	5-16		1009	08 FREEFLEX 11 GW	85 [D]	m. black/speed blue	3-11
CHE CONTRACTOR	1 1 1	100905	FREEFLEX ST 14	85 [A]	m. black/speed blue	4-14		1009	09 FREEFLEX DEMO 14 GW	85 [D]	m. black/speed blue	4-14
	- (-1)	100906	FREEFLEX 11 RACE	85 [A]	m. black/speed blue	3-11	4-11	1143	00 FREEFLEX DEMO 14 GW	85 [D]	solid black/white	4-14
	0-65	100907	FREEFLEX 14 GW	85 [D]	m. black/speed blue	4-14	_	_				
PERF	ORMAN	CE					_					
400	(8)	100955	PROTECTOR PR 13 GW	85 [P]	black crystal	4-13		1145	O PROTECTOR PR 11 GW SET+	85 [P]	matt black	3-11
	09)	100956	PROTECTOR PR 13 GW	95 [P]	black crystal	4-13		1145	1 PROTECTOR PR 11 GW SET	95 [P]	matt black	3-11
300	0.1	100958	PROTECTOR PR 13 GW	85 [P]	standard blue	4-13		1145	46 PROTECTOR PR 11 GW SET	110 [P]	matt black	3-11
	ES) (and	100925	PROTECTOR PR 13 GW	85 [P]	matt black	4-13		1009	12 PRD 12 GW	85 [F]	m. black/speed blue	3,5-12
	PS) on	100926	PROTECTOR PR 13 GW	95 [P]	matt black	4-13		1009	41 PRD 12 GW	85 [F]	matt black	3,5-12
	12	100927	PROTECTOR PR 13 GW	85 [P]	matt white	4-13		1009	46 PRD 12 GW	95 [F]	matt black	3,5-12
	15 TE	100928	PROTECTOR PR 13 GW	95 [P]	matt white	4-13		1144	54 PRD 12 GW	85 [F]	matt black	3,5-12
	FS) Ores	114504	PROTECTOR PR 13 GW	85 [P]	matt black	4-13		1144	55 PRD 12 GW	95 [F]	matt black	3,5-12
	Ed) (or	114505	PROTECTOR PR 13 GW	95 [P]	matt black	4-13		1145	54 PRD 12 GW	85 [F]	matt white	3,5-12
	ES) OF	114506	PROTECTOR PR 13 GW SET	85 [P]	matt black	4-13		1009	42 PR 11 GW	85 [G]	matt black	3-11
	Ed) (or	114507	PROTECTOR PR 13 GW SET	95 [P]	matt black	4-13	4	1009	43 PR 11 GW	90 [G]	matt black	3-11
	FSI) Core	114545	PROTECTOR PR 13 GW SET	110 [P]	matt black	4-13		1009	11 PR 11 GW	78 [G]	m. black/speed blue	3-11
		114508	PROTECTOR PR 11 GW	85 [P]	matt black	3-11		1145	7 PR 11 GW	85 [G]	solid black/white	3-11
		114509	PROTECTOR PR 11 GW	95 [P]	matt black	3-11		1145	8 PR 11 GW	90 [G]	solid black/white	3-11
ALL N	ATUON	IN					=					
4	BH IV	114480	AM 12 GW	85 [D]	matt black	3,5-12	(C)	1144	34 AM 12 GW	95 [D]	matt white	3,5-12
4	6 E (5 E	114481	AM 12 GW	95 [D]	matt black	3,5-12		1143	52 PRW 11 GW	85 [G]	solid black	3-11
4	6 E 6 E	114482	AM 12 GW	110 [D]	matt black	3,5-12		1 144	59 PRW 11 GW	90 [G]	solid black	3-11
10	B 3-1	114483	AM 12 GW	85 [D]	matt white	3,5-12	_	_				
FREE	SKI						_					
100	600	114625	ATTACK HYBRID 14 MN/PT	W/O [O]	matt black/gold	4-14		1145	97 ATTACK LYT 12 GW	110 [A]	matt white	3,5-12
1	(1)	114626	ATTACK HYBRID 14 MN/PT	95 [0]	matt black/gold	4-14	0	1145	98 ATTACK LYT 11 GW	95 [A]	sand	3-11
1	(1)	114627	ATTACK HYBRID 14 MN/PT	110 [0]	matt black/gold	4-14		1145	99 ATTACK LYT 11 GW	110 [A]	sand	3-11
		114628	ATTACK HYBRID 11 MN/PT	W/0 [0]	matt black/silver	3-11	(1)	1146	OO ATTACK LYT 11 GW	W/0 [A]	solid black	3-11
TO S	CE	114629	ATTACK HYBRID 11 MN/PT	95 [0]	matt black/silver	3-11	(3)	1146	D1 ATTACK LYT 11 GW	85 [A]	solid black	3-11
100	0	114630	ATTACK HYBRID 11 MN/PT	110 [0]	matt black/silver	3-11	(0)	1146	D2 ATTACK LYT 11 GW	95 [A]	solid black	3-11
(C)	Dia	114596	ATTACK LYT 12 GW	95 [A]	matt white	3,5-12		1146	D3 ATTACK LYT 11 GW	110 [A]	solid black	3-11

FREI	ESKI	Art. Nr	Model	Brake	Color	DIN			Art. Nr.	Model	Brake	Color	DIN
		114604	ATTACK LYT 11 GW	95 [A]	solid white	3-11		DE	114644	ATTACK 14 GW	W/O [A]	green	4-14
		114605	ATTACK LYT 11 GW	110 [A]	solid white	3-11			114645	ATTACK 14 GW	95 [A]	green	4-14
		114656	ATTACK LYT 11 GW	95 [A]	pink	3-11		OB	114646	ATTACK 14 GW	110 [A]	green	4-14
•		114657	ATTACK LYT 11 GW	110 [A]	pink	3-11			114647	ATTACK 14 GW	W/O [A]	red	4-14
	1300	114606	ATTACK LYT 9 GW	85 [D]	solid black	2-9			114648	ATTACK 14 GW	95 [A]	red	4-14
	83000	114607	ATTACK LYT 9 GW	95 [D]	solid black	2-9			114649	ATTACK 14 GW	110 [A]	red	4-14
300	E Tores	114593	PROTECTOR ATTACK LYT 13 GW	W/0 [P]	matt black	4-13	(O)	OB	114650	ATTACK 14 GW	W/O [A]	grey	4-14
		114594	PROTECTOR ATTACK LYT 13 GW	95 [P]	matt black	4-13	(C)	OB	114651	ATTACK 14 GW	95 [A]	grey	4-14
		114595	PROTECTOR ATTACK LYT 13 GW	110 [P]	matt black	4-13		OB	114652	ATTACK 14 GW	110 [A]	grey	4-14
		114631	ATTACK 17 GW	W/0 [A]	black	6-17			114653	ATTACK 14 GW	W/O [A]	pink	4-14
		114632	ATTACK 17 GW	W/0 [A]	sand	6-17			114654	ATTACK 14 GW	95 [A]	pink	4-14
4		114665	ATTACK 17 GW	W/0 [A]	pink	6-17			114655	ATTACK 14 GW	110 [A]	pink	4-14
	0	114634	ATTACK 14 GW	W/0 [A]	sand	4-14	OR.		114633	ATTACK 14 MN	W/O [A]	solid black	4-14
		114635	ATTACK 14 GW	95 [A]	sand	4-14	1	(3)	114658	ATTACK 14 MN DEMO	W/0 [F]	solid black	4-14
		114636	ATTACK 14 GW	110 [A]	sand	4-14	100		114608	ATTACK LYT 13 GW DEMO	W/0 [F]	solid black	4-13
On l	(1)	114637	ATTACK 14 GW	W/0 [A]	solid black	4-14	100		114609	ATTACK LYT 13 GW DEMO	95 [F]	solid black	4-13
Ti I	(1)	114638	ATTACK 14 GW	85 [A]	solid black	4-14	100		114610	ATTACK LYT 13 GW DEMO	110 [F]	solid black	4-13
		114639	ATTACK 14 GW	95 [A]	solid black	4-14		1	114611	ATTACK LYT 11 GW DEMO	W/0 [F]	solid black	3-11
T	(1)	114640	ATTACK 14 GW	110 [A]	solid black	4-14		4	114612	ATTACK LYT 11 GW DEMO	95 [F]	solid black	3-11
0	0	114641	ATTACK 14 GW	W/0 [A]	matt white	4-14		1	114613	ATTACK LYT 11 GW DEMO	110 [F]	solid black	3-11
•	0	114642	ATTACK 14 GW	85 [A]	matt white	4-14			114614	ATTACK LYT 11 GW DEMO	W/0 [F]	solid white/black	3-11
4	0	114643	ATTACK 14 GW	95 [A]	matt white	4-14			114615	ATTACK LYT 11 GW DEMO	95 [F]	solid white/black	3-11
							1 diam		114616	ATTACK LYT 11 GW DEMO	110 [F]	solid white/black	3-11

WOMEN'S

	400	100913	PROTECTOR SLR 11 GW	80 [N]	matt black	3-11		480	100950	PROTECTOR SLR 10 GW	80 [N]	matt black	3-10
	000	100914	PROTECTOR SLR 11 GW	90 [N]	matt black	3-11	6	A Disco	100951	PROTECTOR SLR 10 GW	80 [N]	matt white	3-10
	400	114555	PROTECTOR SLR 11 GW	80 [N]	matt black	3-11		4	100957	PROTECTOR SLR 10 GW	90 [N]	matt black	3-10
	400	114556	PROTECTOR SLR 11 GW SET	80 [N]	matt black	3-11		B(\$) [18]	100917	JOY 12 GW PRD	85 [F]	matt white	3,5-12
	400	114566	PROTECTOR SLR 11 GW SET	90 [N]	matt black	3-11			100944	JOY 11 GW SLR	78 [H]	matt black	3-11
	4000	114567	PROTECTOR SLR 11 GW SET	100 [N]	matt black	3-11	e	9 34	100945	JOY 11 GW SLR	90 [H]	matt black	3-11
	(tar e	114562	PROTECTOR SLR 11 GW	80 [N]	matt white	3-11		(D) HH	100952	JOY 9 GW SLR	78 [H]	solid white	2,5-9
	(tar e	114563	PROTECTOR SLR 11 GW SET	80 [N]	matt white	3-11		(D) HH	100953	JOY 9 GW SLR	85 [H]	solid white	2,5-9
	(ta e	114568	PROTECTOR SLR 11 GW SET	90 [N]	matt white	3-11		CO	100954	JOY 9 GW SLR	78 [H]	solid black	2,5-9
4	COLUMN TO SERVICE SERV	114569	PROTECTOR SLR 11 GW SET	100 [N]	matt white	3-11	_						

JUNIOR

CO		100921	EVO 9 GW CA	85 [D]	s. black/speed blue	2-9			114477	JRS 4.5 GW CA	80 [I]	solid white/black	0,75-4,5
	411	100922	JRS 7.5 GW CA	78 [H]	s. black/speed blue	2-7,5		Man	114478	JRS 4.5 GW CA	80 [I]	solid white/white	0,75-4,5
< (III		114666	JRS 7.5 GW CA (MULTIPACK 8 PRS)	78 [H]	solid black/white	2-7,5		Mar	114479	JRS 4.5 GW CA	80 [I]	white glossy	0,75-4,5
	100	114470	JRS 7.5 GW CA	78 [H]	solid black/white	2-7,5		0-(00)	114487	SX TEAM 9.0 GW CA	95 [D]	solid black	2-9
	100	114471	JRS 7.5 GW CA	90 [H]	solid black/white	2-7,5	S [0]	E MI	114488	SX 7.5 GW CA	78 [J]	solid white/black	2-7,5
		114473	JRS 7.5 GW CA	78 [H]	solid white/black	2-7,5	30	CE	114489	SX 7.5 GW CA	78 [J]	solid black/white	2-7,5
		114474	JRS 7.5 GW CA	78 [H]	solid white/white	2-7,5	S	E MI	114490	SX 7.5 GW CA	90 [J]	solid black/white	2-7,5
	SHAR	100923	JRS 4.5 GW CA	80[1]	s. black/speed blue	0,75-4,5	4	CE	114491	SX 4.5 GW CA	80 [K]	solid black/white	0,75-4,5
	8 11 15	114667	JRS 4.5 GW CA (MULTIPACK 8 PRS)	80[1]	solid black/white	0,75-4,5	4	CE	114492	SX 4.5 GW CA	80 [K]	solid white/black	0,75-4,5
	10000	114475	JRS 4.5 GW CA	80 [I]	solid black/white	0,75-4,5	•						





DOUBLE THE FUN

The new ATTACK HYBRID is the ultimate freeride binding to access all areas. Combining the best of both worlds - uphill and downhill - for no compromises.

THE TOURING UNIT

EASY ENTRY thanks to the optimized locking kinematics of the Almonte toe.

AUTOMATIC BRAKE LOCK activated by hand or with the pole handle.

EASY ASCENT with two hiking positions $(0^{\circ}/9^{\circ})$ - operable by hand or with the

EMERGENCY MODE for skiing in the touring unit.

THE ALPINE UNIT

TOP DOWNHILL PERFORMANCE

proven by our athletes.

HIGHEST SAFETY according to ISO standards and proven by TÜV tests.

MULTINORM STANDARD Compatibility with Alpine, GripWalk and Touring boots (including the CRUX boot).

WIDE DIN RANGE DIN 3-11 and DIN 4-14.







The exchangeable toe unit allows for a simple conversion from hike to ski.

NO COMPROMISES

EASY HANDLING

Tech toe for ascent and alpine toe for descent.

LIGHTWEIGHT DESIGN -

Use of carbon fibers (30%) instead of glass fibers and titanal toe track.

ECO-DESIGN

More than 50% renewable plastics.



ATTACK HYBRID 14 MN/PT

ARTICLE NUMBER	N E \
114625 - solid black/gold, W/O Brake [O]	
114626 - solid black/gold, Brake 95 [O]	
114627 - solid black/gold, Brake 110 [O]	

PRODUCT FEATURES

FR PRO3 Toe, AFS MN, Attack Demo, NX FR Heel

PRODUCT DETAILS

AND HEIGHT	32 mm
N	4 - 14
EIGHT	HIKE: 880 g / SKI: 1125 g
otor oach hi	ading comes with a protective case for the 2nd too unit

Note: each binding comes with a protective case for the 2nd toe unit.





ATTACK HYBRID 11 MN/PT

NEW

PRODUCT FEATURES

FR PRO3 Toe, AFS MN, Attack Demo, SX FR Heel

PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	3 - 11
WEIGHT	HIKE: 820 g / SKI: 1065 g
Note: each b	inding comes with a protective case for the 2nd toe unit.



ACCESSORIES

BRAKES TEMPLATE



POWER BRAKE HYBRID 95 [0] (1 PAIR) POWER BRAKE HYBRID 110 [0] (1 PAIR) 163196 163197 POWER BRAKE HYBRID 130 [O] (1 PAIR)



TEMPLATE TOUR PT (250 - 350 MM) (1 PC)



CRAMPONS*



*ALMONTE Crampons compatible with Attack HYBRID

CRAMPON ALMONTE 90 (1 PAIR) CRAMPON ALMONTE 105 (1 PAIR) CRAMPON ALMONTE 120 (1 PAIR) 163165 163166

NEW



ATTACK

ATTACK THE BORING

Elevate your all-mountain adventures with the top-of-the-line Attack bindings, now available in new stylish colors.





NEW COLORS -

LOW STAND HEIGHT -

HIGHEST SAFETY -

according to ISO standards and proven by $\ensuremath{\mathsf{T\"UV}}$ tests.

OUTSTANDING DURABILITY -

with precise re-centering.











ATTACK 17 GW

ARTICLE NUMBER

ack, W/O Brake [A] N/O Brake [A] V/O Brake [A]
V/O Brake [A]
ATURES
AFD Metal GW, RACE PRO FR Heel
TAILS
7 mm
7 mm 5 - 17

ATTACK 14 GW

ARTICLE N	NUMBER	N E
114634 - sa	nd, W/O Brake [A]	
114635 - sai	nd, Brake [A] 95 mm	
114636 - sa	nd, Brake [A] 110 mm	
114637 - sol	lid black, W/O Brake [A]	
114638 - so	lid black, Brake [A] 85 mm	
114639 - so	lid black, Brake [A] 95 mm	
114640 - so	lid black, Brake [A] 110 mm	
114641 - ma	tt white, W/O Brake [A]	
114642 - ma	att white, Brake [A] 95 mm	
114643 - ma	att white, Brake [A] 110 mm	
114644 - gr	een, W/O Brake [A]	
114645 - gr	een, Brake [A] 95 mm	
114646 - gr	een, Brake [A] 110 mm	
114647 - red	d, W/O Brake [A]	
114648 - re	d, Brake [A] 95 mm	
114649 - re	d, Brake [A] 110 mm	
114650 - gr	ey, W/O Brake [A]	
114651 - gre	y, Brake [A] 95 mm	
114652 - gre	ey, Brake [A] 110 mm	
114653 - pir	nk, W/O Brake [A]	
114654 - pir	nk, Brake [A] 95 mm	
114655 - pir	nk, Brake [A] 110 mm	
PRODUCT	FEATURES	
FR PRO3 To	oe, AFD Metal GW, NX FR Heel	
PRODUCT		
STAND HEIGH		
DIN	4 - 14	
WEIGHT	865 g/pc.	

ATTACK LYT 12 GW

ARTICLE NUMBER

114596 - matt white, Brake [A] 95 mm 114597 - matt white, Brake [A] 110 mm

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, NX FR Heel

PRODUCT DETAILS

N. 1 211	
WEIGHT	960 g/pc.
DIN	3,5 - 12
STAND HEIGHT	17 mm

Note: with automatic toe height adjustment for Alpine & GripWalk boots.







ATTACK LYT 9 GW

ARTICLE NUMBER

114606 - solid black, Brake [D] 85 mm 114607 - solid black, Brake [D] 95 mm

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, SXL Heel

PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	2 - 9
WEIGHT	845 g/pc.

Note: with automatic toe height adjustment for Alpine & GripWalk boots.





ATTACK LYT 11 GW

ARTICLE NUMBER

114598 - sand, Brake [A] 95 mm	
114599 - sand, Brake [A] 110 mm	
114600 - solid black, W/O Brake [A]	
114601 - solid black, Brake [A] 85 mm	
114602 - solid black, Brake [A] 95 mm	
114603 - solid black, Brake [A] 110 mm	
114604 - solid white, Brake [A] 95 mm	
114605 - solid white, Brake [A] 110 mm	
114656 - pink, Brake [A] 95 mm	
114657 - pink, Brake [A] 110 mm	

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, SX FR Heel

PRODUCT DETAILS

STAND HEIGHT	17 mm
DIN	3 - 11
WEIGHT	905 g/pc.

Note: with automatic toe height adjustment for Alpine & GripWalk boots.



62



PROTECTOR ATTACK LYT 13 GW

ARTICLE NUMBER

14593 - matt black, W/O Brake [P]
14594 - matt black, Brake [P] 95 mm
14595 - matt black, Brake [P] 110 mm

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, HR Heel

PRODUCT DETAILS

INODUCID	LIAILS
STAND HEIGHT	32 mm
DIN	4 - 13
WEIGHT	1230 g/pc.

Note: with automatic toe height adjustment for Alpine & GripWalk boots.





ATTACK 14 MN

ARTICLE NU	IMBER	NEW
114633 - solid	black, W/O Brake [A]	
PRODUCT F	EATURES	
FR PRO3 Toe,	, AFS MN, NX FR Heel	
FR PRO3 Toe,	, AFS MN, NX FR Heel	
FR PRO3 Toe,	,	
	ETAILS	
PRODUCT D	ETAILS	





ATTACK LYT 13 GW DEMO

ARTICLE NUMBER

114608 - solid black, W/O Brake [F] 114609 - solid black, Brake [F] 95 mm 114610 - solid black, Brake [F] 110 mm

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, NX FR Heel

PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	4 - 13
WEIGHT	1220 g/pc.

Note: with automatic toe height adjustment for Alpine & GripWalk boots.





ATTACK 14 MN DEMO

114658 - solid	black, W/O Brake [F]	
PRODUCT F	EATURES	
FR PRO3 Toe,	AFS MN, Attack Demo, NX FR Heel	
FR PRO3 Toe, PRODUCT D		
	ETAILS	
PRODUCT D	ETAILS	



ATTACK LYT 11 GW DEMO

ARTICLE NUMBER

114611 - solid black, W/O Brake [F]	
114612 - solid black, Brake [F] 95 mm	
114613 - solid black, Brake [F] 110 mm	
114614 - solid white/black, W/O Brake [F]	
114615 - solid white/black, Brake [F] 95 mm	
114616 - solid white/black, Brake [F] 110 mm	

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, SX FR Heel

PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	3 - 11
WEIGHT	1160 g/pc.
Note: with au	towartic too beingt adjustment for Almina C. CrinWall boots

Note: with automatic toe height adjustment for Alpine & GripWalk boots.





ALMONTE 12 PT

THE ULTIMATE PIN BINDING

Experience the incredible lightness on the ascent and high performance on the descent. With intuitive handling, now it's your turn to explore new paths and set your very own track.





LIGHTWEIGHT DESIGN

325 g/pc. incl. brake & screws.

SUSTAINABLE MATERIALS *

all plastic parts are made from renewable or recycled raw material.

EASY STEP-IN

for an effortless & fast entry.

INTUITIVE HANDLING -

of hike & ski mode with automatic brake lock & an isolated mechanism to prevent icing.



ALMONTE 12 PT

ARTICLE NUMBER

114582 - black/sand, W/O Brake [M] 114583 - black/sand, Brake [M] 90 mm 114584 - black/sand, Brake [M] 105 mm 114585 - black/metallic grey, W/O Brake [M] 114586 - black/metallic grey, Brake [M] 90 mm 114587 - black/metallic grey, Brake [M] 105 mm

PRODUCT FEATURES

TOUR Toe, AFD PT, TOUR Heel

PRODUCT DETAILS

STAND HEIGHT	42 mm
DIN	5 - 12
WEIGHT	325 g/pc.
Note: produc	t comes with pre-mounted U-PIN Medium + U-PIN Hard &

Performance Spacer set in the box.



ALMONTE 10 PT

ARTICLE NUMBER

ARTICLE ROMDER	
114588 - black/metallic grey, W/O Brake [M]	
114589 - black/metallic grey, Brake [M] 90 mm	
114590 - black/metallic grey, Brake [M] 105 mm	

PRODUCT FEATURES

TOUR Toe, AFD PT, TOUR Heel

PRODUCT DETAILS

STAND HEIGHT	42 mm
DIN	4 - 10
WEIGHT	325 g/pc.
Note: product	comes with pre-mounted U-PIN Medium & Performance

Spacer set in the box.





ALMONTE 10 PT DEMO

ARTICLE NUMBER

114591 - black/metallic grey, Brake [M] 90 mm
114592 - black/metallic grey, Brake [M] 105 mm

PRODUCT FEATURES

TOUR Toe, AFD PT, TOUR Demo, TOUR Heel

PRODUCT DETAILS

I RODOOT DETAILS		
STAND HEIGHT	42 mm	
DIN	4 - 10	
WEIGHT	420 g/pc.	

Note: product comes with pre-mounted U-PIN MEDIUM.







AMBITION 10 MN

ARTICLE NUMBER

114304 - solid black, W/O Brake [C]

PRODUCT FEATURES

AT (Alpine Touring) Toe, AFS - Anti Friction Slider, Telescopic Tube, Alpine Touring Heel

PRODUCT DETAILS

WEIGHT	950 g/pc.	
DIN	3 - 10	
STAND HEIGHT	38 (*42) mm	

^{*} stand height with Demo track



ALMONTE SERIES

ACCESSORIES

PERFORMANCE SPACER



163170 PERFORMANCE SPACER TOUR (1.5/2.5/3.5 MM) (1 SET)

U-PIN



INCLUDES: • U-Pin pair

U-PIN Tour Soft (recommended for release values 4-8) U-Pin Tour Medium (recommended for release values 6 - 10)
U-Pin Tour Hard (recommended for release values 8 - 12)

TOURING LEASH



INCLUDES: · leash loop (4 pcs.)

163174 TOURING LEASH (1 PAIR)

ADJUSTMENT TOOL



ADJUSTMENT TOOL TOUR (1 PC)

BRAKES



* Brake Platform for binding use with touring leash and W/O brake

BRAKE PLATFORM TOUR - W/O BRAKE [M] (1 PAIR)* BRAKE TOUR 90 [M] (1 PAIR) BRAKE TOUR 105 [M] (1 PAIR)

BRAKE TOUR 120 [M] (1 PAIR)

CRAMPONS



compatible with other products on the market

CRAMPON ALMONTE 90 (1 PAIR) CRAMPON ALMONTE 105 (1 PAIR) CRAMPON ALMONTE 120 (1 PAIR)

TEMPLATE



163156 TEMPLATE TOUR PT (250 - 350 MM) (1 PC)



FREEFLEX ST 16

ARTICLE NUMBER

100904 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES

Stream Toe, AFD ST Teflon, Freeflex Pro, RACE PRO Heel

PRODUCT DETAILS

STAND HEIGHT	17 mm	
DIN	5 - 16	
WEIGHT	1325 g/pc.	



FREEFLEX 14 GW

ARTICLE NUMBER

100907 - matt black/speed blue, Brake [D] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Pro, D-RX (Diagonal) Heel

PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	4 - 14
WEIGHT	1160 g/pc.





FREEFLEX ST 14

ARTICLE NUMBER

100905 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES

Stream Toe, AFD ST Teflon, Freeflex Pro, NX Heel

PRODUCT DETAILS

STAND HEIGHT	17 mm
DIN	4 - 14
WEIGHT	1235 g/pc.



FREEFLEX 11 GW

ARTICLE NUMBER

100908 - matt black/speed blue, Brake [D] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Pro, NX Heel

PRODUCT DETAILS

STAND HEIGHT	21 mm	
DIN	3 - 11	
WEIGHT	1135 g/pc.	





FREEFLEX 11 RACE

ARTICLE NUMBER

100906 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, Teflon, Freeflex Pro, NX Heel

PRODUCT DETAILS

70

STAND HEIGHT	17 mm
DIN	3 - 11
WEIGHT	1110 g/pc.



FREEFLEX DEMO 14 GW

ARTICLE NUMBER

100909 - matt black/speed blue, Brake [D] 85 mm 114300 - solid black/white, Brake [D] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Demo, NX Heel

PRODUCT DETAILS

STAND HEIGHT 21 mm

DIN 4 - 14

WEIGHT 1325 g/pc.



PROTECTOR PR 13 GW

100955 - black crystal, Brake [P] 85 mm 100956 - black crystal, Brake [P] 95 mm 100958 - standard blue, Brake [P] 85 mm 100925 - matt black, Brake [P] 85 mm 100926 - matt black, Brake [P] 95 mm 100927 - matt white, Brake [P] 85 mm 100928 - matt white, Brake [P] 95 mm 114504 - matt black, Brake [P] 85 mm 114505 - matt black, Brake [P] 95 mm 114506 - matt black, Brake [P] 85 mm.

114507 - matt black, Brake [P] 95 mm,

114545 - matt black, Brake [P] 110 mm,

4 - 13

1180 g/pc.

PRODUCT FEATURES

PowerRail, HR Heel

PRODUCT DETAILS STAND HEIGHT 33,5 mm

WEIGHT


SET (incl. Twin PR base & 8 mm screws)

SET (incl. Twin PR base & 8 mm screws)

SET (incl. Twin PR base & 8 mm screws)

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW,

ARTICLE NUMBER



PROTECTOR PR 13 GW

RECOMMENDED BY YOUR KNEES

Featuring Full Heel Release technology, the PROTECTOR binding can reduce stress on the anterior cruciate ligament by more than 50%*, in the event of a fall, significantly reducing the chance of injuries.

* finite element model simulations by University of Innsbruck:

[&]quot;Lateral Heel Release Reduces ACL strain in Simulated Backward Twisting Falls"





REDUCES ACL STRAIN

FULL HEEL RELEASE FUNCTION

BOOT COMPATIBILITY

works with Alpine & GripWalk ski boots.

SAME PERFORMANCE & CONVENIENCE -

Now with an improved brake functionality.



by more than 50%*.

intelligent 180° release (horizontally & vertically).

as our conventional bindings plus maximum safety.















PROTECTOR PR 11 GW

ARTICLE NUMBER

114508 - matt black, Brake [P] 85 mm 114509 - matt black, Brake [P] 95 mm 114510 - matt black, Brake [P] 85 mm,

SET+ (incl. Twin PR base & 8 mm + 6 mm screws) 114511 - matt black, Brake [P] 95 mm,

SET (incl. Twin PR base & 8 mm screws)

114546 -matt black, Brake [P] 110 mm,

SET (incl. Twin PR base & 8 mm screws)

PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, HR Heel

PRODUCT DETAILS

STAND HEIGHT 33,5 mm 1175 g/pc. WEIGHT









PRD 12 GW

ARTICLE NUMBER

100912 - matt black/speed blue, Brake [F] 85 mm	
100941 - matt black, Brake [F] 85 mm	
100946 - matt black, Brake [F] 95 mm	
114464 - matt black, Brake [F] 85 mm	
114465 - matt black, Brake [F] 95 mm	
114564 - matt white, Brake [F] 85 mm	

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, D-RX (Diagonal) Heel

PRODUCT DETAILS

STAND HEIGHT	33,5 mm
DIN	3,5 - 12
WEIGHT	1000 g/pc.





AM 12 GW

ARTICLE NUMBER

ARTIOLE ROMPER
114480 - matt black, Brake [D] 85 mm
114481 - matt black, Brake [D] 95 mm
114482 - matt black, Brake [D] 110 mm
114483 - matt white, Brake [D] 85 mm
114484 - matt white, Brake [D] 95 mm

PRODUCT FEATURES

AM (All Mountain) Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, D-RX (Diagonal) Heel

PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	3,5 - 12
WEIGHT	975 g/pc.





PR 11 GW

ARTICLE NUMBER

ARTICLE NUMBER	
100911 - matt black/speed blue, Brake [G] 78 mm	
100942 - matt black, Brake [G] 85 mm	
100943 - matt black, Brake [G] 90 mm	
114517 - solid black/white, Brake [G] 85 mm	
114518 - solid black/white, Brake [G] 90 mm	

PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, SX FR

PRODUCT DETAILS

FRODUCT DETAILS	
STAND HEIGHT	31 mm
DIN	3 - 11
WEIGHT	900 g/pc.



74



PRW 11 GW

ARTICLE NUMBER

4352 - solid black, Brake [G] 85 mm
4469 - solid black Brake [G] 90 mm

PRODUCT FEATURES

AM (All Mountain) Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, SX FR Heel

PRODUCT DETAILS

INODUCID	LINIES
STAND HEIGHT	31 mm
DIN	3 - 11
WEIGHT	905 g/pc.



PROTECTOR SLR 11 GW

ARTICLE NUMBER

ARTICLE NUMBER
114562 - matt white, Brake [N] 80 mm
100913 - matt black, Brake [N] 80 mm
100914 - matt black, Brake [N] 90 mm
114555 - matt black, Brake [N] 80 mm
114556 - matt black, Brake [N] 80 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114566 - matt black, Brake [N] 90 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114567 - matt black, Brake [N] 100 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114563 - matt white, Brake [N] 80 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114568 - matt white, Brake [N] 90 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114569 - matt white, Brake [N] 100 mm,
SET (incl. SLR PRO XL base & 8 mm screws)

PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SLR, HR Lite Heel

PRODUCT DETAILS

	STAND HEIGHT	28 mm
	DIN	3 - 11
	WEIGHT	980 g/pc.





PROTECTOR SLR 10 GW

ARTICLE NUMBER

100920 - 11191	t black, Brake [N] 80 mm
100957 - mat	t black, Brake [N] 90 mm
100951 - matt	white, Brake [N] 80 mm
PRODUCT FI	EATURES
HR I ita Haal	TX Lite Toe, AFS - Anti Friction Slider GW
TIIN LILE FIEEL,	TA Lite 10e, Ars - Allti Friction Slider GW
TIIN LITE TIEET,	TA Lite 10e, AFS - Aliti Friction Slider GW
PRODUCT DI	ETAILS
PRODUCT DI STAND HEIGHT DIN	ETAILS



76





JOY 12 GW PRD

ARTICLE NUMBER

100917 - matt white, Brake [F] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, D-RX (Diagonal) Heel

PRODUCT DETAILS

STAND HEIGHT	33,5 mm
DIN	3,5 - 12
WEIGHT	1000 g/pc.





JOY 11 GW SLR

ARTICLE NUMBER

100944 - matt black,	Brake [H] 78 mm
100945 - matt black,	Brake [H] 90 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, SLR, NX Heel

PRODUCT DETAILS

STAND HEIGHT	28 mm
DIN	3 - 11
WEIGHT	900 g/pc.









JOY 9 GW SLR

ARTICLE NUMBER	NEW
100952 - solid white, Brake [H] 78 mm	
100953 - solid white, Brake [H] 85 mm	
100954 - solid black, Brake [H] 78 mm	
PRODUCT FEATURES	



WEIGHT

2,5 - 9

715 g/pc.

77

NEW



EVO 9 GW CA

ARTICLE NUMBER

100921 - solid black/speed blue, Brake [D] 85 mm

PRODUCT FEATURES

SX Lite Toe with TRP System, Full Diagonal, AFS GW CA, SX LITE Heel

PRODUCT DETAILS

21 mm
2 - 9
780 g/pc.





JRS 4.5 GW CA

ARTICLE NUMBER

100923 - solid black/speed blue, Brake [I] 80 mm 114475 - solid black/white, Brake [I] 80 mm 114477 - solid white/black, Brake [I] 80 mm 114478 - solid white/white, Brake [I] 80 mm 114479 - white glossy, Brake [I] 80 mm 114667 - solid black/white, Brake 80 [I], Multipack 8 pairs

PRODUCT FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS GW CA, JRS, SX Youth Heel

PRODUCT DETAILS

STAND HEIGHT	27 mm
DIN	0,75 - 4,5
WEIGHT	575 g/pc.





JRS 7.5 GW CA

ARTICLE NUMBER

100922 - solid black/speed blue, Brake [H] 78 mm 114470 - solid black/white, Brake [H] 78 mm 114471 - solid black/white, Brake [H] 90 mm 114473 - solid white/black, Brake [H] 78 mm 114474 - solid white/white, Brake [H] 78 mm 114666 - solid black/white, Brake 78 [H], Multipack 8 pairs

PRODUCT FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS GW CA, JRS, SX Youth Heel

PRODUCT DETAILS

 STAND HEIGHT
 27 mm

 DIN
 2 - 7,5

 WEIGHT
 610 g/pc.





SX TEAM 9.0 GW CA

ARTICLE NUMBER

114487 - solid black, Brake [D] 95 mm

PRODUCT FEATURES

SX Lite Toe with TRP System, Full Diagonal, AFS GW CA, SX LITE Heel

PRODUCT DETAILS

 STAND HEIGHT
 21 mm

 DIN
 2 - 9

 WEIGHT
 780 g/pc.







SX 7.5 GW CA

ARTICLE NUMBER

114488 - solid white/black, Brake [J] 78 mm 114489 - solid black/white, Brake [J] 78 mm 114490 - solid black/white, Brake [J] 90 mm

PRODUCT FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS GW CA, SX Youth Heel

PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	2 - 7,5
WEIGHT	685 g/pc.





SX 4.5 GW CA

ARTICLE NUMBER

114491 - solid black/white, Brake [K] 80 mm 114492 - solid white/black, Brake [K] 80 mm


SX Kid Toe with TRP System, Full Diagonal, AFS GW CA, SX Youth Heel

PRODUCT DETAILS

STAND HEIGHT	15 mm
DIN	0,75 - 4,5
VEIGHT	600 g/pc.



BOOT BINDING COMPATIBILITY



- * There are older ski bindings/ski boots without marking. Here the technician needs to check boot compatibility according the corresponding tech manual.
- ** Screwdriver icon indicates that the toe height needs to be adjusted by the technician. e.g. A MN Although there is no Type A & C standard in ISO 9523 - MN bindings are marked with A to avoid possibly installing of a Type C Alpine or Walk boot in those bindings.
- *** Boot needs to have tech inserts. Compatibility with tech bindings might be limited. Check recommendations of the binding and boot manufacturer.
- **** Compatibility with tech bindings might be limited. Check recommendations of the binding and boot manufacturer.

BRAKE OVERVIEW HEAD/TYROLIA BRAKE LINE

DRILL TEMPLATES HEAD/TYROLIA

brake code	HEAD 25.26	TYROLIA 25.26	ART. NO.	Brake model/ width	brake code	HEAD 25.26	TYROLIA 25.26	ART. NO.	Brake model/ width
	FREEFLEX ST 20 X RD	FREEFLEX ST 16	163033	Power Brake ² Race PRO 17-85 [A]		JOY 11 GW SLR		162942	SL Brake LR 78 [H]
	FREEFLEX ST 20 X RS	RACE ST 14	163035	Power Brake ² Race PRO 95 [A]	11	JOY 9 GW SLR	SLR 9.0 GW	163085	SL Brake LR 85 [H]
	FREEFLEX ST 16 X RD	ATTACK 17 GW	163036	Power Brake ² Race PRO 110 [A]	Н	JRS 7.5 GW CA	JRS 7.5 GW CA	162949	SL Brake LR 90 [H]
	FREEFLEX ST 14 X	ATTACK 14 MN	163037	Power Brake ² Race PRO 130 [A]				163079	SL Brake LR 100 [H]
Α	FREEFLEX ST 16 FREEFLEX ST 14	ATTACK 14 GW ATTACK LYT 12 GW	163038	Power Brake ² Race PRO 150 [A]					
	FREEFLEX 11 RACE	ATTACK LYT 11 GW	*use only	for racing competition (X) bindings					
			163032	Power Brake ² Race PRO 16-85 [A]*		JRS 4.5 GW CA	JRS 4.5 GW CA	163132	SX Kid Brake JRS/SLR EASY 80 [I]
			163039	Power Brake ² Race PRO 18-85 [A]*					
			163034	Power Brake ² Race PRO wide 18-85 [A]*					
							TX 10 GW	163058	SL Brake 78 [J]
							SX 7.5 GW CA	162776	SL Brake 90 [J]
		AMBITION 10 MN	163003	Brake Ambition 85 white [C]	J			163067	SL Brake 100 [J]
			163016	Brake Ambition 95 white [C]				163068	SL Brake 115 [J]
			163004	Brake Ambition 105 white [C]					
_			163005	Brake Ambition 125 white [C]					
			163098	Brake Ambition 85 black [C]			SX 4.5 GW CA	163133	SX Kid Brake EASY 80 [K]
			163099	Brake Ambition 95 black [C]	K		SX 4.5 R GW CA		
			163100	Brake Ambition 105 black [C]	1		SRM 4.5 GW CA		
			163101	Brake Ambition 125 black [C]					
	-								
							ALMONTE 12 PT	163160	Brake platform TOUR - W/O Brake [M]
	FREEFLEX 14 GW	FREEFLEX DEMO 14 GW	163044	Power Brake ² LD 85 [D]	M		ALMONTE 10 PT	163161	Brake TOUR 90 [M]
	FREEFLEX 11 GW	FREEFLEX 11 GW	163045	Power Brake ² LD 95 [D]	IVI		ALMONTE 10 DEMO	163162	Brake TOUR 105 [M]
	FREEFLEX DEMO 14 GW	AM 12 GW	163046	Power Brake ² LD 110 [D]				163163	Brake TOUR 120 [M]
	EVO 9 GW CA	RX 12 GW	163047	Power Brake ² LD 130 [D]					
D		SP 10 GW	163048	Power Brake ² LD 150 [D]					
V		BYS 10 GW				PROTECTOR SLR 11 GW	PROTECTOR SLR 11 GW	163152	Protector Brake SLR 80 [N]
		SR 10 GW			N	PROTECTOR SLR 10 GW		163153	Protector Brake SLR 90 [N]
		SRM 10 GW						163154	Protector Brake SLR 100 [N]
		SX TEAM 9.0 GW CA ATTACK LYT 9 GW							
							ATTACK HYBRID 14 MN/PT	163195	Power Brake HYBRID 95 [0]
					0		ATTACK HYBRID 11 MN/PT	163196	Power Brake HYBRID 110 [0]
	PRD 12 GW	ATTACK 14 MN DEMO	163050	PowerRail Brake ² LD 85 [F]				163197	Power Brake HYBRID 130 [0]
	JOY 12 GW PRD	ATTACK LYT 13 GW DEMO	163051	PowerRail Brake ² LD 95 [F]					
Е		ATTACK LYT 11 GW DEMO	163052	PowerRail Brake ² LD 110 [F]					
Γ		ATTACK 14 MN DEMO	163053	PowerRail Brake ² LD 130 [F]		PROTECTOR PR 13 GW	PROTECTOR 13 GW	163138	Protector Brake PR 85 [P]
		PRD 12 GW			Р		PROTECTOR 11 GW	163139	Protector Brake PR 95 [P]
		PRD 11 GW			Г		PROTECTOR ATTACK LYT 13 GW	163140	Protector Brake PR 110 [P]
	-							163141	Protector Brake PR 130 [P]
	PR 11 GW	PRW 11 GW	162943	PowerRail Brake SL 78 [G]					
		PR 11 GW	163084	PowerRail Brake SL 85 [G]					
G		PR 10 GW PROMO	162944	PowerRail Brake SL 90 [G]					

163078 PowerRail Brake SL 100 [G] 162985 PowerRail Brake SL 115 [G]

DRILL TEMPLATE	ART. NO.	RANGE OF FIXING MECHANISM	HEAD	TYROLIA
92 W 92 FAT	162760 162868	59 - 108 mm 104 - 154 mm	FREEFLEX ST 20 X RD, FREEFLEX ST 20 X RS, FREEFLEX ST 16 X RD, FREEFLEX ST 14 X, FREEFLEX ST 16, FREEFLEX ST 14, FREEFLEX 11 RACE, FREEFLEX 14 GW, FREEFLEX 11 GW, EVO 9 GW CA	FREEFLEX ST 16, RACE ST 14, FREEFLEX 11 GW, ATTACK 17 GW, ATTACK 14 MN, ATTACK 14 GW, ATTACK LYT 12 GW, ATTACK LYT 11 GW, ATTACK LYT 9 GW, PROTECTOR ATTACK LYT 13 GW, RX 12 GW, AM 12 GW, TX 10 GW, SX TEAM 9.0 GW CA, SX 7.5 GW CA, BYS 10 GW
TOUR PT	163156	75-125		ALMONTE 12 PT, ALMONTE 10 PT, ALMONTE 10 PT DEMO, ATTACK HYBRID 14 MN/PT, ATTACK HYBRID 11 MN/PT
AMBITION	163000	75-125		AMBITION 10 MN
ATTACK DEMO	163009	75-125		ATTACK 14 MN DEMO, ATTACK LYT 13 GW DEMO, ATTACK LYT 11 GW DEMO
BASES & PLATES	162865	59-108	BETTER BALANCE PR Base BETTER BALANCE PR wide Base, TWIN PR Base, ALL MOUNTAIN PR Base LYT PR Base	SUPERFLEX PR Base TWIN PR Base, POWERPRO PLATE 9
RACEPLATE WCR SHORT/TEAM	165253	59-108	RACEPLATE WCR SHORT, RACEPLATE WCR TEAM	
RACE PLATE 09	162902	59-108	RACEPLATE EVO 14	RACEPLATE EVO 14
JRS/SLR PRO	163104	59-108	SLR PRO Base XL; JOY BB SLR PRO Base, JRS Base S, M, L	SLR PRO Base XL, JRS Base S, M, L
94W	162761	59-108		SX 4.5 GW CA, SX 4.5 R GW CA
FREEFLEX DEMO	163013	59-108	FREEFLEX DEMO 14 GW	FREEFLEX DEMO 14 GW
SP 2003 W	162763	59-108		SP 10 GW
SR 2003 W	162762	59-108		SRM 10 GW



BOOTS

LINE OVERVIEW

RACE



HIGH PERFORMANCE



black/anthracite

ice/grey

dark blue/anthracite


PERFORMANCE

black/speed blue













RAPTOR

Simply the most successful race boot in World Cup history and still the equipment of choice for the world's fastest racers. This is ultimate speed in a tailored, precise fit.

BUCKLE POSITIONING

The higher screw-racing buckle and compact shell won't touch the snow when achieving high edge angles.

CUFF ALIGNMENT

Gives more precise adjustment, more stable connection and less friction between shell and cuff.

EXTENDED TOE BOX AND MATERIAL

The extended toe box increases torsional rigidity and power transmission. The shell's PU material provide a more progressive flex, smooth rebound and less vibration for better control.

WCR BOOT BOARD

The all-new WCR boot board has no varus, which allows for rapid and easy fitting.











RAPTOR WCR 140S PV

ARTICLE NUMBER

605030 White

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge

LINER

LIPUID)

FPUE

FIOUID

Pro Race LF, HP frame footbed, 50mm Double power booster velcro strap, Adj. Tongue

BUCKLES

4 screwed micro-adjustable Spineflex racing alloy buckles, Racing low profile buckles

PRODUCT DETAILS

LEVEL	EVEL Professional					
FLEX		150	0/140			
SIZES		22	0/225		-	
		30	0/305)		
SHELL		Pυ	l			
LAST	LAST PV 1800cc					
Last	94		96		98	
Size	25.5		26.5		27.5	

RAPTOR WCR 130S PV

ARTICLE NUMBER

605033 Speedblue

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge

LINER

Pro Race LF, HP frame footbed, 45mm velcro strap, Adj. Tongue

RAPTOR WCR 120S PV

BUCKLES

4 screwed micro-adjustable racing alloy buckles, Racing low profile buckles

PRODUCT DETAILS

LEVEL		Pr	Professional					
FLEX		140/130						
SIZES		220/225						
		30	0/30	5				
SHELL		Pι	J					
LAST		PV	1800	СС				
Last	94		96		98			
Size	25.5		26.5		27.5			

ARTICLE NUMBER

605043 White

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge

LINER

Pro EVO LF, HP frame footbed, 45mm velcro strap

BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buck-

PRODUCT DETAILS

LEVEL		Pr	otessi	ona	al	
FLEX		130	0/120			
SIZES		220/225				
		30	0/305	5		
SHELL		Pι	J			
LAST		PV	1800	СС		
Last	94		96		98	
Size	25.5		26.5		27.5	

RAPTOR WCR 120 PV

ARTICLE NUMBER

605042 White

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge, Interch. Toe and heel

LINER

Pro EVO, HP frame footbed, 45mm velcro strap

BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buck-

PRODUCT DETAILS

LEVEL		Professional					
FLEX		130/120					
SIZES	SIZES 220/225						
		30	0/305)			
SHELL		PU					
LAST		PV	1800	СС			
Last	94		96		98		
Size	25.5		26.5		27.5		





RAPTOR WCR 115 W PV

Pro EVO W, HP frame footbed,

4 micro-adjustable racing alloy buckles, Racing low profile

40mm velcro strap

ARTICLE NUMBER	PRODU	CT D	ETA	ILS		
605055 Grey	LEVEL		Pr	Professional		
	FLEX		125	125/115		
PRODUCT FEATURES	SIZES		22	0/225-	270/275	
Flex tuning, Cuff Alignment,	SHELL		PU	- (SHC	ORT CUFF)	
Extended Toe Box, Rear support	LAST		PV	PV 1800cc		
tuning, FIS approved sole thick-	Last	92		94	96	
ness, Flat foam wedge, Interch.	Size	24.5		25.5	26.5	
Toe and heel	ERGO BA	LANCE	Ra	ce bala	ance	
TOE dilu lieel			Fo	rward l	ean: 12°	
LINER			Ra	mp and	gle 4º	





RAPTOR WCR 95 W PV

LINER

BUCKLES

buckles

ARTICLE NUMBER	PRODUCT DETAILS						
605057 Anthracite	LEVEL		Pro	Professional			
	FLEX		105	105/95			
PRODUCT FEATURES	SIZES		220)/225-	270/275		
Flex tuning, Cuff Alignment,	SHELL		PU	- (SH(ORT CUFF)		
Extended Toe Box, Rear support	LAST		PV	18000	:C		
tuning, FIS approved sole thick-	Last	92		94	96		
ness, Flat foam wedge, Interch.	Size	24.5		25.5	26.5		
Toe and heel	ERGO BA	LANCE	Rac	e bala	ance		
			For	ward l	ean: 12°		

Ramp angle 4°




Pro EVO W, HP frame footbed, 40mm velcro strap

BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buckles







FORMULA

A high-performance boot designed for expert skiers looking for unbeatable comfort and foot wrapping. FORMULA comes in 98mm and 100mm last sizes to fit all feet and every terrain.

SPINEFLEX BUCKLE

This unique buckle concept has a flexible element, that adapts to the shell profile, reducing pressure points and improving the fit and performance.

CUFF ALIGNMENT

Gives more precise adjustment, more stable connection and less friction between shell and cuff.

EXTENDED TOE BOX

A longer toe box increases torsional rigidity and power transmission. New design for a better balance and increased comfort.

PU MATERIAL

The PU material gives more progressive flex, smooth rebound and less vibration for better control.



















FORMULA 130 LV GW

RTICLE NUMBER	PRODU	CT DI	ETA	ILS		
04108 Black-speedblue	LEVEL		Pro	ofessio	nal	
	FLEX		140	0/130		
RODUCT FEATURES	SIZES		25	0/255-		
lex tuning, Cuff Alignment,			30	0/305		
xtended Toe Box, Rear support	SHELL		PU			
uning, Foam wedge, Interch. Toe	LAST		PV	1800c	С	
nd heel	Last	96		98/LV	100	
	Size	25.5		26.5	27.5	
INER	ERGO BA	LANCE	Ra	ce bala	nce	
D Perfect Fit EVO Pro LF, Adj.			Fo	rward l	ean: 12	0
ongue, HP frame footbed,			Ra	mp ang	le 4°	
Omm velcro strap. Power plate						

FORMULA 120 LV GW

4 screwed micro-adjustable

Spine-Flex alloy buckles, Low

BUCKLES

profile buckles

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
604121 Black-white	LEVEL		Pro	ofession	nal
	FLEX		130)/120	
PRODUCT FEATURES	SIZES		25	0/255	
Flex tuning, Cuff Alignment,			30	0/305	
Extended Toe Box, Rear support	SHELL		PU		
tuning, Foam wedge, Interch. Toe	LAST		PV 1800cc		
and heel	Last	96		98/LV	100
	Size	25.5		26.5	27.5
LINER	ERGO BA	LANCE	Ra	ce balaı	nce
3D Perfect Fit EVO Pro LF, HP			Fo	rward le	an: 12°
frame footbed, 50mm velcro			Ra	mp ang	le 4°
strap, Power plate					



BUCKLES 4 micro-adjustable alloy buckles, Low profile buckles

FORMIII A 110 IV GW

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
604132 Black-red	LEVEL		Ex	pert	
	FLEX		120	0/110	
PRODUCT FEATURES	SIZES 250/255				
Flex tuning, Cuff Alignment,			30	0/305	
Extended Toe Box, Rear support	SHELL		PU		
tuning, Foam wedge, Interch. Toe	LAST		PV 1800cc		
and heel	Last	96		98/LV	100
	Size	25.5		26.5	27.5
LINER	ERGO BA	LANCE	Ra	ce bala	nce
BD Perfect Fit EVO, HP frame			Fo	rward le	ean: 12°
footbed, 45mm velcro strap			Ra	mp ang	le 4°



4 micro-adjustable alloy buckles, Low profile buckles

BUCKLES





GRIP WALK

FORMULA 105 W LV GW

ARTICLE NUMBER	PRODUCT DETAILS						
604128 Black/anthracite	LEVEL		Professional				
	FLEX		115/105				
PRODUCT FEATURES	SIZES		230/235270/275				
Women double adjustable cuff,	SHELL		PU				
Flex tuning, Cuff Alignment,	LAST		PV 1800d	C			
Extended Toe Box, Rear support	Last	94	96	98/LV			
tuning, Foam wedge, Interch. Toe	Size	24.5	25.5	26.5			
and heel	ERGO BA	LANCE	Race bala	ance			



4 micro-adjustable alloy buckles,

3D Pro Formula LF W, HP frame footbed, 35mm velcro strap,











١	R	ΤI	C	L	E	N	U	M	В	E	R		
_	$\overline{}$		_	_	_			_			,		

604150 Dark Blue/anthracite	è
604152 Ice/grey	

PRODUCT FEATURES

Women double adjustable cuff, Flex tuning, Cuff Alignment, Extended Toe Box, Foam wedge, Interch. Toe and heel

LINER

LINER

Power plate

BUCKLES

Low profile buckles

3D Perfect Fit EVO W, HP frame footbed, 35mm velcro strap

BUCKLES


4 micro-adjustable alloy buckles, Low profile buckles

PRODUCT DETAILS

INODOG	ועוי	- 17	ILJ					
LEVEL		Exp	pert					
FLEX		105/95						
SIZES		230/235270/275						
SHELL		PU						
LAST		PV 1800cc						
Last	94		96	98/LV				
Size	24.5		25.5	26.5				
ERGO BALANCE Race balance								

Forward lean: 12° Ramp angle 4°

Size 24.5	25.5	26.5				
ERGO BALANCE	Race balance					
	Forward lean: 12°					
	Ramp angle	40 ج				





PERFORMANCE

KALIBER

Precision is intergrated into every element of KALIBER. Designed to maximize the potential of BOA® fit like never before.

PERSONALIZED PRECISION

Designed to optimize both fit and performance.

FULL BOA® OPTIMIZATION

A totally new design integrates the BOA® system into the cuff and lower boot.

NEW BI-INJECTION CONSTRUCTION

To ensure a better footwrap down to the toes, molding to the foot and maximizing BOA® functionality.

ANATOMICAL EXCELLENCE

More toe space, a new heel and ankle shape in the shell works in unison with the new SYNAPSE PRO liner, which offers optimal temperature regulation thanks to Graphene woven into the liner.







LIPUID) FORM FIT GRIP

KALIBER 130 MV GW BOA2

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
605110 Black-speedblue	LEVEL		Pro	ofession	al
	FLEX		140	0/130	
PRODUCT FEATURES	SIZES		25	0/255	
Flex tuning, Cuff Alignment, Rear			30	0/305	
support tuning, Foam wedge, In-	SHELL		PU		
terch. Toe and heel, Bi-injection	Last	98		100/MV	102
Construction	Size	25.5		26.5	27.5
	ERGO BA	LANCE	Ra	ce balar	nce
LINER			Fo	rward le	an: 12°

Ramp angle 4°

3D Synapse Pro LF, Dual Density

Synapse, Adj. Tongue, HP frame footbed, 40mm Ratchet Strap

> **BUCKLES** Shell/Cuff BOA

KALIBER 110 MV GW BOA2

RTICLE NUMBER	PRODUCT	DE	TA	ILS		
05135 Anthracite-speedblue	LEVEL	Expert				
	FLEX		120)/110		
RODUCT FEATURES	SIZES		24	0/245		
ex tuning, Cuff Alignment, Rear			30	0/305		
upport tuning, Foam wedge,	SHELL		PU			
terch. Toe and heel GW, Bi-in-	Last 9	-		100/MV	102	
ction Construction	Size 2	5.5		26.5	27.5	
	ERGO BALAN	NCE	Race balance			
INER			Foi	ward le	an: 12°	
D Synanse EVO. HP frame foot-			Ra	mp angl	e 4°	

BUCKLES FORM FIT

GRIPWALK

Shell/Cuff BOA

bed, 40mm velcro strap

KALIRED 105 W MV GW ROA2

3D Synapse Pro LF W, Dual Density Synapse, HP frame footbed, 35mm velcro strap, Power plate

BUCKLES Shell/Cuff BOA

97

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
605122 Black-turquoise	LEVEL		Pro	fession	al
	FLEX		115	/105	
PRODUCT FEATURES	SIZES		230	0/235	270/27
Women double adjustable cuff,	SHELL		PU		
Flex tuning, Cuff Alignment, Rear support tuning, Foam wedge, In-	Last Size	96 24.5		98 25.5	100/MV 26.5
terch. Toe and heel, Bi-injection	ERGO BA	LANCE	Ra	ce balar	nce
Construction			For	ward le	an: 12°
			Rai	mp angl	e 4°
LINER					




























GRAPHENE THERMOCOMFORT FIDUID SYNAPSE FORM FIT

KALIBER 120 MV GW BOA

3D Synapse Pro LF, Dual Densi-

ty Synapse, HP frame footbed,

BUCKLES

45mm velcro strap, Power plate

Shell BOA, 2 screwed micro-ad-

justable alloy buckles, 2 Double

KALIBER 110 MV GW BOA

605138 Anthracite-speedblue

Flex tuning, Cuff Alignment, Rear

support tuning, Foam wedge,

Interch. Toe and heel GW, Bi-in-

3D Synapse EVO, HP frame footbed, 40mm velcro strap

Shell BOA, 2 micro-adjustable al-

loy buckles, Low profile buckles

ARTICLE NUMBER

PRODUCT FEATURES

jection Construction

LINER

BUCKLES

Power levers, Low profile buckles

ARTICLE NUMBER	PRODU	ICT D	ETA	ILS	
605116 Titanium	LEVEL		Pro	ofession	al
605112 White	FLEX		130)/120	
	SIZES		25	0/255	
PRODUCT FEATURES			30	0/305	
Flex tuning, Cuff Alignment, Rear	SHELL		PU		
support tuning, Foam wedge, In-	Last	98		100/MV	102
terch. Toe and heel, Bi-injection	Size	25.5		26.5	27.5
Construction	ERGO BA	LANCE	Ra	ce balar	nce
			Fo	ward le	an: 12°
LINER			Ra	mp angl	e 4°

PRODUCT DETAILS

120/110

PU

ERGO BALANCE Race balance

240/245-...-300/305

Forward lean: 12°

Ramp angle 4°

LEVEL FLEX

SIZES

SHELL



KALIBER 120 MV GW

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
605120 Titanium	LEVEL		Pr	ofession	ıal
	FLEX		130)/120	
PRODUCT FEATURES	SIZES		25	0/255	
Flex tuning, Cuff Alignment, Rear			32	0/325	
support tuning, Foam wedge, In-	SHELL		PU		
terch. Toe and heel, Bi-injection	Last	98		100/MV	102
Construction	Size	25.5		26.5	27.5
	ERGO BA	LANCE	Ra	ce balar	nce
LINER			Fo	rward le	an: 12°
3D Synapse Pro LF, Dual Densi-			Ra	mp ang	le 4°
ty Synapse, HP frame footbed,					



KALIRED 110 MV GW

Low profile buckles

BUCKLES

KALIBER IIU MV GW					
ARTICLE NUMBER	PRODU	CT DI	ETA	ILS	
605140 Anthracite-speedblue	LEVEL		Ех	pert	
	FLEX		120	0/110	
PRODUCT FEATURES	SIZES		24	0/245	
Flex tuning, Cuff Alignment, Rear			30	0/305	
support tuning, Foam wedge,	SHELL		PU		
Interch. Toe and heel GW, Bi-in-	Last	98		100/MV	102
jection Construction	Size	25.5		26.5	27.5
	ERGO BA	LANCE	Ra	ce balar	nce
LINER			Fo	rward le	an: 12°
3D Synapse EVO, HP frame foot-			Ra	mp angl	e 4°
hed 40mm velcro stran					





bea, 40mm	veicro strap
BUCKLES	
4 micro-adju	ustable alloy buckles,



Low profile buckles

45mm velcro strap, Power plate

4 screwed micro-adjustable alloy

buckles, 2 Double Power levers,

ARTICLE NUMBER	PRODU	CT DI	ETA	ILS	
605140 Anthracite-speedblue	LEVEL		Ех	pert	
	FLEX		120)/110	
PRODUCT FEATURES	SIZES		24	0/245	
Flex tuning, Cuff Alignment, Rear			30	0/305	
support tuning, Foam wedge,	SHELL		PU		
Interch. Toe and heel GW, Bi-in-	Last	98		100/MV	102
jection Construction	Size	25.5		26.5	27.5
,	ERGO BA	LANCE	Race balance		
LINER			Foi	ward le	an: 12
3D Synapse EVO, HP frame foot-			Ra	mp angl	e 4°
bed. 40mm velcro strap					



KALIRED 100 MV

KALIBER IUU MV					
ARTICLE NUMBER	PRODU	CT DI	ETA	ILS	
605161 Black	LEVEL		Ex	pert	
	FLEX		110	/100	
PRODUCT FEATURES	SIZES		24	0/245	
Flex tuning, Cuff Alignment, Rear			30	0/305	
support tuning, Bi-injection Con-	SHELL		PU	/ SL	
struction,	Last Size	98 25.5		100/MV 26.5	102 27.5
LINER	ERGO BA	LANCE	Ra	ce balar	nce
Synapse S, HP frame footbed,			Foi	ward le	an: 12°
40mm velcro strap			Ra	mp angl	e 4º
·					







KALIBER 95 W MV GW BOA

RTICLE NUMBER	PRODUCT DETAILS				
05146 Anthr.	LEVEL		Expe	rt	
05145 White (size 230/235	FLEX		105/95		
70/275)	SIZES		220/	270/275	
	SHELL		PU		
RODUCT FEATURES	Last	96	9	8	100/MV
Vomen double adjustable cuff,	Size	24.5	2	5.5	26.5
lex tuning, Cuff Alignment, Rear	ERGO BA	LANCE	Race	balar	nce
upport tuning, Foam wedge, In-			Forw	ard le	an: 12°
erch Toe and heel Bi-injection			Ram	p ang	le 4º





LINER 3D Synapse EVO W, HP frame footbed, 35mm velcro strap

Construction

98

BUCKLES Shell BOA, 2 micro-adjustable alloy buckles, Low profile buckles





4 micro-adjustable alloy buckles,

Low profile buckles

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
605161 Black	LEVEL		Ex	pert	
	FLEX		110	/100	
PRODUCT FEATURES	SIZES		24	0/245	
Flex tuning, Cuff Alignment, Rear			30	0/305	
support tuning, Bi-injection Con-	SHELL		PU	/ SL	
struction,	Last	98 25.5		100/MV 26.5	102 27.5
LINER	ERGO BA	LANCE	Ra	ce balar	nce
Synapse S, HP frame footbed,			Foi	ward le	an: 12°
40mm velcro strap			Ra	mp angl	e 4°

LINER

BUCKLES



KALIBER 95 W MV GW

ARTICLE NUMBER	PRODU	CT D	ETAILS	
505150 Anthracite	LEVEL		Expert	
	FLEX		105/95	
PRODUCT FEATURES	SIZES		230/235-	270/275
Nomen double adjustable cuff,	SHELL		PU	
Flex tuning, Cuff Alignment, Rear	Last	96	98	100/MV
support tuning, Foam wedge, In- erch. Toe and heel, Bi-injection	ERGO BA	LANCE	Race bala	ance
Construction			Forward	lean: 12°
			Ramp an	gle 4°



KALIBER 85 W MV

4 micro-adjustable alloy buckles, Low profile buckles

3D Synapse EVO W, HP frame footbed, 35mm velcro strap

4 micro-adjustable alloy buckles, Low profile buckles


ARTICLE NUMBER	RTICLE NUMBER PRODUCT DETAILS					
605170 Black	LEVEL		Ex	pert		
	FLEX		95	/85		
PRODUCT FEATURES	SIZES		23	0/235-	270/275	
Women double adjustable cuff,	SHELL			PU / SL		
Flex tuning, Cuff Alignment, Rear	LAST	RS 1850cc				
support tuning, Extended Toe	Last	96		98	100/MV	
Box, Bi-injection Construction	Size	24.5		25.5	26.5	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ERGO BA	LANCE	Ra	ce bala	ince	
LINER			For	rward I	ean: 12°	
Synapse S W, HP frame footbed,			Ra	mp and	gle 4°	
35mm velcro strap						








BUCKLES







EDGE BOA®

After over 22 years of success on the slopes, EDGE has evolved again. Years in development, BOA® has been added to the EZ-tech shell featuring EZ-ON and EZ-SKI. Your EDGE to better skiing.

BOA® TECHNOLOGY

Our most accommodating boot just got even more comfortable. Even foot wrap and a tunable fit on the fly in an intuitive fit system.

EZ-ON


The new EDGE shell provides the easiest step in ever for a four buckle boot.

EZ-SKI

The unique Hi-Top lower shell plus the power flex ensures a direct energy transfer from skier to ski, amplifying control, reducing fatigue and increasing fun.




























ARTICLE NUMBER

605305 Black-white

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Foam Wedge, Adjustable Profile

LINER

FORM

0

3D Perfect Fit EVO Pro LF, Adj. Tongue, Sport frame footbed, 35mm velcro strap, Power plate

JA

Shell BOA, 2 micro-adjustable alloy buckles, 2 Double Power levers, 1 Supermacro ratchet

PRODUCT DETAILS

BUCKLES

LEVEL	Advanced						
FLEX		130/120					
SIZES		250/255					
		300/305					
SHELL		PU					
LAST C 2100cc							
Last	100		102/HV	104			
Size	25.5		26.5	27.5			

EDGE 120 HV GW BOA

ARTICLE NUMBER

605310 Anthracite-speedblue

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Adjustable Profile

LINER

3D Perfect Fit EVO Pro , Sport frame footbed, 35mm velcro strap, Power plate

BUCKLES

Shell BOA, 2 micro-adjustable alloy buckles, 2 Double Power levers, 1 Supermacro ratchet

PRODUCT DETAILS

	Advanced						
	120	120/110					
	250/255						
	320/325						
	Pι	J					
	C	2100cc					
100		102/HV	104				
0.5.5		26 E	27 E				
		120 25 32 PL C 2	120/110 250/255- 320/325 PU C 2100cc	120/110 250/255 320/325 PU C 2100cc			

EDGE 110 HV GW BOA

ARTICLE NUMBER

605320 Anthracite-red

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Adjustable Profile

LINER

3D Perfect Fit EVO, Sport frame footbed, 35mm velcro strap

BUCKLES

Shell BOA, 2 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Ad	vance	d		
FLEX		110	/100			
SIZES		25	0/255		-	
		30	0/305			
SHELL		PU	/SL			
LAST		C 2	2100cc			
Last	100		102/HV		104	
Size	25.5		26.5		27.5	

EDGE 100 HV BOA

ARTICLE NUMBER

605335 Black-white

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Adjustable Profile

LINER

Comfort, Sport frame footbed, 35mm velcro strap

BUCKLES

Shell BOA, 2 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Αü	vanced	1			
FLEX		100/90					
SIZES		25	0/255-				
		30	0/305				
SHELL		SL					
LAST		C 2	2100cc				
Last Size	100 25.5		102/HV 26.5	104 27.5			





FORM FIT

EDGE 105 W HV GW BOA

frame footbed, 35mm velcro

Shell BOA, 2 micro-adjustable

alloy buckles, 2 Double Power

levers, 1 Supermacro ratchet

strap, Power Plate

BUCKLES

RTICLE NUMBER	PRODU	CT DI	ETA	ILS		
05311 Anthracite	LEVEL		Ad	vanced	t	
	FLEX		105	5/95		
RODUCT FEATURES	SIZES		22	0/225-	270/275	5
Z Tech Shell, Hi-Top, Power	SHELL		PU			
lex, Extended toe box, Bi-Inject-	LAST		C 2	2100cc		
d Frame, Women's Adjustable	Last	98		100	102/HV	
Profile	Size	24.5		25.5	26.5	
	ERGO BA	LANCE	ΑII	ride ba	alance	
INER			Fo	rward l	Lean 12,5°	
D Perfect Fit EVO Pro W, Sport			Ra	mp and	gle 5°	





EDGE 130 HV GW

macro ratchet

EDGE 130 IIV GW						
ARTICLE NUMBER	PRODU	CT D	ETA	ILS		
605306 Black-white	LEVEL		Ad	vanced		
	FLEX		130	0/120		
PRODUCT FEATURES	SIZES	IZES 250/255				
EZ Tech Shell, Hi-Top, Power			32	0/325-3	35-345	
Flex, Extended toe box, Bi-Inject-			(33	35/345	Advant	
ed Frame, Foam Wedge, Adjusta-			Ed	ge, No l	iquid Fit	
ble Profile			Lin	ner)		
	SHELL		PU			
LINER	LAST		C 2	2100cc		
3D Perfect Fit EVO Pro LF, Adj.	Last	100		102/HV	104	
Tongue, Sport frame footbed,	Size	25.5		26.5	27.5	
35mm velcro strap, Power plate	ERGO BA	LANCE	All	ride bal	ance	
			Foi	rward L	ean 12,5°	
BUCKLES			Ra	mp ang	le 5°	
4 micro-adjustable alloy buckles,						

EDGE 95 W HV GW BOA

ARTICLE NUMBER	PRODUCT DETAILS							
605326 Black-fuchsia	LEVEL		Adva	nced				
	FLEX		95/85	5				
PRODUCT FEATURES	SIZES		220/2	225	270/275			
EZ Tech Shell, Hi-Top, Power	SHELL		PU/SI	L				
Flex, Extended toe box, Bi-Inject-	LAST		C 2100cc					
ed Frame, Women's Adjustable Profile	Last Size	98 24.5	100	_	102/HV 26.5			
Tome	ERGO BA	LANCE	Allrid	e bal	ance			
LINER			Forwa	ard Le	ean 12,5°			
3D Perfect Fit EVO W, Sport			Ramp	angl	e 5°			
frame footbed, 35mm velcro								



FORM

EDGE 110 HV GW

2 Double Power levers, 1 Super-

ARTICLE NUMBER	PRODUCT DETAILS					
605323 Anthracite-red	LEVEL		Advanced			
	FLEX		110	/100		
PRODUCT FEATURES	SIZES		250/255			
EZ Tech Shell, Hi-Top, Power			30	0/305		
Flex, Extended toe box, Bi-Inject-	SHELL		PU/SL			
ed Frame, Adjustable Profile	LAST		C 2	2100cc		
	Last	100		102/HV	104	
LINER	Size	25.5		26.5	27.5	
3D Perfect Fit EVO, Sport frame	ERGO BALANCE		Allride balance			
footbed, 35mm velcro strap			Fo	ward L	ean 12,5	
			Ra	mp ang	le 5°	

BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

4 micro-adjustable alloy buckles,

1 Supermacro ratchet



EDGE 85 W HV BOA

Shell BOA, 2 micro-adjustable alloy buckles, 1 Supermacro

BUCKLES

ratchet

BUCKLES

ratchet

Shell BOA, 2 micro-adjustable

alloy buckles, 1 Supermacro

ARTICLE NUMBER	PRODU	CT D	ETAIL	S	
605342 Gray	LEVEL		Adva	nced	
	FLEX		85/7	5	
PRODUCT FEATURES	SIZES		220/	225	-270/275
EZ Tech Shell, Hi-Top, Power	SHELL		SL		
Flex, Extended toe box, Bi-Inject-	LAST		C 2100cc		
ed Frame, Women's Adjustable Profile	Last Size	98 24.5	10	0 5.5	102/HV 26.5
	ERGO BA	LANCE	Allric	de bal	ance
LINER			Forw	ard Le	ean 12,5°
Comfort W, Sport frame footbed,	Ramp angle 5°			e 5°	
35mm velcro strap					



EDGE 100 HV							
ARTICLE NUMBER	PRODUCT DETAILS						
605338 Black-white	LEVEL		Advanced				
	FLEX		100	0/90			
PRODUCT FEATURES	SIZES		250/255				
EZ Tech Shell, Hi-Top, Power	-		30	0/305			
Flex, Extended toe box, Adjusta-	SHELL		SL				
ble Profile	LAST		C 2100cc				
	Last	100		102/HV	104		
LINER	Size	25.5		26.5	27.5		
Comfort, Sport frame footbed,	ERGO BA	LANCE	E Allride balance				
35mm velcro strap			Fo	rward L	ean 12,5°		
			Ra	mp ang	le 5°		
BUCKLES							







104

OPTION TECH SHELL





RTICLE NUMBER	PRODUC			ILS		
05338 Black-white	LEVEL		Ad	vanced		
	FLEX		100	0/90		
RODUCT FEATURES	SIZES		250/255			
Z Tech Shell, Hi-Top, Power			30	0/305		
lex, Extended toe box, Adjusta-	SHELL		SL			
le Profile	LAST		C 2	2100cc		
INER	Last Size	100 25.5		102/HV 26.5	104 27.5	
omfort, Sport frame footbed,	ERGO BALANCE		E Allride balance			
5mm velcro strap			Fo	rward L	ean 12,	,5°
			Ra	mp ang	le 5°	
HCKLEC						

HEAD

OPTION

TECH SHELL

GRIP WALK OPTION

EDGE 90 HV

ARTICLE NUMBER	PRODUCT DETAILS					
605360 Anthracite-speedblue	LEVEL		Int	ermedia	ite	
	FLEX		90	/80		
PRODUCT FEATURES	SIZES	SIZES		250/255		
EZ Tech Shell, Hi-Top, Power			30	0/305		
Flex, Extended toe box, Bi-Inject-	SHELL		SL			
ed Frame, Adjustable Profile	LAST		C 2100cc			
	Last	100		102/HV	104	
LINER	Size	25.5		26.5	27.5	
Comfort, Sport frame footbed,	ERGO BA	LANCE	ΑII	ride bala	ance	
35mm velcro strap			Fo	rward Le	ean 12,5°	
			Ra	mn andl	e 5º	



ARTICLE NUMBER

605368 Black-red

BUCKLES

4 micro-adjustable plastic buck-

les, 1 Supermacro ratchet

4 micro-adjustable alloy buckles, 1 Supermacro ratchet, Low pro-

BUCKLES

file buckles

	,
	ille.
HEAD	

	FLEX		80)		
PRODUCT FEATURES	SIZES		250/255			
EZ Tech Shell, Hi-Top, Power			30	0/305		
Flex, Extended toe box, Bi-Inject-	SHELL		SL			
ed Frame, Adjustable Profile	LAST		C 2100cc			
	Last	100		102/HV	104	
LINER	Size	25.5		26.5	27.5	
Comfort, Sport frame footbed,	ERGO BA	LANCE	All	ride bal	ance	
35mm velcro strap			Fo	rward L	ean 12,5°	

PRODUCT DETAILS

Intermediate

Ramp angle 5°

LEVEL







OPTION THE SHELL

OPTION

TECH SHELL

EDGE 95 W HV GW

ADT	CIF	ALLEI	MBER
AKI	I (. I F	NUI	พหาห

605327 Black-fuchsia

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Women's Adjustable Profile

LINER

EFF55

FORM

OPTION
TECH SHELL

3D Perfect Fit EVO W, Sport frame footbed, 35mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

	·					
LEVEL		Ad	vance	ed		
FLEX		95/85				
SIZES		220/225				
		27	0/275			
SHELL		PU/SL				
LAST	ST C 2100cc					
Last	98		100	102/HV		
Size	24.5		25.5	26.5		

EDGE 85 W HV

ARTICLE NUMBER

605350 Anthracite

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Women's Adjustable Profile

LINER

Comfort W, Sport frame footbed, 35mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Advanced			
FLEX		85/75			
SIZES		220/225			
		270/275			
SHELL		SL			
LAST		C 2100cc			
Last	98		100	102/HV	
Cino	24 5		25.5	26 E	

EDGE 75 W HV

ARTICLE NUMBER

605365 Black

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Women's Adjustable Profile

LINER

Comfort W, Sport frame footbed, 35mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Intermediate					
FLEX		75/65					
SIZES		220/225					
		270/275					
SHELL		SL					
LAST		C 2100cc					
Last	98		100		102/HV		
Size	24.5		25.5		26.5		

EDGE 65 W HV

ARTICLE NUMBER

605369 Black 605370 White

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Women's Adjustable Profile

LINER

Comfort W, Sport frame footbed, 35mm velcro strap

BUCKLES

4 micro-adjustable plastic buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Intermediate					
FLEX		65					
SIZES		22	0/225		-		
		27	0/275				
SHELL		SL					
LAST		C 2100cc					
Last	98		100		102/HV		
Size	24.5		25.5		26.5		

106



108

CUBE3

On any given day, we spend 30% of our time out of our bindings. So, a great performing boot should also be great for walking, right? The CUBE3 Line is designed to do exactly that.

EASY IN

With new quick-entry geometry, the CUBE3 is the only boot this easy to step into. The 3-buckle construction is quick to fasten, with a snug fit.

EASY WALK

Out of bindings, the shaft of the CUBE3 unlocks. Combined with SoftWalk heel and grip, this makes the CUBE3 a superb walking boot.

EASY SKI

Step into your binding and AutoSkiWalk instantly blocks the shaft, so you speed down the mountain without bowing, bending or buckling.











CUBE3 90

ARTICLE NUMBER

604400 Grey-red

PRODUCT FEATURES

Integrated auto-skiwalk

LINER

SuperHeat3 quick entry, Sport frame footbed, 35 mm velcro strap

BUCKLES

2 micro-adjustable plastic buckles, 1 micro-adjustable wide-body alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

	0. 5					
LEVEL		Advanced				
FLEX		90				
SIZES		250/255				
		300/305				
SHELL		PU/SL				
LAST		EC 2200cc				
Last	102		104	106		
Size	25.5		26.5	27.5		

CUBE3 80 W

ARTICLE NUMBER

604401 Black

PRODUCT FEATURES

Integrated auto-skiwalk

LINER

SuperHeat3 quick entry W, Sport frame footbed, 35 mm velcro strap

BUCKLES

2 micro-adjustable plastic buckles, 1 micro-adjustable wide-body alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Advanced				
FLEX		80				
SIZES		230/235				
		270/275				
SHELL		PU	/SL			
LAST		EC	2200	СС		
Last	100		102		104	
Size	24.5		25.5		26.5	

CUBE3 70

ARTICLE NUMBER

604410 Black-anthracite

PRODUCT FEATURES

Integrated auto-skiwalk

LINER

Comfort quick entry liner, Sport frame footbed, 35 mm velcro strap

BUCKLES

3 micro-adjustable plastic buckles, 1 Supermacro ratchet

PRODUCT DETAILS

EVEL		Intermediate					
LEX		70	70				
IZES		250/255					
		30	300/305-315-325				
HELL		SL	SL				
AST		EC 2200cc					
Last Size	102 25.5		104 26.5	106 27.5			
RGO BAL	alance						
Forward Lean 11°							

Ramp angle 6°

CUBE3 60 W

ARTICLE NUMBER

604411 White-grey 604412 Black-white

PRODUCT FEATURES

Integrated auto-skiwalk

LINER

109

Women's Comfort quick entry liner, Sport frame footbed, 35 mm velcro strap

BUCKLES

3 micro-adjustable plastic buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Intermediate				
FLEX		60				
SIZES		230/235				
		270/275				
SHELL		SL				
LAST		EC 2200cc				
Last	100		102	104		
Size	24.5		25.5	26.5		







KORE 130 LV GW

ARTICLE NUMBER

604010 Anthracite-blue

PRODUCT FEATURES

Ski Hike Mechanism, Forward lean adj. +1°, Foam Wedge, Dynafit tech inserts, Rubber insert, Rear support tuning

LINER

KORE Pro Perfect Fit , Laces option , HP frame footbed, 53mm ratchet strap

BUCKLES

4 screwed micro-adjustable Superleggera buckles, Buckles lock, Ratchet lock

PRODUCT DETAILS LEVEL Professional FLEX 130 SIZES 240/245-... 300/305

SHELL PU/SL
LAST FR 1800cc
WEIGHT 1980@265g @
Size: 265

Last 96 98/LV 100
Size 25.5 26.5 27.5

ERGO BALANCE Race balance
Forward lean: 12°
Ramp angle 4°

KORE

FREESKI

Using technology from HEAD's performance range, the KORE RS boot gives excellent power transfer and responsiveness with freeride specific features.

Your next backcountry sidekick.

SUPERLEGGERA BUCKLES

Simple, lightweight and effective aluminum buckles featuring Buckle lock and Ratchet lock to keep things secure when hiking.

SKI HIKE MECHANISM

53° Range of Motion, provides strong precise connection between cuff and shell.

DYNAFIT TECH INSERT

Low tech insert for compatibility with pin bindings.

RUBBER INSERT

Rubber insert for enhanced grip and comfort when hiking.









110



KORE 130 MV GW

ARTICLE NUMBER

604011 Anthracite-blue

PRODUCT FEATURES

Ski Hike Mechanism, Forward lean adj. +1°, Foam Wedge, Dynafit tech inserts, Rubber insert, Rear support tuning

LINER

KORE Pro Perfect Fit, Laces option , HP frame footbed, 53mm ratchet strap

BUCKLES

4 screwed micro-adjustable Superleggera buckles, Buckles lock, Ratchet lock

PRODUCT DETAILS

LEVEL		Professional				
FLEX		130	130			
SIZES		240/245				
		300/305				
SHELL		PU/SL				
LAST		FR 1850cc				
WEIGHT		1935@265g @				
		Siz	ze: 265			
Last Size	98 25.5		100/MV 26.5	102 27.5		
ERGO BA	LANCE	Race balance				
		Forward lean: 12°				

Ramp angle 4°





604024 Grey

PRODUCT FEATURES

Ski Hike Mechanism, Forward lean adj. +1°, Foam Wedge, Dynafit tech inserts, Rear support tuning

LINER

KORE Perfect Fit, Laces option , HP frame footbed, 50mm velcro strap, Power plate

BUCKLES

FORM

4 screwed micro-adjustable Superleggera buckles, Buckles lock, Ratchet lock

PRODUCT DETAILS

	v					
LEVEL		Expert				
FLEX		110				
SIZES		230/235				
		30	0/305			
SHELL		PU/SL				
LAST		FR 1850cc				
WEIGHT		1977@275g @				
		Siz	ze: 265			
Last Size	98 25.5		100/MV 26.5	102 27.5		
ERGO BA	LANCE	Race balance				
		Forward lean: 12°				

Ramp angle 4°





604026 Green

PRODUCT FEATURES

Ski Hike Mechanism, Forward lean adj. +1°, Foam Wedge, Dynafit tech inserts, Rear support tuning

LINER

KORE Perfect Fit W, Laces option , HP frame footbed, 40mm velcro strap, Power plate

BUCKLES


4 screw micro-adjustable Superleggera buckles, Buckles lock, Ratchet lock


PRODUCT DETAILS

LEVEL		Expert				
FLEX		95				
SIZES		22	0/225			
		27	0/275			
SHELL		PU	I/SL			
LAST		FR 1850cc				
WEIGHT		1732@245g @ Siz				
		24	5			
Last	98		100/MV	102		
Size	25.5		26.5	27.5		
ERGO BAL	ANCE	Ra	ce balaı	nce		
		Forward lean: 12°				
		Ra	mp ang	le 4º		









CRUX PRO

Featuring all new Power LYT design, the CRUX Boot line delivers incredible skiability in a super strong, super light package. Accept no compromise in the ascent or descent, this is the touring solution.

POWER LYT DESIGN

COMFORT SKIN SHELL

Designed to wrap the foot with a balanced and comfortable 99 mm touring last. The reactive material provides minimum thickness and precise adaptation to the foot.

CONTROL CUFF

Featuring 2 buckles and a high profile for superior ski control even in the most demanding conditions and speeds.

LYT DYNAMIC FRAME

Connects the shell, cuff and ski-hike device, providing the direct and powerful energy transmission. The Vibram Durastep rockered sole provides smooth foot rolling.

CRUX PRO HP

Customizable liner, the material's density ensure the perfect mold in the most critical area of the boot. Reinforced tongue and upper cuff. Tongue and cuff velcro for extra spoiler.







114









2 screwed micro-adj. T1 HP Magnesium buckles, 1 T1 HP Magnesium buckles, Buckles lock, Ratchet lock

CRUX PRO

ONOX I NO						
ARTICLE NUMBER	PRODU	CT DI	ETA	ILS		
604033 Black	LEVEL		Pro	ofessio	nal	
	FLEX		130)		
PRODUCT FEATURES	SIZES	SIZES		240/245		
Ski Hike Mechanism, Forward			30	0/305		
lean 14° +/-2°, Range of Motion	SHELL		Pe	bax®		
55°, Dynafit tech inserts, Dura-			Rn	ew®+F	Recycled	t
step Sole, Traction Lug			Ca	rbon F	ibers	
	LAST		ТО	UR 180	Осс	
LINER	WEIGHT		125	50g @2	265	
CRUX Pro HP, Laces option , Tour	Last	97		99	101	
footbed, 40mm ratchet power	Size	25.5		26.5	27.5	
strap	ERGO BA	LANCE	To	ur bala	nce	
			Foi	rward l	ean: 13.	5°
BUCKLES			Ra	mp and	gle 3°	

CRUX

RTICLE NUMBER	PRODU	CT DI	ETA	ILS		
04035 Dark Grey	LEVEL		Pro	ofessio	nal	
	FLEX		120)		
RODUCT FEATURES	SIZES		25	0/255-		
ki Hike Mechanism, Forward			30	0/305		
ean 14° +/-2°, Range of Motion	SHELL		Ult	ramid	Fiber	
5°, Dynafit tech inserts, Dura-			Gla	ass		
tep Sole, Traction Lug	LAST		ТО	UR 180	Осс	
	WEIGHT		130)5@26!	5	
INER	Last	97		99	101	
RUX Pro HP, Laces option , Tour	Size	25.5		26.5	27.5	
ootbed, 40mm ratchet power	ERGO BAL	ANCE	То	ur bala	nce	
trap			Fo	rward l	ean: 13	3.5°
			Ra	mp and	gle 3°	

Ratchet lock

BUCKLES

ARTICLE NUMBER	PRODUCT DETAILS						
604042 Grey	LEVEL		Prof	ession	al		
	FLEX		115				
PRODUCT FEATURES	SIZES		230/	/235	-		
Ski Hike Mechanism, Forward			260,	/265			
lean 14° +/-2°, Range of Motion	SHELL		Ultra	amid F	iber		
55°, Dynafit tech inserts, Dura-			Glas	S			
step Sole, Traction Lug	LAST		TOU	R 1800	Осс		
	WEIGHT		1203	@255			
LINER	Last	95	9	7	99		
CRUX HP W, Laces option , Tour	Size	24.5	2	5.5	26.5		
footbed, 40mm ratchet power	ERGO BA	LANCE	Tour	· balan	ce		
strap			Forw	vard le	an: 13.5°		
			Ram	p angl	e 3°		

ART

2 screwed micro-adj. T1 HP Magnesium buckles, 1 T1 HP Mag-

nesium buckles, Buckles lock,

ARTICLE NUMBER	PRODUCT DETAILS					
604042 Grey	LEVEL		Pr	ofessio	nal	
	FLEX		115	,		
PRODUCT FEATURES	SIZES	SIZES		230/235		
Ski Hike Mechanism, Forward			26	0/265		
lean 14° +/-2°, Range of Motion	n 14° +/-2°, Range of Motion SHELL		Ultramid Fiber			
55°, Dynafit tech inserts, Dura-			Gla	ass		
step Sole, Traction Lug	LAST		TO	UR 180	00сс	
	WEIGHT		120	03@25	5	
LINER	Last	95		97	99	
CRUX HP W, Laces option , Tour	Size	24.5		25.5	26.5	
footbed, 40mm ratchet power	ERGO BALANCE		Tour balance			
strap			Fo	rward	lean: 13.!	5°

LINE

BUCKLES

2 screwed micro-adj. T1 HP Magnesium buckles, 1 T1 HP Magnesium buckles, Buckles lock, Ratchet lock





BUCKLE POSITIONING

The higher screw racing buckle and compact shell don't touch the snow when achieving high edge angles.

CUFF ALIGNMENT

Gives more precise adjustment, more stable connection and less friction between shell and cuff.

EXTENDED TOE BOX AND MATERIAL

The extended toe box increases torsional rigidity and power transmission. The shell's PU material provide a more progressive flex, smooth rebound and less vibration.

WCR BOOT BOARD

The WCR boot board has no varus, which allows for rapid and easy fitting.

J KIDS BOOTS

JR. HI-TOP

Higher tongue profile and asymmetrical lateral support.

TWO PHASE FLEX

Gradual and natural centered balance.

NATURAL KID STANCE

VARIO LAST DESIGN

HEAD's Anatomical last has been developed to accommodate the natural growth of kid's feet: Wider last on small sizes.



RAPTOR WCR 90 PV

ARTICLE NUMBER

605505 White

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, JR Racing spoiler, FIS approved sole thickness, Flat foam wedge

LINER

Jr PRO EVO, HP frame footbed, 40mm velcro strap, Laces option

BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buckles

PRODU	CT DI	ETA	ILS			
LEVEL		Pr	ofessi	on	al	
FLEX		10	100/90			
SIZES		220/225				
		280/285				
SHELL		PU - (SHORT			RT	
		CU	IFF)			
LAST		RS	1800	СС		
Last Size	94 25.5		96 26.5		98 27.5	
ERGO BAI	ANCE	E Race balance				
		Forward lean: 12°				

Ramp angle 4°

RAPTOR WCR 70 PV

ARTICLE NUMBER

605506 White

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, JR Racing spoiler, FIS approved sole thickness, Flat foam wedge

LINER

Jr PRO EVO, HP frame footbed, 40mm velcro strap, Laces option

BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buckles

PRODUCT DETAILS

LEVEL		Ex	Expert		
FLEX	80	80/70			
SIZES		22	220/225		
	28	280/285			
SHELL		PU - (SHORT			
		CU	CUFF)		
LAST		RS 1800cc			
Last	94		96	98	
Size	25.5		26.5	27.5	
ERGO BA	FRGO BALANCE		Race balance		

RGO BALANCE Race balance Forward lean: 12° Ramp angle 4°





RAPTOR 70

BUCKLES

ARTICLE NUMBER	PRODUCT D	ETAILS
605508 White	LEVEL	Expert
	FLEX	70/60
PRODUCT FEATURES	SIZES	200/205
Jr flex tuning, Adult norm (size	-	270/275
220 up)	SHELL	SL
	LAST	JR Racing
LINER	ERGO BALANCE	Race balance
Junior team, Self-shaping foot-		Forward lean: 12°
bed, 30mm velcro strap		Ramp angle 4°

KORE 60

RTICLE NUMBER	PRODUCT	DETAILS
04505 Grey	LEVEL	Advanced
	FLEX	60
RODUCT FEATURES	SIZES	200/205
r racing flex tuning, Adult		270/275
orm (size 220 up)	SHELL	SL
	LAST	JR Racing
INER	ERGO BALANO	E Race balance
lunior team, Self-shaping foot-		Forward lean: 12
ed, 30mm velcro strap		Ramp angle 4°

BUCKLES

4 micro-adjustable plastic buckles





RAPTOR 60

4 micro-adjustable alloy buckles, Low profile buckles

ARTICLE NUMBER	PRODUCT D	ETAILS
605513 White	LEVEL	Advanced
	FLEX	60
PRODUCT FEATURES	SIZES	200/205
Jr racing flex tuning, Adult norm		270/275
(size 220 up)	SHELL	SL
	LAST	JR Racing
LINER	ERGO BALANCE	Race balance
Junior team, Self-shaping foot-		Forward lean: 12°
bed, 30mm velcro strap		Ramp angle 4°
BUCKLES		
4 maiawa adiwatahla mlaatia huuli		



ARTICLE NUMBER	PRODUCT DI	ETAILS
605513 White	LEVEL	Advanced
	FLEX	60
PRODUCT FEATURES	SIZES	200/205
Jr racing flex tuning, Adult norm		270/275
(size 220 up)	SHELL	SL
	LAST	JR Racing
LINER	ERGO BALANCE	Race balance
Junior team, Self-shaping foot-		Forward lean: 12°
bed, 30mm velcro strap		Ramp angle 4°
BUCKLES		
4 micro-adjustable plastic buck-		



RAPTOR 40

ARTICLE NUMBER	PRODUCT D	ETAILS
605515 White	LEVEL	Advanced
	FLEX	40
PRODUCT FEATURES	SIZES	180/185230/235
Adult norm (size 220 up)	SHELL	SL
	LAST	JR Racing
LINER	ERGO BALANCE	Race balance
Junior team, Self-shaping foot-		Forward lean: 12°
bed		Ramp angle 4°





3 low profile plastic buckles



KORE 40

3 low profile plastic buckles

ARTICLE NUMBER	PRODUCT D	ETAILS
604507 Grey	LEVEL	Advanced
	FLEX	40
PRODUCT FEATURES	SIZES	180/185
Adult norm (size 220 up)		230/235
	SHELL	SL
LINER	LAST	JR Racing
Junior team, Self-shaping foot-	ERGO BALANCE	Race balance
bed		Forward lean: 12
		Ramp angle 4°
BUCKLES		



HEAD

J3

tion

LINER

Comfort footbed

ARTICLE NUMBER	PRODUCT DETAILS		
603545 Black/white	LEVEL	Intermediate	
603546 Speed Blue	SIZES	230/235	
603547 White/grey		260/265	
	SHELL	SL	
PRODUCT FEATURES	LAST	Junior	
Ir high ton tech. Duo flex. Vario			











3 low profile plastic buckles

Junior liner, Tongue handle,

last, Easy entry shell construc-





PRODUCT FEATURES

ARTICLE NUMBER	PRODUC	T DETAILS
603557 Speed blue	LEVEL	Beginner
603556 Black/white	SIZES	195-205-215-225
603558 White/grey	SHELL	SL
	LAST	Junior







LINER Junior liner, Tongue handle, Comfort footbed

Natural kid stance, Jr high top tech, Duo flex, Vario last, Easy

entry shell construction, Junior

BUCKLES

2 low profile plastic buckles

J1



HEAD







ARTICLE NUMBER	PRODUCT DETAILS		
603567 White/grey	LEVEL	Beginner	
603565 Black/white	SIZES	155-165-175-185	
603566 Speed blue	SHELL	SL	
	LAST	Junior	

PRODUCT FEATURES

Natural kid stance, Jr high top tech, Duo flex, Vario last, Easy entry shell construction, Junior norm

LINER

Junior liner, Tongue handle, Comfort footbed

BUCKLES

1 low profile plastic buckles



LIQUID FIT INJECTION **TUBE 4PCS**





LIQUID FIT DOUBLE **INJECTION TUBE**

ARTICLE NUMBER

60123572



LIQUID FIT EXTRACTION **TUBE 2PCS**

ARTICLE NUMBER

60120634



LIQUID FIT EXTRACTION SYRINGE

ARTICLE NUMBER

60120641



LIQUID FIT PROTECTION **GAITERS 2PCS**

ARTICLE NUMBER 60120638



LIQUID FIT CARTRIDGE 6PCS

ARTICLE NUMBER

60120643



LIQUID FIT **TECH CASE**

ARTICLE NUMBER 60120642



LIQUID FIT **INJECTION GUN**

ARTICLE NUMBER

60120640

TOE HEEL LIFTER RAPTOR WCR 5MM GRIP

ARTICLE NUMBER

60123495



TOE HEEL RAPTOR WCR VIBRAM

ARTICLE NUMBER

60122666



SPOILER RAPTOR WCR

ARTICLE NUMBER



HELMETS

F-SERIES | RACE | R-SERIES | C-SERIES | V-SERIES | JUNIOR





HELMETS

LINE OVERVIEW

RACE

Art. Nr.

Model

Color

- > Lightweight products
- > For all alpine race disciplines
- > Aerodynamic design

VIS













TEAM SL





CHINGUARD



373045 DOWNFORCE FITTING

FAERO

Art Nr

Model

Color

Art. Nr.

Model

Color

- > Hybrid Shell Construction > Adjustable Ventilation
- > Tech Lining
- > Sphere Fit Height Adjustment





FAERO EXP MIPS



FAERO EXP MIPS







black





niahtpetrol







325375

WCR

FAERO PRO

Team

FAERO EXP MIPS



black

FAERO MIPS



white

white



sand



FAERO EXP MIPS

niahtpetrol





black





black











RADAR & RACHEL

- > Adjustable Ventilation > Integrated Visor System
 - > Patented Sphere Fit system with BOA®



RADAR 5K PHOTO







RADAR 5K MIPS



RADAR 5K





RACHEL 5K



black

RADAR RETHINK











RADAR PHOTO



RADAR 5K MIPS

black

Art. Nr. 323445 RADAR Color

niahtpetrol

323513 RACHEL white

323525 RACHEL grey

REV & RITA

> Revolutionary design > Adjustable Ventilation















HELMETS PRODUCT OVERVIEW







CINEMA

Art. Nr.

Color

Art. Nr.

Color

> Thermal Ventilation > Easy Click Lens Exchange

326024

black

CINEMA PHOTO

> Unristricted field of vison > Patented Sphere Fit system













CINEMA

nightpetrol



CINEMA W



CINEMA W sand

COMPACT PRO & COMPACT EVO

> Highly durable

Art. Nr.

Color

- > Slim profile
- > Patented Sphere Fit system






COMPACT PRO W

CINEMA PRO

















V-SERIES

326301

COMPACT PRO

- > Lightweight In-Mold construction > Supreme ventilation with Venturi Effect
 - > Comfortable interieur



VARIUS

black



VANDA

white

black

328664

MOJO SET

blue/green



324521

black

VICO MIPS





VICO

black



JUNIOR

> Kid specific sizes

Model

Color

Art. Nr.


Color

Art. Nr.

Model

Color

- > Lightweight and durable construction
- > Visor options available



MOJO VISOR

PAW

328513

MOJO SET





blue/green

328523

MAJA SET





328734

MAJA SET





328324

black

MAJA VISOR



328334

MAJA VISOR

pink/blue



white



MAJA J0Y

GET THE



F-SERIES

FÆRO

Introducing our new all-mountain helmet line for both on and off the slopes. Featuring state-of-the-art design, market-leading fit, and innovative features, this collection comes in three price points, making it this winter's must-have item.

STATE-OF-THE-ART DESIGN

a modern shape with Hybrid Shell construction

BEST FIT WITHOUT ANY PRESSURE POINTS

ADJUSTABLE FIT SYTEM

angle for perfect goggle integration

ADJUSTABLE VENTILATION SYSTEM

PRE-SHAPED LINING

for snug and secure feeling

ANTI-BACTERIAL LINER MATERIAL









126





FAERO EXP MIPS

ARTICLE NUMBER	NEW	PRODUCT FEATURES
325175 team		Hybrid Shell Construction, MIPS, RECCO,
325185 black		360° Microshell, Adjustable Ventilation,
325195 white		Vegan Silk, Tech Lining, Sphere Fit
325245 nightpetrol		Height Adjustment, Surround Comfort
		Design, Neckgator, Removable Earpads,
SIZES		Fidlock Buckle, EN 1077:2007 Class B,
XS/S 52-55 cm		Helmet Pouch Included
M/L 56-59 cm		
XL/XXL 60-63 cm		Mips RECCO SPHERE



FAERO EXP RETHINK

ARTICLE NUMBER NEW		NEW	PRODUCT FEATURES	
325205			Rethink Product, Hybrid Shell Con-	
			struction, RECCO, 360° Microshell,	
SIZES			Adjustable Ventilation, Microfleece, Tec	
XS/S	52-55 cm		Lining, Sphere Fit Height Adjustment,	
M/L	56-59 cm		Surround Comfort Design, Neckgator,	
XL/XXL	60-63 cm		Removable Earpads, Fidlock Buckle,	
			Helmet Pouch Included, EN 1077:2007	
			Class B	







FAERO EXP

ARTICLE	NUMBER	NEW	PRODUCT FEATURES
325265 r	nightpetrol		Hybrid Shell Construction, RECCO,
325255 b	olack		360° Microshell, Adjustable Ventilation,
			IONIC+, Tech Lining, Sphere Fit Height
SIZES			Adjustment, Surround Comfort Design,
XS/S	52-55 cm		Neckgator, Removable Earpads, Fidlock
M/L	56-59 cm		Buckle, Helmet Pouch Included, EN
XL/XXL	60-63 cm		1077:2007 Class B







FAERO PRO

ARTIC	LE NUMBER	NE
325375	WCR	
325355	black	
325365	white	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

W PRODUCT FEATURES

Hybrid Shell Construction, 360° Microshell, Adjustable Ventilation, Microfleece, Tech Lining, Sphere Fit Height Adjustment, Surround Comfort Design, Neckgator, Removable Earpads, Helmet Pouch Included, EN 1077:2007 Class B



FAERO MIPS

ARTICLE	NUMBER	NEW	PROD
325435	white		In-Molo
325425	black		croshe
325445	sand		Silk, Te
			Adjust
SIZES			Neckga
XS/S	52-55 cm		1077:20
M/L	56-59 cm		
XL/XXL	60-63 cm		Mips

OUCT FEATURES

old Technology, MIPS, 360° Miell, Thermal Ventilation, Vegan Tech Lining, Sphere Fit Height tment, Surround Comfort Design, gator, Removable Earpads, EN 2007 Class B







FAERO

	3
	S
: : : : :	(
Ī	M
)	(

ARTIC	.E NUMBER	NE
325485	sand	
325455	black	
325465	white	
325475	nightpetrol	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

128

EW PRODUCT FEATURES

In-Mold Technology, 360° Microshell, Thermal Ventilation, Microfleece, Tech Lining, Sphere Fit Height Adjustment, Surround Comfort Design, Neckgator, Removable Earpads, EN 1077:2007 Class B




F-SERIES


FEATURES

1. SPHERE FIT HEIGHT ADJUSTMENT

Standard Fit Setting

Concave Type






Helmet Goggle Gap


Seamless Integration


Helmet Goggle Gap

Different head shapes often result in helmet goggle gaps. The Sphere Fit Height Adjustment System allows you to change the position of the helmet on your head for seamless goggle integration. This is achieved by simply moving the dial on the back of the helmet up or down, which in turn changes the position of the Neckgator by moving it up or downwards. You can switch between the three available positions, depending on which head type you are and which one suits you best.

Adjusted Fit Setting







POSITION 1

- more room for larger goggle
- flat forehead

POSITION 2 Seamless Integration

POSITION 3

- close the line to smaller goggle
- bulky forehead

2. TECH LINING

Advanced comfort and protection with superior insulation, moisturewicking, and breathability. Custom fit, antimicrobial, and hypoallergenic for an irritation-free skiing experience.

3. ASIAN FIT OPTIMIZED

Patches on the inside can be removed for enhanced comfort and fit for round head shapes. The Asian Fit optimization ensures a snug and secure feel.

4. GOGGLE VENTING SYSTEM

Integrated with the helmet's ventilation, this system ensures optimal airflow, preventing fogging and keeping your vision clear. Enjoy a seamless and comfortable skiing experience with enhanced breathability.

5. SURROUND COMFORT DESIGN

The extended Sphere Fit System ensures a snug fit around the ear area. This allows the helmet to sit lower and reduces visual bulk at the same time there is enough space to wear headphones.



HEAD

DOWNFORCE MIPS RD

ARTIC	LE NUMBER	NEW	PRODUCT FEATURES
320115	VIS		Hardshell Technology, MIPS,
320125	white		Dual Density Core, Thermal Ventilation,
			Chinguard Compatible, Change-
SIZES			able Adapter Plates, Microfleece,
XS	52-53 cm		Beanie Liner, Removable Neckgator,
S	54-55 cm		Metal Chinstrap Buckle, Helmet Pouch
M	56-57 cm		Included, EN 1077:2007 Class A,
L	58-59 cm		FIS RH 2013, ASTM F 2040
XL	60-61 cm		
XXL	62-63 cm		Mips



TEAM SL

ARTICLE NUMBER		PRODUCT FEATURES
320413 \	white/black	Hardshell Technology,
		Toolfree Chinguard, Thermal Ventilatio
SIZES		Microfleece, 360° BOA® Fit,
XS/S	52-55 cm	Removable Neckgator, Chinguard Include
M/L	56-59 cm	ed, Helmet Pouch Included, EN 1077:20
XL/XXL	60-63 cm	Class B







ARTICLE NUMBER 320223 white Hardshell Technology, Dual Density Core, Chinguard Compatible, Thermal Ventilation, Changea-

	Chinguard Compatible,
	Thermal Ventilation, Changea-
52-53 cm	ble Adapter Plates, Microfleece,
54-55 cm	Beanie Liner, Removable Neckgator,
56-57 cm	Metal Chinstrap Buckle, Helmet Pouch
58-59 cm	Included, EN 1077:2007 Class A,
60-61 cm	ASTM F 2040, FIS RH 2013
62-63 cm	



CHINGUARD

373035 black	
SIZES	
ONE SIZE FITS ALL	



DOWNFORCE JR

ARTIC	LE NUMBER	PRODUCT FEATURES
320315	5 VIS	Hardshell Technology, Dual Density Core,
32033	3 black	Chinguard Compatible,
		Thermal Ventilation, Changea-
SIZES		ble Adapter Plates, Microfleece,
XS	52-53 cm	Beanie Liner, Removable Neckgator,
S	54-55 cm	Metal Chinstrap Buckle, Helmet Pouch
М	56-57 cm	Included, EN 1077:2007 Class A,
		ASTM F 2040, FIS RH 2013



DOWNFORCE FITTING KIT

ARTICLI	ENUMBER		
373045	373045 black		
SIZES			
XS/S	52-55 cm		
M/L	56-59 cm		
XL/XXL	60-63 cm		





RADAR

R-SERIES

This award-winning helmet platform is still a benchmark for fully integrated visor helmets. Lenses can be exchanged in seconds and are available in several configurations. The free-hanging Sphere Fit system assures the best fit and adjustable ventilation provides the perfect inner helmet climate.

MODERN, INTEGRATED **VISOR HELMET SYSTEM**

RAPID LENS EXCHANGE SYSTEM

with multiple lens options available, including 5K & photochromic

FULLY WIND- & WATER RESISTANT

FREE-HANGING SPHERE FIT SYSTEM

with BOA® for outstanding fit

RETHINK EDITION









RADAR RETHINK

322414 b	lack	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

VISOR

Silver/red: S2, VLT 20%

PRODUCT FEATURES

Rethink Product, In-Mold Technology, Visor Construction, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B







RADAR 5K PHOTO MIPS

5K photo: S1 - S3, VLT 46 - 16%

323011 bl	ack	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	
VICOR		
VISOR		

PRODUCT FEATURES

In-Mold Technology, Visor Construction, MIPS, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, 5K Lens, Photochromic Lens, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B











RADAR PHOTO

323113 aı	nthracite	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

Photo green: S1 - S3, VLT 46 - 16%

133

PRODUCT FEATURES

In-Mold Technology, Visor Construction, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, Photochromic Lens, Rapid Lens Exchange System, Integrated Visor System, Double Lens, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B







RADAR 5K MIPS

ARTICL	E NUMBER	
323345	white	
323332	black	
SIZES		
IS/S	52-55 cm	·
1/L	56-59 cm	
L/XXL	60-63 cm	
/ISOR		
K red:	S2, VLT 28%	

PRODUCT FEATURES

In-Mold Technology, Visor Construction, MIPS, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, 5K Lens, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B







RADAR 5K

ARTICLE NUMBER NEV	PRODUCT FEATURES
23245 moss	In-Mold Technology, Visor Construction,
	360° Microshell, Adjustable Ventilation,
SIZES	Microfur, Beanie Liner, Sphere Fit
S/S 52-55 cm	BOA®, Neckgator, Removable Earpads,
I/L 56-59 cm	Fidlock Buckle, 5K Lens, Rapid Lens
L/XXL 60-63 cm	Exchange System, Integrated Visor
	System, Double Lens Visor, Toric Lens,
ISOR	UV400 & Anti Fog, Comfort Foam, Spare
5K green S2/28%	Visor Available, Helmet Pouch Includ-
	ed, Lens Cover included, EN 1077:2007
	Class B, EN 174:2001









RACHEL 5K

ARTICL	E NUMBER NEW	PRODUCT FEATURES
323285	plum	In-Mold Technology, Visor Construction,
		360° Microshell, Adjustable Ventilation,
SIZES		Microfur, Beanie Liner, Sphere Fit
XS/S	52-55 cm	BOA®, Neckgator, Removable Earpads,
M/L	56-59 cm	Fidlock Buckle, 5K Lens, Rapid Lens
		Exchange System, Integrated Visor
VISOR		System, Double Lens Visor, Toric Lens,
5K red S	22/2004	UV400 & Anti Fog, Comfort Foam, Spare
on reu s	52/2070	Visor Available, Helmet Pouch Includ-
		ed, Lens Cover included, EN 1077:2007
		Class B, EN 174:2001







RADAR

PRODUCT FEATURES
In-Mold Technology, Visor Construction
360° Microshell, Adjustable Ventilation,
Microfur, Beanie Liner, Sphere Fit, BOA
Neckgator, Removable Earpads, Fidlock Buckle, Rapid Lens Exchange System,
Integrated Visor System, Double Lens
Visor, Toric Lens, UV400 & Anti Fog,
Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch In- cluded, EN 1077:2007 Class B



RACHEL

ARTICL	E NUMBER	PRODUCT
323525	grey	In-Mold Ted
323513	white	360° Micro
		Microfur, B
SIZES		Neckgator,
XS/S	52-55 cm	Buckle, Raj
M/L	56-59 cm	Integrated
		Visor, Torio
VISOR		Comfort Fo
	ed: S2, VLT 20%	Lens Cover

FEATURES

echnology, Visor Construction, roshell, Adjustable Ventilation, Beanie Liner, Sphere Fit, BOA®, , Removable Earpads, Fidlock apid Lens Exchange System, d Visor System, Double Lens ic Lens, UV400 & Anti Fog, Foam, Spare Visor Available, er included, Helmet Pouch Included, EN 1077:2007 Class B





RAPID LENS EXCHANGE SYSTEM



STEP 1 Pull out the lens with one hand.



STEP 2

To remove the lens, push out the fixation de- To attach the new lens, pull out the vice with your thumb until the lens is loose. Be elastomer before clicking in the new careful that the elastomer doesn't snap back. Iens. Do it on both sides. Remove on both sides.



STEP 3

REV RETHINK

ARTICL	ENUMBER	
322614	olack	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

PRODUCT FEATURES

Rethink Product, In-Mold Technology, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, EN 1077:2007 Class B







REV

ARTICLE NUMBER	
323655 nightpetrol	
323643 WCR	
323601 MIPS black	
323611 black	
CIZEC	

SIZES	
XS/S	52-55 cm
M/L	56-59 cm
XL/XXL	60-63 cm

PRODUCT FEATURES

In-Mold Technology, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, EN 1077:2007 Class B







RITA

ARTICL	E NUMBER	
323725	grey	
323711 v	vhite	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	

PRODUCT FEATURES

In-Mold Technology, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, EN 1077:2007 Class B





R-SERIES

FEATURES

1. SPHERE FIT WITH BOA ®

The patented Sphere Fit system wraps around the head like a beanie. Adjusting the precise BOA® dial ensures a snug, comfortable fit in all three dimensions without pressure.

2. ADJUSTABLE VENTILATION

The ventilation ducts on the helmet's top can be adjusted with a slide control.

3. BEANIE LINER

The soft Microfur Beanie Liner fits the head perfectly, preventing bruises and cold air entry. Mesh zones allow heat and moisture to escape, ensuring a pleasant head climate with the ventilation system.

4. FIDLOCK BUCKLE

This buckle closes automatically and can be opened easily and conveniently by sliding the buckle laterally with just one hand.

5. INTEGRATED VISOR LENS

The innovative combination of a visor helmet with the advantages of wearing a goggle are integrated into a product which is outstanding in terms of fit, style and performance. The visor automatically adapts to the wearers face and seals off wind and water.

6. RAPID LENS EXCHANGE SYSTEM










C-SERIES

CINEMA

Although easy on the budget, this is not your standard visor helmet! Perfectly fitting any prescription glasses below, this free-hanging visor construction can be operated with one hand and lenses can be exchanged with one simple *click*.



with multiple lens options available, including 5K & photochromic

HYDROPHIL VISOR SEAL

which expands when exposed to moisture to prevent water and snow entering the inside

ADAPTIVE, HYPER-DURABLE FACE FOAM TECHNOLOGY

THE BEST FIT FOR ALL HEAD FORMS

with free-hanging Sphere Fit construction







CINEMA PHOTO

ARTICLE	NUMBER	NEW
326024	black	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	
VISOR		
Photo gre	een: S1 - S3, VLT 46 - 16 ^o	%

PRODUCT FEATURES

Hardshell Technology, Visor Construction, 360° Microshell, Thermal Ventilation, Microfur, Windshield Liner, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, Photochromic Lens, Easyclick Lens Exchange System, Toric Lens, Ventilated Lens, UV400 & Anti Fog, Comfort Foam, One-Handed-Operation, Spare Visor Available, Helmet Pouch Included, EN 1077:2007 Class B, EN 174:2001





CINEMA PRO

RTICLI	E NUMBER	PRODUCT
26104	black	Hardshell Te
		Visor Const
IZES		Thermal Vei
S/S	52-55 cm	Liner, Beani
/L	56-59 cm	Removable
L/XXL	60-63 cm	change Syst
		Lens, UV40
ISOR		One-Handed
	ow: S2, VLT 28%	Available, H
		Cover include

FEATURES

Technology, truction, 360° Microshell, entilation, Microfur, Windshield nie Liner, Sphere Fit, Neckgator, Earpads, Easyclick Lens Exstem, Toric Lens, Ventilated 00 & Anti Fog, Comfort Foam, ed-Operation, Spare Visor Helmet Pouch Included, Lens uded, EN 1077:2007 Class B, EN 174:2001





CINEMA PRO W

326164	grey	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
VISOR		
	ow: S2, VLT 28%	_

PRODUCT FEATURES

Hardshell Technology, Visor Construction, 360° Microshell, Thermal Ventilation, Microfur, Windshield Liner, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, Easyclick Lens Exchange System, Toric Lens, Ventilated Lens, UV400 & Anti Fog, Comfort Foam, One-Handed-Operation, Spare Visor Available, Helmet Pouch Included, Lens Cover included, EN 1077:2007 Class B, EN 174:2001





CINEMA

ARTICL	E NUMBER	
326225	nightpetrol	
326214	black	

SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

ISOR	
ilver/red· S2	VIT 20%

PRODUCT FEATURES

Hardshell Technology,
Visor Construction, 360° Microshell,
Thermal Ventilation, Microfur, Windshield
Liner, Beanie Liner, Sphere Fit, Neckgator,
Removable Earpads, Easyclick Lens Exchange System, Toric Lens, Ventilated
Lens, UV400 & Anti Fog, Comfort Foam,
One-Handed-Operation, Spare Visor
Available, Helmet Pouch Included, EN
1077:2007 Class B, EN 174:2001





COMPACT PRO

326301 b	lack	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, EN 1077:2007 Class B







CINEMA W

	ARTI	CLE	NUM	IBER
--	------	-----	-----	------

326275	sand
326264	white

VISOR

Silver/red: S2, VLT 20%

PRODUCT FEATURES

Hardshell Technology,
Visor Construction, 360° Microshell,
Thermal Ventilation, Microfur, Windshield
Liner, Beanie Liner, Sphere Fit, Neckgator,
Removable Earpads, Easyclick Lens Exchange System, Toric Lens, Ventilated
Lens, UV400 & Anti Fog, Comfort Foam,
One-Handed-Operation, Spare Visor
Available, Helmet Pouch Included, EN
1077:2007 Class B, EN 174:2001





COMPACT PRO W

326423	white	
SIZES		
SIZES XS/S	52-55 cm	

PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, EN 1077:2007 Class B









COMPACT EVO MIPS

326475 \	vhite
326463	olack
CITEC	
SIZES XS/S	52-55 cm
	52-55 cm 56-59 cm

PRODUCT FEATURES

Hardshell Technology, MIPS, 360° Microshell, Thermal Ventilation, Microfur,
Beanie Liner, Sphere Fit, Neckgator,
Removable Earpads, EN 1077:2007







COMPACT EVO

XL/XXL

ARTICL	E NUMBER	
326535	moss	
326513	black	
326523	nightblue	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	

60-63 cm

PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, EN 1077:2007 Class B





COMPACT EVO W

ARTICL	E NUMBER	
326725	rose	
326713	white	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	


PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, EN 1077:2007 Class B



20

MIPS - BRAIN PROTECTION SYSTEM




When you hit your head in a fall, it often creates a rotational motion in your brain.



MIPS Low Friction Layer allows the head to move 10-15mm, in all directions, inside the helmet which reduces the rotational motion to the

brain.



3.

The MIPS brain protection system is designed to reduce strain to the brain.

C-SERIES

FEATURES

1. HIGHLY DURABLE

This helmet technology is outstanding in longevity and impact protection. Additionally, the helmet is highly durable and resilient, making it an excellent choice for intensive use and demanding conditions.

2. SPHERE FIT SYSTEM

The patented Sphere Fit system is a free-hanging fit system. It wraps around the head like a beanie, creating a snug and comfortable fit without applying any pressure.

3. BEANIE LINER

The soft Microfur Beanie Liner fits the head perfectly, preventing bruises and cold air entry.

Mesh zones allow heat and moisture to escape, ensuring a pleasant head climate with the ventilation system.

4. THERMAL VENTILATION

Thermal Ventilation is our automatic ventilation system which leads warm air away from the head to the outside without allowing any cold air to the inside.

5. DURAFLEX FOAM

The most comfortable, yet durable face foam on the market! The foam is highly flexible, adapting to individual face shape. At the same time, the durable structure assures longevity.

6. HYDROPHIL VISOR SEAL

The seal is located on the inside of the visor lens and expands when exposed to water, ensuring that water is kept out of the inside.

7. VENTILATED LENS

Air channels direct air from the lens to the helmet's ventilation system, preventing fogging.

8. EASYCLICK LENS EXCHANGE SYSTEM

The lens can be exchanged with a simple click mechanism on both sides. A small colored dot indicates if the lens is securely locked with the outriggers.







VARIUS

NUMBER	PRODUCT FEATURES
black	In-Mold Technology,
	Adjustable Ventilation,
	Active Bottom Edge, Venturi Effect,
52-55 cm	Microfur, Beanie Liner, Head 3D Fit,
56-59 cm	Removable Neckgator, EN 1077:2007
60-63 cm	Class B
	52-55 cm 56-59 cm



VICO MIPS

ARTICLE	NUMBER	PRODUCT FEATURES
324521 b	lack	In-Mold Technology, MIPS,
		Thermal Ventilation, Venturi Effect,
SIZES		Microfur Earpads, Microfleece,
XS/S	52-55 cm	Beanie Liner, Head 3D Fit,
M/L	56-59 cm	Removable Neckgator, EN 1077:2007
XL/XXL	60-63 cm	Class B
		Mips





VANDA

PRODUCT FEATURES	
In-Mold Technology,	
Adjustable Ventilation,	
Active Bottom Edge, Venturi Effect,	
Microfur, Beanie Liner, Head 3D Fit,	
Removable Neckgator, EN 1077:2007	
Class B	



VICO

ARTICLE NUMBER		PRODUCT FEATURES
324551 b	olack	In-Mold Technology, Thermal Ventilation
		Venturi Effect, Microfur Earpads,
SIZES		Microfleece, Beanie Liner, Head 3D Fit,
XS/S	52-55 cm	Removable Neckgator, EN 1077:2007
M/L	56-59 cm	Class B
XL/XXL	60-63 cm	



FEATURES

1. LIGHTWEIGHT IN-MOLD CONSTRUCTION

The shock-absorbing EPS layer is injected into the hard polycarbonate outer layer, forming a lightweight, protective unit.

2. SUPREME VENTILATION WITH VENTURI EFFECT

The Venturi Effect optimizes helmet climate by removing heat and moisture. The top vents are adjustable with a slide control.

3. BEANIE LINER

The soft Microfleece Beanie Liner fits snugly, preventing bruises and cold air, while mesh zones and ventilation keep the head cool.



VALERY

ARTICL	E NUMBER	PRODUCT FEATURES
325560	white	In-Mold Technology, Thermal Ventilation,
		Venturi Effect, Microfur Earpads,
SIZES		Microfleece, Beanie Liner, Head 3D Fit,
XS/S	52-55 cm	Removable Neckgator, EN 1077:2007
M/L	56-59 cm	Class B

XS/S

VISOR

GOGGLE

Silver/red: S2, VLT 20%



MOJO & MAJA VISOR PAW

52-56 cm

Silver/red: S2, VLT 20%

ARTICL	E NUMBER	P
328113 N	MOJO VISOR PAW	Ir
328163	MAJA VISOR PAW	Т
		K
SIZES		U
XS	47-51 cm	V

PRODUCT FEATURES

n-Mold Technology, Visor Construction, Thermal Ventilation, Microfleece, Kid Specific Liner, Head 2D Fit, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Helmet Pouch Included, EN 1077:2007 Class B



MAJA & MOJO SET

Silver/red: S2, VLT 20%

328734	MAJA SET pink/blue	
328664	MOJO SET blue/green	
SIZES		
SIZES	47-51 cm	

PRODUCT FEATURES

In-Mold Technology, Thermal Ventilation, Microfleece, Kid Specific Liner, Head 2D Fit, Goggle Included, Pouch Included, EN 1077:2007 Class B



MOJO & MAJA PAW SET

328523	MAJA PAW SET	
328513	MOJO PAW SET	
SIZES		
SIZES XXS	47-51 cm	

PRODUCT FEATURES

In-Mold Technology, Thermal Ventilation, Microfleece, Kid Specific Liner, Head 2D Fit, Goggle Included, Pouch Included, EN 1077:2007 Class B



M0.10

GOGGLE

328622 b	lack
SIZES	
XXS	47-51 cm
XS/S	52-56 cm

Microfleece, Kid Specific Liner, Head 2D Fit, EN 1077:2007 Class B



MOJO & MAJA VISOR



Silver/red: S2, VLT 20%

VISOR

PRODUCT FEATURES

In-Mold Technology, Visor Construction, Thermal Ventilation, Microfleece, Kid Specific Liner, Head 2D Fit, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Helmet Pouch Included, EN 1077:2007 Class B, EN 174:2001



ARTICL	E NUMBER
328745	JOY
328722	white
SIZES	
XXS	47-51 cm
XS/S	52-56 cm
PRODU	CT FEATURES
In-Mold	Technology, Head 2D Fit,
Kid Sno	cific Liner, Microfleece, EN
Mu Spe	













These helmets comply with FIS GS/SG/

HELMET TECHNOLOGY

HARDSHELL TECHNOLOGY

This helmet technology is outstanding in longevity and impact protection. For this reason we use it in our race and

CONSTRUCTION

DUAL DENSITY CORE

This patented core technology is made from EPS with dual densities. This increases the helmets performance so it passes the FIS RH 2013 standard.

TOOLFREE CHINGUARD

The angle of our all-new Toolfree Chinquard can be adjusted individually. without using any tools. The chinguard can also be taken off, when not needed for training, or racing gates.

360° MICROSHELL

The 360° Microshell is a polycarbonate layer, which three-dimensionally wraps around the lower helmet lip, that prevents scratches and dents in the helmet's foam

MICROSHELL

The Microshell is a polycarbonate layer that prevents scratches and dents in the foam.

MIPS

The MIPS Brain Protection System is a helmet-integrated, low-friction layer designed to reduce rotational motion transferred to the brain from angled impacts to the head

RECCO

The Recco system, integrated into ski helmets, makes you searchable to professional rescuers in case of an avalanche. This technology reflects signals from rescue detectors, improving your chances of rapid location and providing peace of mind.

RD CONSTRUCTION

The RD construction incorporates a carbon reinforcement in the front area of the helmet to endure repeated impacts from slalom poles. Additionally a thin yet robust transparent foil, akin to those used in the automotive sector, further shields against slalom pole impacts, enhancing overall protection.

VENTILATION

ADJUSTABLE VENTILATION

The opening of the ventilation ducts on the top of the helmet may be adjusted continuously by means of a slide control.

IN-MOLD TECHNOLOGY

The shock absorbing inner EPS layer of this technology is injected into the hard outer polycarbonate layer to create a single comprehensive unit that provides perfect protection at a reduced weight.

THERMAL VENTILATION

Thermal Ventilation is our automatic ventilation system which leads warm air away from the head to the outside without allowing any cold air to the

ACTIVE BOTTOM EDGE

An Active Bottom Edge in HEAD helmets reduces goggle fogging by delivering active airflow. It does this by allowing air to be drawn from the goggles through the helmet.

VENTURI EFFECT

The Venturi Effect creates the ideal inner helmet climate. It does so when air passing over the helmet draws out heat and moisture from the helmets inside.

GOGGLE VENTING SYSTEM

Experience enhanced ventilation with the Goggle Venting System in HEAD helmets. Airflow passes through the goggles and exits through top ventilation slits, seamlessly absorbed at the helmet's brim. Integrated helmet ventilation ensures fog-free goggles optimizing your visibility while skiing.

LINING

MICROFUR

Microfur is both warming and comfortable on the skin. As a helmet lining it creates the perfect fit and feel for all-day shredding.

MICROFLEECE

The soft microfleece material has several functions: It feels good draws moisture from the skin and transports it away from the head.

VEGAN SILK

Experience unparalleled comfort with Vegan Silk, a soft, thin, and stretchy material used for the inner lining of the MIPS model. This stretchy fabric supports the MIPS system's ability to reduce rotational forces during impacts, ensuring superior protection and a comfortable fit.

IONIC+

lonic+ is an advanced odor-elimination technology in helmet lining, using silver ions with natural antimicrobial properties to combat bacteria and eliminate bad odors. It keeps helmets fresher for longer, enhancing comfort and hygiene

HYBRID SHELL CONSTRUCTION

Helmets featuring hybrid shell construction blend the lightweight benefits of in-mold technology with the robustness of hard shell construction. This innovative and modern design en sures superior protection and comfort empowering you to ski with confidence.

BEANIE LINER

The soft microfleece material of the Beanie Liner adapts perfectly to the head and thus avoids any bruises and the unpleasant entering of cold air. Molded-in mesh zones let heat and moisture escape to the outside and. together with the ventilation system. ensure a pleasant head climate.

TECH LINING

HEAD's high-performance Tech Lining combines comfort with function ality, featuring a minimized design that integrates with the helmet's size adjustment system. Perfect for warm weather or intense activities, it efficiently wicks moisture to keep you comfortable. And for easy upkeep, it's

COMFORT ZONE LINER

Soft liner pads provide perfect fit & comfort at a fraction of the weight

WINDSHIELD LINER

A thin cover on the forehead that keeps your head protected from the

KID SPECIFIC LINER

This lining is specifically designed for kids, fully covered with soft microfleece, providing perfect fit & comfort at

EARPADS & FITTING

The Neckgator provides comfort and warmth to the helmet wearer. It adds comfort, fit and excludes the elements.

REMOVABLE EARPADS/ NECKGATOR

These ear pads and / or neckgator can be removed to suit the variable weath er conditions and for cleaning.

CHANGEABLE ADAPTER PLATES

Use the flat adapter plates with optimized acoustics for speed disciplines, the chin guard adapter for slalom disciplines.

SURROUND COMFORT DESIGN

The Surround Comfort Design extends the patented Sphere Fit System to ensure a snug fit also around the ear area. This design securely and comfortably encloses the head, allowing the helmet to sit lower and reduce visual bulk

148

VISOR CONSTRUCTION

HEAD's Visor Construction is a windsealed UV protective shield that allows skiers to ride wearing prescription glasses. Like on a motorcycle helmet the visor can be pulled down to protect the eyes while riding.

ASIAN FIT OPTIMIZED

Helmets with this feature include integrated pads that can be adjusted or removed to accommodate rounder head shapes, ensuring a personalized fit and enhanced comfort for wearers with this specific head shape.

The patented Sphere Fit system is a free-hanging fit system. It wraps around the head like a beanie, creating a snug and comfortable fit without applying any pressure.

SPHERE FIT HEIGHT ADJUSTMENT

HEAD's enhanced Sphere Fit System features an innovative height adjust ment, allowing the helmet to be perfectly tailored to individual forehead and nose contours. This ensures an ideal helmet fit and seamless integration with ski goggles.

BOA®

The BOA® Fit System allows you to adapt the helmet perfectly to your head, creating a snug and comfortable fit without any pressure.

360° BOA® FIT

The 360° Fit System by BOA® evenly adjusts the fit of the helmet to all head shapes

HEAD 3D FIT

HEAD 3D Fit allows an exact horizontal as well as vertical adjustment of the helmet to the shape of your head.

HEAD 2D FIT

The size adjustment system may be varied horizontally in order to individually adjust the helmet to your head.

METAL CHINSTRAP BUCKLE

The Metal Chinstran Buckle is both durable and tactile. Made from metal it also adds to the look of a HEAD helmet.

FIDLOCK BUCKLE

The magnets of this buckle close automatically and can be opened easily and conveniently by sliding the buckle laterally with just one hand. Even with gloves on, opening and closing the helmet will only take a moment.

EN 1077 is the European standard for ski & snowboard helmets, taking into account the results of collision tests to ascertain dampening and puncture resistant qualities of the outer shell. Class B of this certificate certifies helmets with soft ear protectors.

INTEGRATED VISOR SYSTEM

The innovative combination of a visor

helmet with the advantages of wearing

a goggle are integrated into a product

which is outstanding in terms of fit.

style and performance. The visor au-

The Double Lens Visor is ventilated.

Therefore, it is the ideal solution for

It provides 100% UV protection.

which prevents the lens from fogging

and seals off wind and water.

DOUBLE LENS VISOR

tomatically adapts to the wearers face

VISORS & LENSES

CERTIFICATION

EN 1077:2007 CLASS B

EN 1077:2007 CLASS A

The certification procedure for Class A is used for racing helmets with hard ear protectors, requiring high standards of

EN 174:2001

weather in no time!

SYSTEM

European standard for Personal eve-protection - Ski aggales for down-

RAPID LENS EXCHANGE SYSTEM

Lenses can be swapped on the go with

only a click. Adapt yourself to changing

EASYCLICK LENS EXCHANGE

The lens can be exchanged with a

simple click mechanism on both sides.

is securely locked with the outriggers.

A small colored dot indicates if the lens

ASTM F 2040

The North American equivalent to the European CE-Test uses comparable

5K LENS

FIS RH 2013

DH helmet regulations.

Channels off air from the lens into the helmets ventilation system and therefore prevents fogging.

PHOTOCHROMIC LENS

VENTILATED LENS

This lens automatically adapts its lens tone between category S1 to S3, depending on the weather condition. The lens is toned down in bright, sunny conditions and allows more light to enter the eyes in cloudy, overcast weather conditions.

5K enhances contrast and boosts color brilliance by filtering specific wave lengths of the visual spectrum, therefore revealing more details and assuring a safer, less tiring on-snow experience in any weather condition





GOGGLES

RACE | MAGNIFY | HORIZON 2.0 | NEVES CONTEX | OTG | F-LYT | SOLAR | JUNIOR





GOGGLES

LINE OVERVIEW

RACE

- > Optimized for alpine racing
- > Unrestricted field of vision
- > Race specific spare lens program















chrome/RD

chrome/VIS RD

MAGNIFY

> Toric Lens

Art. Nr.

Model

Color

- > Magnetic Lens Exchange
- > OTG Over The Glasses



NEVES PRO 5K RACE + SL

chrome/VIS RD









MAGNIFY 5K



MAGNIFY 5K chrome/red

HORIZON 2.0

- > Cylindrical lens
- > Speed Snap Lens Exchange
- > All models feature 5K lens technology







HORIZON 2.0 5K + SL gold/black



HORIZON 2.0 5K red/black

OTG

- > Toric lens
- > Extra Ventilation on Front
- > Intakes 80% of prescription glasses







OTG 5K

red/black



397115 OTG 5K blue/white

NEVES

> Cylindrical Lens


Art. Nr.

> Laminated Double Lens (PRO models only)

NEVES SUNSCREEN

blue/black

> Interchangeable Lens Exchange













NEVES PRO 5K PHOTO NEVES PRO 5K NEVES RETHINK red/black blue/white gold/KORE red/RETHINK green/olive

	HEAD	NEVEL	HEAD	HEAD
Art. Nr.	391714	391725	391735	391745
Model	NEVES	NEVES	NEVES	NEVES
Color	red/black	red/LTD	blue/VIS	silver/white

CONTEX

- > Laminated Double Lens (PRO models only)
- > Available in small, medium and large





F-LYT & SOLAR

> Toric Lens > Super light > Supreme Anti-Fog and UV400 protection > Available in medium and large



areen



red

JUNIOR

- > Junior specific shapes & sizes > Protective frame design
- > Supreme UV400 protection

blue







RACE

וטטטט

SENTINEL 5K + SPARE LENS

ARTICLE NUMBER

390023 chrome/RD

PRODUCT FEATURES

Toric Lens, Double Lens,
UV400 & Anti Fog, 5K Lens,
Extreme Wide Field of Vision,
Speed Snap Lens Exchange, Wind Seal,
Triple Layer Foam, Extra Facefoam,
Silicone Layer, Spare Lens Included,
Pouch Included, EVA Case Included
LENS 5K chrome: S2, VLT 23%
SPARELENS Orange: S1, VLT 57%



HORIZON RACE + SPARE LENS

ARTICLE NUMBER

390143 silver/black

HEAD

PRODUCT FEATURES

Cylindrical Lens, Double Lens,
UV400 & Anti Fog,
Extreme Wide Field of Vision,
Triple Layer Foam, Venting Foam,
Speed Snap Lens Exchange,
Silicone Layer, Spare Lens Included,
Pouch Included, EVA Case Included
LENS Brown: S2, VLT 18%
SPARELENS Orange: S1, VLT 57%



SENTINEL + SPARE LENS

ARTICLE NUMBER

390053 silver/black

PRODUCT FEATURES

Toric Lens, Double Lens, UV400 & Anti Fog, Extreme Wide Field of Vision, Triple Layer Foam, Speed Snap Lens Exchange, Extra Facefoam, Wind Seal, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included

LENS Brown: S2, VLT 18% SPARELENS Orange: S1, VLT 57%



NEVES PRO 5K RACE + SPARE LENS

ARTICLE NUMBER

390175 chrome/VIS 390154 chrome/RD

PRODUCT FEATURES

Cylindrical Lens, Laminated Double Lens
LDL, UV400 & Anti Fog, 5K Lens,
Extreme Wide Field of Vision, Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Spare Lens Included,
Pouch Included, EVA Case Included
LENS 5K chrome: S2, VLT 23%
SPARELENS Orange: S1, VLT 57%





HEAD

HORIZON 5K RACE + SPARE LENS

ARTICLE NUMBER

390123 chrome/RD

PRODUCT FEATURES

Cylindrical Lens, Double Lens,
UV400 & Anti Fog, 5K Lens,
Extreme Wide Field of Vision,
Triple Layer Foam, Venting Foam,
Speed Snap Lens Exchange,
Silicone Layer, Spare Lens Included,
Pouch Included, EVA Case Included
LENS 5K chrome: S2, VLT 23%
SPARELENS Orange: S1, VLT 57%





CONTEX PRO 5K RACE + SPARE LENS

ARTICLE NUMBER

390195 chrome/VIS 390163 chrome/RD

PRODUCT FEATURES

Toric Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Interchangeable Lens Exchange, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included LENS 5K chrome: S2, VLT 23% SPARELENS Orange: S1, VLT 57%















MAGNIFY 5K + SPARE LENS

ARTICLE NUMBER

390855 gold/KORE 390865 blue/black

PRODUCT FEATURES

Toric Lens, Double Lens, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Magnetic Lens Exchange, Wind Seal, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included 5K gold: S3, VLT 15% 5K blue: S3, VLT 17% SPARELENS Orange: S1, VLT 57%



HORIZON 2.0 5K + SPARE LENS

ARTICLE NUMBER

391235 blue/white 391265 gold/black

PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Speed Snap Lens Exchange, Spare Lens Included, Pouch Included, EVA Case Included

5K blue: S3, VLT 17% 5K gold: S3, VLT 15%

SPARELENS Orange: S1, VLT 57%

5<



MAGNIFY 5K

ARTICLE NUMBER

390925 chrome/red 390913 red/black

PRODUCT FEATURES

Toric Lens, Double Lens, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Magnetic Lens Exchange, Wind Seal, Silicone Layer, Pouch Included, EVA Case Included

5K chrome: S2, VLT 23% 5K red: S2, VLT 28%

5<



HORIZON 2.0 5K

ARTICLE NUMBER

391343 red/black

PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Speed Snap Lens Exchange, Pouch Included, EVA Case Included 5K red: S2, VLT 28%







157 156

HEAD





NEVES

Modern and bold goggle with cylindrical lens and 50mm strap. Optimized for perfect helmet integration, this platform offers also the biggest field of vision in the goggle range. Available in medium & large, recommended for bigger face shapes.

NEW SUNSCREEN TECHNOLOGY

for automatic, solar powered lens tint adjustment

CYLINDRICAL LENS

with multiple options available, including 5K and photochromic

SEAMLESS HELMET INTEGRATION


with strap outriggers

WIDE GOGGLE STRAPS

BIG AND BOLD DESIGN,

available in two sizes M & L





158



NEVES RETHINK

ARTICLE NUMBER

390214 red/grey



Rethink Product, Cylindrical Lens,
Double Lens, UV400 & Anti Fog,
FMR, Extreme Wide Field of Vision,
Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS FMR yellow/red: S2,
VLT 32%



NEVES SUNSCREEN

ARTICLE NUMBER

391425 blue/black

NEW PRODUCT FEATURES

Sunscreen, Cylindrical Lens,
UV400 & Anti Fog, Double Lens,
Photochromic Lens,
Extreme Wide Field of Vision, Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS Sunscreen: S1 - S3,
VLT 45% - 16%

÷Ö: SUNSCREE



NEVES PRO 5K PHOTO

ARTICLE NUMBER

391444 green/olive

159

PRODUCT FEATURES

Cylindrical Lens, UV400 & Anti Fog,
Double Lens, Photochromic Lens, 5K
Lens, Extreme Wide Field of Vision,
Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS 5K photo: S1 - S3,

VLT 43% - 11%

5<



HORIZON 2.0

NEVES PRO 5K

ARTICLE NUMBER

391535 gold/KORE 391514 red/black 391525 blue/white

PRODUCT FEATURES

Cylindrical Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included 5K gold: S3, VLT 15% 5K red: S2, VLT 28% 5K blue: S3, VLT 17%





NEVES

ARTICLE NUMBER

PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, FMR, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam,

Silicone Layer, Pouch Included		
LENS	FMR yellow/red: S2, VLT 32%	
	FMR blue: S3, VLT 12%	
	FMR silver: S2, VLT 18%	



NEVEZ



GOGGLES

DIFFERENTIATION

LENS CONSTRUCTION

TORIC LENS

Toric lenses are curved in a way which avoids optical distortion and adds a bold, modern look to the goggle.



Featured in:

- MAGNIFY
- CONTEX OTG
- F-LYT & SOLAR

CYLINDRICAL LENS

The Cylindrical Lens is a flat lens with single lateral curve that provides a superior field of vision.





Featured in:

- NEVES
- HORIZON 2.0

FIELD OF VISION

HORIZONTAL





GOGGLES / HELMET FIT GUIDE

GOGGLE MODEL			MAGNIFY	OTG		CONTE	x	HORIZON 2.0	F-L	.YT	SOL	_AR
GOGGLE SIZE	М	L	ONE SIZE	ONE SIZE	S	М	L	ONE SIZE	М	L	М	L
HELMET SIZE												
XS/S	✓			✓	/	/		✓	✓		✓	
M/L	✓	✓	✓	✓		✓	/	✓	✓	✓	✓	✓
XL/XXL		✓	✓	✓			/			✓		/



162

CONTEX

The CONTEX goggles are amongst the most popular goggles on the market, offering various lens options like advanced 5K high contrast technology and photochromic lenses. Available in three sizes-small, medium, and large – they provide a customized fit for any face and seamless helmet integration, while delivering exceptional value for your money.

LAMINATED DOUBLE LENS

increases the field of vision by 15%, by connecting the inner lens to the outer lens through a lamination process.

DYNAMIC VENTILATION SYSTEM

is designed to allow air to enter the goggle from three sides, therefore creating an airstream that assures a perfect climate inside the goggle.

AVAILABLE IN THREE SIZES

S, M and L





CONTEX RETHINK

ARTICLE NUMBER

390254 red/grey

PRODUCT FEATURES

Rethink Product, Toric Lens, Double Lens, UV400 & Anti Fog, FMR, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included FMR yellow/red: S2, VLT 32%



CONTEX PHOTO

ARTICLE NUMBER

394435 blue/VIS 392412 blue/black 394423 blue/WCR

PRODUCT FEATURES

Photochromic Lens, Cylindrical Lens, Double Lens, UV400 & Anti Fog, FMR, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included Photo blue: S1 - S3, VLT 54%-16%



NORS HEAD

CONTEX PRO 5K

ARTICLE NUMBER

394575 chrome/ash 394583 blue/WCR 394563 red/black 394525 gold/KORE

PRODUCT FEATURES

Toric Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included

5K chrome: S2, VLT 23% 5K blue: S3, VLT 17% 5K red: S2, VLT 28% 5K gold: S3, VLT 15%

5<



CONTEX

ARTICLE NUMBER

394855 red/red 392811 red/black 394873 blue/white 394865 green/ash

163

PRODUCT FEATURES

Toric Lens, Double Lens, UV400 & Anti Fog, FMR, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included

FMR yellow/red: S2, VLT 32% FMR blue: S3, VLT 12% FMR blue/green: S2, VLT 24%









OTG

The perfect solution for winter sports enthusiasts who wear prescription glasses and prefer a goggle over a visor helmet. Compatible with over 80% of prescription glasses.



- EXTRA VENTILATION IN FRONT

- 15,5 CM INSIDE WIDTH

- 17,5 CM WIDE, 10,5 CM HIGH



OTG 5K PHOTO

ARTICLE NUMBER 397015 green/black

NEW PRODUCT FEATURES

Toric Lens, UV400 & Anti Fog, OTG
- Over The Glasses, Double Lens, 5K
Lens, Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS 5k photo: S1 - S3, VLT 43% -

11%



OTG 5K

HEAD

ARTICLE NUMBER

white

397115 blue/white 397105 red/black

NEW PRODUCT FEATURES

Toric Lens, UV400 & Anti Fog, OTG
- Over The Glasses, Double Lens, 5K
Lens, Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS 5K blue: S3, VLT 17%


5K red: S2, VLT 28%

5<



OVER THE GLASSES

The new OTG Goggle is compatible with over 80% of prescription glasses.



5<

SOLAR FMR

ARTICLE NUMBER

394417 FMR lime

394427 FMR blue

394437 FMR red

394468 FMR green

UV400 & Anti Fog, FMR, Comfort Foam, Pouch Included FMR lime: S3, VLT 17% FMR blue: S3, VLT 12% FMR red: S2, VLT 28%

FMR green: S3, VLT 11%

PRODUCT FEATURES

Toric Lens, Double Lens,

F-LYT



ARTICLE NUMBER PRODUCT FEATURES 394714 red/black Double Lens, Toric Lens, 394724 green/black UV400 & Anti Fog, FMR, 394734 blue/black Double Layer Foam, Pouch Included 394744 lime/black FMR red: S2, VLT 28% FMR green: S2, VLT 24% FMR blue: S3, VLT 12%



HEAD

F-LYT



ARTICLE NUMBER	PRODUCT FEATURES		
394764 red/black	Double Lens, Toric Lens,		
394774 clear/black	UV400 & Anti Fog, Double Layer Foam,		
	Pouch Included		
	LENS	Red: S1, VLT 45%	
		Transparent: S0, VLT 81%	



SOLAR FMR PACK (8 PCS)

ARTICLE NUMBER 394608



HEAD HEAD



F-LYT PACK (10 PCS)

ARTICLE NUMBER

166

394644

F-LYT & SOLAR

- Frameless design
- Super lightweight
- Flashy colorways and night version
- Double Lens
- · Easy on budget
- Available in M & L





NINJA

ARTICLE NUMBER	PRODUC	T FEATURES
395425 red/VIS	Spherical	Lens, Double Lens,
395410 red/black	UV400 &	Anti Fog, Interchangeable Lens
395430 red/pink	Exchange	e, Venting Foam, Comfort Foam,
	Pouch Inc	cluded
	LENS	Red: S1, VLT 45%



CONTEX YOUTH FMR

ARTICLE NUMBER	PRODUCT FEATURES			
395135 silver/VIS	Cylindrical Lens, Double Lens,			
395113 red/black	UV400 & Anti Fog, FMR, Interchange-			
	able Le	able Lens Exchange, Venting Foam,		
	Double	Double Layer Foam, Pouch Included		
	LENS FMR silver: S2, VLT 18 FMR yellow/red: S2, V			
		32%		

SOLAR JR

ARTICLE NUMBER	PRODU	CT FEATURES
395624 FMR red	Toric Lens, Double Lens,	
395634 FMR blue	UV400 & Anti Fog, FMR, Comfort Foam	
395644 red	Pouch I	ncluded
	LENS	FMR yellow/red: S2, VLT
		32%
		FMR blue/green: S2, VLT
		24%
		Red: S1, VLT 45%



CONTEX YOUTH

ARTICLE NUMBER	PRODUCT FEATURES		
395325 red/WCR	Cylindrical Lens, Double Lens,		
395333 red/black	UV400 & Anti Fog, Interchangea-		
395343 red/white	ble Lens Exchange, Venting Foam,		
	Double Layer Foam, Pouch Included		
	LENS Red: S1, VLT 45%		





SOLAR JR PACK (9 PCS)

ARTICLE	NUMBER	
395724		





GOGGLE TECHNOLOGY

LENS

SUNSCREEN

Sunscreen is a solar-powered lens technology with an integrated LCD. It automatically adjusts the goggle lens, darkening in sunlight and brightening in shade. The solar panel generates voltage in sunlight, activating a microprocessor that controls liquid crystal rotation. This adjusts the lens tint instantly for optimal visibility.

5K LENS

5K enhances contrast and boosts color brilliance by filtering specific wave lengths of the visual spectrum, therefore revealing more details and assuring a safer, less tiring on-snow experience in any weather condition.

PHOTOCHROMIC LENS

This lens automatically adapts its lens tone between category S1 to S3, depending on the weather condition. The lens is toned down in bright, sunny conditions and allows more light to enter the eyes in cloudy, overcast weather conditions

LAMINATED DOUBLE LENS (LDL)

By connecting the inner lens to the outer lens through a lamination process, there is no gap between the two lenses. This increases the field of vision by 15%. A special anti-fog coating is applied to assure a clear vision in any condition.

SCRATCH RESISTANT

The mirror coating of this lens is applied on the inside. This protects the coating from scratching or wearing off over time.

MATERIAL

WINDSEALED MAIN FRAME

Windseal Foam is a wind retardant foam. We use it in our downhill race goggles to exclude the rushing wind of racing.

VENTING FOAM

Venting Foam allows the transfer of air, heat and moisture. When used in our goggles it prevents fogging and creates the ideal climate inside a pair of goggles.

TRIPLE LAYER FOAM

Dual-density comfort foam with microfleece is a bonded foam with a soft fleece for added comfort. The two foams serve different purposes, including anti-fogging, climate regulation and padding while the fleece creates the ideal comfort layer between goggle and skin.

DOUBLE LENS

The polycarbonate double lens is a lightweight lens, that provides 100% UV protection and is 10 times more impact-resistant than conventional glass or plastic. It is therefore the ideal lens for mountain sports.

UV400 & ANTI FOG

UV400 & Anti Fog refers to the intense UV protective qualities of HEAD lenses and their ability to minimize fogging. The light on the mountain is intense so you need the best protection possible as well as anti-fogging qualities to maintain the best visibility.

FMR

FMR is HEAD's flashy mirror finish to their lenses providing added protection against sunlight. Light on the mountain is intense so riders need the best protection possible.

TORIC LENS

Toric lenses are curved in a way which avoids optical distortion and adds a bold, modern look to the goggle.

SPHERICAL LENS

A Spherical Lens has a consistent vertical and horizontal curve for a true and clear field of vision. It is both functional and looks great.

CYLINDRICAL LENS

The Cylindrical Lens is a flat lens with a single lateral curve that provides a superior field of vision. It also looks great!

Comfort Foam with microfleece is a single density foam that regulates a goggles inner climate, cushions and provides the perfect skin to goggle interface.

EXTRA FACEFOAM

DOUBLE LAYER FOAM

For customizing the fit of the goggle to your face, as well as creating the perfect match between helmet and goggle.

COMFORT FOAM

Comfort Foam is a single density foam that allows for the ideal inner goggle climate. Comfortable with venting properties it is the ideal foam for goggles.

FILTER CATEGORY

SO: Clear lens for night touring.

S1: For cloudy or snowy days on the mountain.

S2: Versatile lens for changeable weather

S3: Bright and sunny conditions require a dimming lens tone.

FEATURES

EXTREME WIDE FIELD OF VISION

HEAD's goggles with an extra wide field of vision are perfect for racers, allowing a tight aerodynamic tuck without impaired vision.

MAGNETIC LENS EXCHANGE

The magnetic lens exchange solution enables you to swap lenses on the go. It automatically locks the lens in place and assures that you can adapt yourself to changing weather conditions quick and easily.

SPEED SNAP LENS EXCHANGE

Speed Snap Lens Exchange is a fast and easy lens exchange system. Lenses snap in and out quickly and easily allowing a rider to keep up with the changing light conditions.

INTERCHANGEABLE LENS EXCHANGE

Interchangeable Lenses means that they can be changed to suit light conditions or when damaged. This increases the longevity of a goggle frame and allows for flexibility.

WIND SEAL

Protects the goggle from wind and water entering the inside.

SILICONE LAYER

The Silicone Layer provides added grip between a goggle strap and on-mountain head wear. From helmets to beanies the Silicone Layer keeps goggles in place.

OTG - OVER THE GLASSES

The OTG design allows comfortable wear of goggles over prescription glasses, providing extra space inside the goggles frame for clear vision and comfort on the slopes. It seamlessly accommodates eyeglass wearers without compromising performance or adding bulkiness.

SPARE LENS



HOW TO CHANGE LENSES

SCAN ME FOR VIDEO INSTRUCTION



MAGNETIC LENS EXCHANGE



SPEED SNAP LENS EXCHANGE



INTERCHANGEABLE LENS EXCHANGE

170

MIPS HELMETS Mips

LINE OVERVIEW



DOWNFORCE MIPS RD



DOWNFORCE MIPS RD white



325175 FAERO EXP MIPS Team



325185 FAERO EXP MIPS black



Faero EXP MIPS white



Faero EXP MIPS nightpetrol



FAERO MIPS



FAERO MIPS white



FAERO MIPS



RADAR 5K PHOTO MIPS black



RADAR 5K MIPS black



RADAR 5K MIPS white



REV MIPS black



COMPACT EVO MIPS black



COMPACT EVO MIPS white



VICO MIPS black

PERFECT MATCH

Everybody has an individual demand in terms of product, performance and fit - a perfectly matching helmet and goggle combination is essential to maximize safety, function and style on the slopes.



320115 DOWNFORCE MIPS RD VIS 390175 NEVES PRO 5K RACE + SL vis/RD



320223 DOWNFORCE white 390023 SENTINEL 5K RD + SL chrome/RD



320115 DOWNFORCE JR vis 390195 CONTEX PRO 5K RACE + SL vis/rd 390214 NEVES RETHINK red/rethink



325205 FAERO EXP RETHINK black



325175 FAERO EXP MIPS TEAM 391535 NEVES PRO 5K gold/KORE



325265 FAERO EXP nightpetrol 391425 NEVES SUNSCREEN blue/black



323654 FAERO PRO WCR 394583 CONTEX PRO 5K blue/WCR



325455 FAERO black 391725 NEVES red/LTD



394575 CONTEX PRO chrome/ash



391265 HORIZON 2.0 5K + SL gold/black



323655 REV nightpetrol 391444 NEVES PRO 5K PHOTO chrome/olive 391745 NEVES silver/white





326535 COMPACT EVO moss 394855 CONTEX red/red



326535 COMPACT EVO W rose 394865 CONTEX green/ash



326713 COMPACT EVO W white 394873 CONTEX blue/white



326301 COMPACT PRO black 392811 CONTEX red/black



RACE

381205 381215 381055 WORLDCUP REBELS CARBON WORLDCUP SG

110-135 18

ACCESSORIES

BAGS

FREESKI











RACE

Art. Nr. Model Dimension

KORE BACKPACK 31 * 55 * 18 CM

KORE BOOTBAG 42 * 45 * 24 CM

383115 FREERIDE TRAVELBAG 77 * 38 * 42 CM FREERIDE DOUBLE SKIBAG 203 * 18 * 28 CM

FREERIDE SINGLE SKIBAG 220 * 26 * 16 CM

REBELS TRAVELBAG 77 * 38 * 42 CM













Art. Nr. Model Dimension

REBELS BACKPACK 33 * 55 * 23 CM

383935 REBELS SINGLE SKIBAG 197.5 * 20 * 23 CM 67 L

383955 REBELS SINGLE SKIBAG 180 * 20 * 23 CM

PERFORMANCE













Art. Nr. Model Dimension

383025 REBELS DOUBLE SKIBAG 203 * 18 * 28 CM

REBELS COACHES BACKPACK 49.5 * 62 * 29.5 CM

HEATABLE BOOTBAG 43 * 25 * 58 CM

B00TBAG 40 * 40 * 25 CM

BOOT BACKPACK 42 * 41 * 25 CM

383094 BOOT CARRY ON 50 * 36 * 12 CM















SINGLE SKIBAG 175CM 175 * 14 * 25 CM

383904 SINGLE SKIBAG 195CM 195 * 14 * 25 CM 65 L



DOUBLE SKIBAG 195CM 195 * 14 * 28 CM 72 L

383404 THE SIMPLE SKIBAG 205 * 31,5 CM 55 L

SNOWBOARD

TOURING







WOMEN'S









383314 CX 30+ BACKPACK

383304 CX 30+ BACKPACK 32 * 54 * 13.5 CM

WOMEN'S BACKPACK

383175 WOMEN'S BOOTBAG

WOMEN'S SINGLE SKIBAG 195 * 26 * 16 CM 47.5 L

374504 TRAVEL BACKPACK 30 L

JUNIOR





383584


35 * 34 * 22 CM

383504 170 * 30 CM 40 L


POLES


Model Length Diameter

FREESKI










JUNIOR

Art. Nr. Model Length Diameter





_		

Art. Nr.	Model	Length	Diameter
388384	CRUX 105 TOURING SKINS L	184 CM	118 - 101 - 113 MM
388394	CRUX 105 TOURING SKINS M	170 / 177 CM	118 - 101 - 112 MM
388404	CRUX 99 TOURING SKINS L	177 / 184 CM	118 - 96 - 107 MM
388414	CRUX 99 TOURING SKINS M	163 / 170 CM	118 - 96 - 106 MM
388434	CRUX 93 TOURING SKINS L	177 / 184 CM	117 - 90 - 106 MM
388444	CRUX 93 TOURING SKINS M	163 / 170 CM	117 - 90 - 102 MM
388464	CRUX 87 TOURING SKINS L	177 / 184 CM	114 - 83 - 101 MM
388474	CRUX 87 TOURING SKINS M	163 / 170 CM	113 - 83 - 97 MM
388454	CRUX 87 TOURING SKINS S	149 / 156 CM	113 - 83 - 96 MM
388424	CRUX 81 TOURING SKINS L	177 / 184 CM	112 - 78 - 95 MM
388484	CRUX 81 TOURING SKINS M	163 / 170 CM	111 - 77 - 91 MM
388494	CRUX 81 TOURING SKINS S	149 / 156 CM	111 - 77 - 90 MM
388504	HEAD TOURING SKINS L UNTRIMMED	180 - 191 CM	130 MM
388514	HEAD TOURING SKINS M UNTRIMMED	170 - 179 CM	130 MM
388524	HEAD TOURING SKINS S UNTRIMMED	160 - 169 CM	130 MM

Adj. from 85-110 16 / 14



KORE

Every accessory. Every solution. Every trip. Clean design and comfort-oriented, each accessory delivers signature performance for better days in the backcountry.

- ACCESSORY POCKET
- DEDICATED AVALANCHE TOOL COMPARTMENT
- TOP ZIP AND BACK ACCESS TO MAIN COMPARTMENT
- **SKI CARRY**

Diagonal or A-Frame.

- INNOVATIVE HELMET CARRY




KORE BACKPACK

ARTICLE NU	MBER	NEW
383105		
PRODUCT F	EATURES	
YKK zippe	rs	
Diagonal o	r a frame ski carry	
Dedicated	avalanche tool compartment	
Innovative helmet carry		
Main comp	artment top and back access	
Hydration	reservoir compatible	
DIMENSION	31* 55 * 18 CM	
VOLUME	25 L	
WEIGHT	1000 gm	















MBER	NEW
EATURES	
or one pair of ski boots	
ystem - side panel opens flat f	to
o or out of ski boots	
Shoulder Strap	
t	
aterial	
42 * 45 * 24 CM	
40 L	
510 gm	
	EATURES or one pair of ski boots ystem - side panel opens flat to o or out of ski boots Shoulder Strap t aterial 42 * 45 * 24 CM 40 L







FREERIDE TRAVELBAG

ARTICLE NUMBER

383115

PRODUCT FEATURES

Big wheelie bag for ski pros and world trav-

Can be divided into two pieces

Compression straps

Top and front handles

Durable outer material

DIMENSION	77 * 38 * 42 CM	
VOLUME	120 L	
WEIGHT	3980 am	









FREERIDE DOUBLE SKIBAG

ARTICLE NUMBER

383135

PRODUCT FEATURES

Protective wheelie bag for 2 pairs of skis Co-developed with Head Freeride team Large opening for wider rockered skis Internal sleeves for poles Durable outer material

DIMENSION	203 * 18 * 28 CM	
VOLUME	105 L	
WEIGHT	2570 am	







FREERIDE SINGLE SKIBAG

ARTICLE NUMBER

383125

PRODUCT FEATURES

Protective bag for one pair of skis and poles Roll top design length adjustment Shoulder strap adjusts to balance different length skis

Full zip easy access

Extra durable base material

DIMENSION	220 * 26 * 16 CM	
VOLUME	65 L	
WEIGHT	1050 gm	











REBELS TRAVELBAG

ARTICLE NUMBER

383005

PRODUCT FEATURES

Big wheelie bag for ski pros and world travelers Co-developed with Head Race Department Can be divided into two pieces

Compression straps

Top and front handles

Telescopic handle to be combined with skibag

Durable outer material

DIMENSION	77 * 38 * 42 CM
VOLUME	120 L
WEIGHT	3940 gm







REBELS BACKPACK

A DT	ICI F	MIII	1BER

383015

|--|

Boot carry system on sides Fleece lined goggle pocket

Ergonomic back panel

Comfortable shoulder and waist straps

Durable outer material

DIMENSION	33 * 55 * 23 CM
VOLUME	30 L
WEIGHT	1060 gm



REBELS RACING BACKPACK

ARTICLE NUMBER	NEW
383035 L	
383045 S	

PRODUCT FEATURES

Big backpack for racers and tech-reps Co-developed with Head Race department Fleece lined helmet/goggle pocket, two big side Reinforced back panel and cushioned shoulder

straps

Durable outer material

DIMENSION	49.5 * 67 * 28.5 CM (L)
	49.5 * 62 * 28.5 CM (S)
VOLUME	90 L (L)
	70 L (S)
WEIGHT	1750 gm (L)
	1660 gm (S)











183

REBELS BOOT CARRY ON

ARTICLE NUMBER

383925

PRODUCT FEATURES

Messenger style bag for one pair of skiboots Co-developed with Head Race department Inner boot divider which unzips Hidden shoulder straps for alternate backpack

Padded front document pocket

Durable outer material

DIMENSION	50 * 36 * 12 CM
/OLUME	25 L
VEIGHT	700 gm









REBELS SINGLE SKIBAG

ART	ICI	.E	NU	M	BE	ER
-----	-----	----	----	---	----	----

383935 197	7 cm	
383955 18	0 cm	

PRODUCT FEATURES

Protective bag for one pair of skis
Comfortable carry straps
Simple full zip access
Durable outer material

DIMENSION	197.5 * 20 * 23 CM (197 cm)
	180 * 20 * 23 CM (180 cm)
VOLUME	67 L (197 cm)
	60 L (180 cm)
WEIGHT	860 gm (197 cm)
	800 gm (180 cm)



REBELS DOUBLE SKIBAG

ARTICLE NUMBER

383025

PRODUCT FEATURES

Protective wheelie bag for 2 pairs of skis
Co-developed with Head Race Department
Easy adjust compression straps
Internal sleeves for poles
Durable outer material

DIMENSION	203 * 18 * 28 CM	
VOLUME	105 L	
WEIGHT	2580 gm	



REBELS COACHES BACKPACK

ARTICLE NUMBER

383965

PRODUCT FEATURES

Big backpack for coaches, technicians and

Co-developed with Head Race department

Multiple pockets and compartments

Reinforced back panel and cushioned shoulder

Detachable folding chair

Durable outer material

DIMENSION	49.5 * 62 * 29.5 CM
VOLUME	75 L
WEIGHT	2380 gm















ARTICLE NUMBER

383193

WEIGHT

PRODUCT FEATURES

Heatable boot bag featuring AC connection


Stowable backpack straps

Multiple zipped pockets
Padded goggle compartment and adjustable

helmet holder

DIMENSION	43 * 25 * 58 CM
VOLUME	65 L

4500 gm









BOOTBAG

ARTICLE NUMBER

383074

PRODUCT FEATURES

Boot bag for one pair of ski boots

Ample room for additional accessories or a

helmet

Durable material

DIMENSION	40 * 40 * 25 CM
VOLUME	40 L
WEIGHT	500 gm





BOOT BACKPACK

ARTICLE NUMBER

383084

helmet

PRODUCT FEATURES

Easy to transport boot backpack
Two separate compartments for boots and

Integrated carry handle

DIMENSION	42 * 41 * 25 CM	
VOLUME	35 L	
WEIGHT	560 gm	







BOOT CARRY ON

ARTICLE NUMBER

383094

PRODUCT FEATURES

Messenger style bag for one pair of skiboots Inner boot divider which unzips Hidden shoulder straps for alternate backpack carry

Padded front document pocket

Durable outer material

DIMENSION	50 * 36 * 12 CM
VOLUME	25 L
WEIGHT	640 gm







SKIBAG

ARTICLE NUMBER	
383054 Single 175 cm	
383904 Single 195 cm	
383944 Short	
383064 Double 175 cm	

PRODUCT FEATURES

383914 Double 195 cm

PRUDUCI FEATURES	
Protective bag for one pair of skis	
Available in two sizes	
Simple access	
Compression straps	
Durable material	

DIMENSION	175 * 14 * 25 CM (Single 175 cm)
	195 * 14 * 25 CM (Single 195 cm)
	160 * 14 * 25 CM (Short)
	175 * 14 * 28 CM (Double 175 cm)
	195 * 14 * 28 CM (Double 195 cm)
VOLUME	60 L (Single 175 cm)
	65 L (Single 195 cm)
	50 L (Short)
	70 L (Double 175 cm)
	72 L (Double 195 cm)
WEIGHT	730 gm (Single 175 cm)
	760 gm (Single 195 cm)
	650 gm (Short)
	790 gm (Double 175 cm)
	810 gm (Double 195 cm)



THE SIMPLE SKIBAG

ARTICLE NUMBER

383404

P	R0	Dl	JCT	FEA	TUR	ES

Basic ski bag for one pair of skis
Side zip for easy access
Roll top design to adjust length
Bottom drainage hole
Adjustable shoulder strap

DIMENSION	205 * 31,5 CM
VOLUME	55 L
WFIGHT	450 am



CX 30+ BACKPACK BLACK

ARTICLE NUMBER

383314

PRODUCT FEATURES

Dedicated avalanche tool compartment

Diagonal or a frame ski carry

Lightweight helmet carry

Roll top and back access to main compartment

Hydration reservoir compatible

Goggle and accessory pocket

DIMENSION	32 * 54 * 13.5 CM
VOLUME	30 L
WFIGHT	1060 am













ARTICLE NUMBER

383304

PRODUCT FEATURES

Dedicated avalanche tool compartment

Diagonal or a frame ski carry

Lightweight helmet carry Roll top and back access to main compartment

Hydration reservoir compatible

Goggle and accessory pocket

DIMENSION	32 * 54 * 13.5 CM
VOLUME	30 L
WEIGHT	1060 gm















WOMEN'S BACKPACK

ARTICLE NUMBER NE
383185

PRODUCT FEATURES

YKK zippers

Diagonal or a frame ski carry

Dedicated avalanche tool compartment

Innovative helmet carry

Main compartment top and back access

Hydration reservoir compatible

DIMENSION	31* 55 * 18 CM	
VOLUME	25 L	
WEIGHT	gm	













WOMEN'S BOOTBAG

ARTICLE NUMBER

383175

PRODUCT FEATURES

Boot bag for one pair of ski boots and accessories

Handbag style

Straps adjust for backpack carry Cushioned handle for carrying comfort

Durable outer material

DIMENSION	35 * 43 * 26 CM
VOLUME	35 L
WEIGHT	600 gm









WOMEN'S SINGLE SKIBAG

ARTICLE NUMBER

383155

PRODUCT FEATURES

Protective and fashionable bag for one pair of skis and poles

Roll top design length adjustment Shoulder strap adjusts to balance different length skis

Full zip easy access

Extra durable base material

DIMENSION	195 * 26 * 16 CM	
VOLUME	47.5 L	
WEIGHT	860 am	





189





TRAVEL BACKPACK

ARTICLE NUMBER

374504

PRODUCT FEATURES

Water-resistant nylon material 20" padded laptop compartment

Padded back panel and shoulder straps for extra comfort

Side compression straps for an adjustable fit Pockets for organization

Additional 10I (31x31x10cm) foldable travel organizer

DIMENSION	33 * 48 * 15 cm
VOLUME	30 L





BOOT BACKPACK JR.

ARTICLE NUMBER

383584

PRODUCT FEATURES

Easy to transport smaller boot backpack Two separate compartments for junior boots and helmet

Integrated carry handle

DIMENSION	35 * 34 * 22 CM	
VOLUME	25 L	
WEIGHT	440 gm	







SKIBAG JR.

ARTICLE NUMBER

383504

PRODUCT FEATURES

Basic ski bag for one pair junior of skis Side zip for easy access Roll top design to adjust length Bottom drainage hole Adjustable shoulder strap

DIMENSION	170 * 30 CM	
VOLUME	40 L	
WEIGHT	360 gm	







KORE

ARTICLE NUMBER 381195 metallic sand/black

PRODUCT FEATURES Glossy Finish

Long Freeride Foam Grip
Vario Powder basket
5083 Aluminum
Steel tip
Easy Adjust Powder Strap

PRODUCT	DETAILS
DIAMETER	18 mm
LENGTH	105-135

KORE FREE TOUR

NEW ARTICLE NUMBER 381105 metallic sand/black

PRODUCT FEATURES

7075 Aluminum

Long Freeride Foam Grip

Power Lock Aluminum locking system

Vario Powder basket

Tungsten Carbide Tip

PRODUCT DETAILS

DIAMETER	18/16 mm
LENGTH	Adjustable from 105 to 140

OBLIVION

NEW ARTICLE NUMBER

381294 black/white

PRODUCT FEATURES 5083 Aluminum

Glossy Matte Finish
Race Grip
Two baskets included
Steel tip
Easy Adjust Powder Strap

PRODUCT DETAILS

 DIAMETER
 18 mm

 LENGTH
 100-115





WORLDCUP REBELS CARBON WORLDCUP REBELS CARBON ARTICLE NUMBER 381205 white/black/speed blue PRODUCT FEATURES Worldcup Carbon Race Pole Race Rubber Grip Race Velcro Strap Mini Race Basket Tungsten Carbide Tip PRODUCT DETAILS DIAMETER 12,3 mm

105-140

LENGTH

ARTICLE NUMBER		ARTICLE NUM
381215 speed blue/blac	k/white	381055 white/b
PRODUCT FEATURES		PRODUCT FE
Worldcup Carbon Race	Pole	SG Bend World
Race Rubber Grip		7075 Aluminun
Race Velcro Strap		Race Rubber G
Mini Race Basket		Race Velcro Str
Tungsten Carbide Tip		DH/SG Cone Ba
		Tungsten Carbi
PRODUCT DETAILS		
DIAMETER 12,3 mm		PRODUCT DE
LENGTH 105-140		DIAMETER 1
		LENCTH


381055 whi	te/black/speed blue
PRODUCT	FEATURES
SG Bend Wo	orldcup Race Pole
7075 Alumi	num
Race Rubbe	er Grip
Race Velcro	Strap
DH/SG Con	e Basket
Tungsten C	arbide Tip
PRODUCT	DETAILS
DIAMETER	18 mm

WORLDCUP SG

WORLDCUP SL	WORLDCUP SL
ARTICLE NUMBER	ARTICLE NUMBER
381075 white/black/speed blue	381175 speed blue/black/white
PRODUCT FEATURES	PRODUCT FEATURES
Worldcup SL Race Pole	Worldcup SL Race Pole
7075 Aluminum	7075 Aluminum
Race Rubber Grip	Race Rubber Grip
Race Velcro Strap	Race Velcro Strap
Mini Race Basket	Mini Race Basket
Tungsten Carbide Tip	Tungsten Carbide Tip
PRODUCT DETAILS	PRODUCT DETAILS
DIAMETER 18 mm	DIAMETER 18 mm
LENGTH 110- 140	LENGTH 110- 140









FRONTSIDE

ARTICLE NUMBER

381555 carbon black/grey
381185 carbon black/speed blue
381165 carbon black/green
381125 carbon black/red
381545 carbon black/blue

PRODUCT FEATURES

5083 Aluminum
Glossy Matte finish
HEAD Performance Grip
50 mm Race Basket
Star Tip

PRODUCT DETAILS

INODO	I RODOOT DETRIES		
DIAMETER	R 18 mm		
LENGTH	105-135		

MULTI

ARTICLE NUMBER

381864 grey/white 381842 black/neon yellow 381852 black/black 381803 black/speed blue

PRODUCT FEATURES

5083 Aluminum
Transparent Race Grip
Automatic Strap
50 mm Race Basket
Star Tip

PRODUCT DETAILS

DIAMETER 18 mm LENGTH 105-135

MULTI POLE BOX

ARTICLE NUMBER

381894 black/black; black/speed blue

PRODUCT FEATURES

30 pairs of MULTI poles shipped in a display box

Two colours and size range from 110cm to 135cm

Black/Black: 110 x 1, 115 x 3, 120 x 4, 125 x 4, 130 x 2, 135 x 1

Black/Speed Blue: 110 x 2, 115 x 3, 120 x 4, 125 x 4, 130 x 2

PRODUCT DETAILS

DIAMETER 18 mm
LENGTH Mixed sizes









CRUX CARBON

ARTICLE NUMBER 381114 carbon/reflective PRODUCT FEATURES

Lightweight Carbon
2K Touring Foam Grip
Power Lock Aluminum locking system
Ice Flex basket
Tungsten Carbide Tip

PRODUCT DETAILS

 DIAMETER
 16/14 mm

 LENGTH
 Adjustable 105 to 140

CRUX ALUMINUM

ARTICLE NUMBER
381224 aluminum/anthracite

PRODUCT FEATURES
7075 Aluminum

7075 Aluminum
2K Touring Foam Grip
Power Lock Aluminum locking system
Vario Powder basket
Tungsten Carbide Tip

PRODUCT DETAILS

 DIAMETER
 18/16 mm

 LENGTH
 Adjustable from 105 to 140

J0Y

LENGTH

ARTICLE NUMBER
381765 grey/white

PRODUCT FEATURES
7075 Aluminum
Cork Foam Pistol Grip
Padded Strap
Mini UL Fix Basket
Steel Tip

PRODUCT DETAILS
DIAMETER 16 mm

105-125

J0Y

ARTICLE NUMBER

381695 white 381685 black

PRODUCT FEATURES

5083 Aluminum Women-specific SBS Soft Handle Automatic Strap

Race Basket Star Tip

PRODUCT DETAILS

DIAMETER 16 mm

LENGTH 105-125





KORE TEAM

ARTICLE NUMBER 381385 metallic sand/black

PRODUCT FEATURES 5083 aluminum Kids Plastic Grip Automatic strap Kids 50 mm Race Basket Steel Tip

PRODUCT DETAILS DIAMETER 14 mm

80-105

LENGTH

WORLDCUP SG JR

ARTICLE NUMBER

381065 white/black/speed blue	
PRODUCT FEATURES	
SG Bend Worldcup Race Pole for Juniors	
5083 Aluminum	
Race Rubber Jr Grip	
Powder Strap	
DH/SG Cone Basket	

Steel Tip		
PRODUCT	DETAILS	
DIAMETER	16 mm	
LENGTH	90-110	

WORLDCUP SL JR

LENGTH

381085 wh	ite/black/speed blue
PRODUCT	FEATURES
Worldcup S	L Race Pole for Juniors
5083 Alum	inum
Race Rubbe	er Jr Grip
Powder Str	ар
Mini Race E	Basket
Steel Tip	
oteer rip	
PRODUCT	DETAILS
DIAMETER	16 mm

90-110

SUPERSHAPE TEAM

ARTICLE NUMBER	OOOTABLE
381965 white/black/speed blue	ARTICLE NUMBER

PRODUCT FEATURES
5083 Aluminum
Kids Plastic Grip
Classic Strap
Mini Race Basket
Steel Tip

PRODUCT	DETAILS	
DIAMETER	14 mm	
LENGTH	70-110	

SUPERSHAPE TEAM ADJUSTABLE

381975	white/black/speed b	lue

PRODUCT FEATURES	
5083 aluminum	
Adjustable length	
Kids Plastic Grip	
Expander locking system	
Star Tip	

PRODUCT	DETAILS
DIAMETER	16/14 mm
LENGTH	Adjustable from
	85 to 110

MONSTER TEAM

ARTICLE NUMBER

50 mm Race Basket

Steel Tip

381625 DIaCK/WIILLE	
PRODUCT FEATURES	
5083 aluminum	
Kids Plastic Grip	
Automatic strap Kids	

PRODUCT DETAILS	
DIAMETER	14 mm
LENGTH	80-105

JOY GIRL

ARTICLE NUMBER	
381635 blue/white	
PRODUCT FEATURES	

5083 aluminum	
Kids Plastic Grip	
Automatic strap Kids	
50 mm Race Basket	
Steel Tip	

PRODUCT	DETAILS	
DIAMETER	14 mm	
LENGTH	80-105	

CRUX 105 TOURING SKINS

ARTICLE NUMBER

388384 L
388394 M

PRODUCT FEATURES

65% Mohair / 35% Nylon
Pre-cut and ready to use

LENGTH	184 cm (L)
	170 / 177 cm (M)
WEIGHT	600 g (L)
	600 g (M)
WIDTH	118 - 101 - 113 mm (L)
	118 - 101 - 112 mm (M)
COLORS	sand



CRUX 99 TOURING SKINS

ARTICLE NUMBER

388404 L		
388414 M		

PRODUCT FEATURES

65% Mohair / 35% Nylon Pre-cut and ready to use

LENGTH	177 / 184 cm (L)
	163 / 170 cm (M)
WEIGHT	600 g (L)
	550 g (M)
WIDTH	118 - 96 - 107 mm (L)
	118 - 96 - 106 mm (M)
COLORS	sand



CRUX 93 TOURING SKINS

ARTICLE NUMBER

388434 L	
388444 M	

PRODUCT FEATURES

65% Mohair / 35% Nylon
Pre-cut and ready to use

LENGTH	IGTH 177 / 184 cm (L)	
	163 / 170 cm (M)	
WEIGHT	600 g (L)	
	550 g (M)	
WIDTH	117 - 90 - 106 mm (L)	
	117 - 90 - 102 mm (M)	
COLORS	sand	



CRUX 87 TOURING SKINS

ARTICLE NUMBER

388464 L	
388474 M	
388454 S	

PRODUCT FEATURES

65% Mohair / 35% Nylon Pre-cut and ready to use

LENGTH	177 / 184 cm (L)
	163 / 170 cm (M)
	149 / 156 cm (S)
WEIGHT	600 g (L)
	550 g (M)
	500 g (S)
WIDTH	114 - 83 - 101 mm (L)
	113 - 83 - 97 mm (M)
	113 - 83 - 96 mm (S)
COLORS	sand



CRUX 81 TOURING SKINS

ARTICLE NUMBER

388424 L		
388484 M		
388494 S		

PRODUCT FEATURES

65% Mohair / 35% Nylon
Pre-cut and ready to use

LENGTH	177 / 184 cm (L)
	163 / 170 cm (M)
	149 / 156 cm (S)
WEIGHT	600 g (L)
	550 g (M)
	500 g (S)
WIDTH	112 - 78 - 95 mm (L)
	111 - 77 - 91 mm (M)
	111 - 77 - 90 mm (S)
COLORS	sand



HEAD TOURING SKINS UNTRIMMED

ARTICLE NUMBER


388504 L	
388514 M	
388524 S	

PRODUCT FEATURES

65% Mohair / 35% Nylon Cutting tool included

LENGIH	180 - 191 cm (L)
	170 - 179 cm (M)
	160 - 169 cm (S)
WEIGHT	600 g (L)
	600 g (M)
	550 g (S)
WIDTH	130 mm
COLORS	sand





RENTAL SKIS I BINDINGS I POLES I BOOTS I HELMETS I SNOWBOARDS HEAD .COM





SHAPE V4 R

ARTICLE NUMBER

316254 All Mountain PR Rent Base

PRODUCT FEATURES

Construction, Wood Composite Core, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	128/74/109 @ Length 170
RADIUS	13,0 @ Length 170
BINDING	114517 PR 11 GW Brake [G] 85 mm

SHAPE V2 R

SKI

ARTICLE NUMBER

316225 All Mountain PR Rent Base

PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Graphene, Power Sidewall Jacket LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Synthetic Core, UHM C Base black, Allride Rocker

PRODUCT DETAILS

LENGTH	142/149/156/163/170/177
SIDECUT	128/70/108 @ Length 170
RADIUS	12,5 @ Length 170
BINDING	114517 PR 11 GW Brake [G] 85 mm





SKI







NEW

KORE X 85 R

ARTICLE NUMBER

316155 LYT PR Rent Base

PRODUCT FEATURES

Sandwich Cap Construction, Graphene , Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	156/163/170/177/184
SIDECUT	127/85/108 @ Length 170
RADIUS	14,8 @ Length 170
BINDING	114469 PRW 11 GW Brake [G]
	90 mm

KORE X 80 R

ARTICLE NUMBER

316165 LYT PR Rent Base

PRODUCT FEATURES

Wood Composite Core, Graphene , Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

INODUCI	DEINIES
LENGTH	149/156/163/170/177
SIDECUT	126/80/106 @ Length 170
RADIUS	13,2 @ Length 170
BINDING	114352 PRW 11 GW Brake [G]
	85 mm

KORE X 74 R

ARTICLE NUMBER

316175 LYT PR Rent Base

PRODUCT FEATURES

Wood Composite Core, Graphene , Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	142/149/156/163/170/177
SIDECUT	128/74/112 @ Length 170
RADIUS	12,6 @ Length 170
BINDING	114352 PRW 11 GW Brake [G]
	85 mm











ARTICLE NUMBER

316535 SLR PRO Rent Base

PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Wood Composite Core, UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	143/148/153/158/163
SIDECUT	121/75/107 @ Length 163
RADIUS	13,1 @ Length 163
BINDING	100954 JOY 9 GW SLR Brake
	[H] 78 mm

PURE JOY R

ARTICLE NUMBER

316465 SLR PRO Rent Base

PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

SKI

PRODUCT DETAILS

INODUCI	DETRIES
LENGTH	143/148/153/158/163
SIDECUT	121/75/107 @ Length 163
RADIUS	13,1 @ Length 163
BINDING	100952 JOY 9 GW SLR Brake
	[H] 78 mm

EASY JOY R

ARTICLE NUMBER

316485 SLR PRO Rent Base

PRODUCT FEATURES

LYT Tech Construction, Power Fiber Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

PRODUCT DETAILS

LEN	IGTH	143/148/153/158/163
SID	ECUT	117/70/103 @ Length 163
RA	DIUS	13,3 @ Length 163
BIN	IDING	100952 JOY 9 GW SLR Brake
		[H] 78 mm





SKI



SHAPE SX R

ARTICLE NUMBER

316415 LYT PR Rent Base

PRODUCT FEATURES

Sandwich Cap Construction, Structured Surface, Black UHM C Base, **PRODUCT FEATURES** Rebel Camber

PRODUCT DETAILS

	LENGTH	149/156/163/170/177
	SIDECUT	125/72/109 @ Length 170
	RADIUS	12,9 @ Length 170
	BINDING	114517 PR 11 GW Brake [G] 85 mm

SHAPE VX R

ARTICLE NUMBER

316265 LYT PR Rent Base 316275 Trackset SP adult 85

Wood Composite Core, Graphene, Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

LENGTH	142/149/156/163/170/177
SIDECUT	128/74/112 @ Length 170
RADIUS	12,6 @ Length 170
BINDING	114517 PR 11 GW Brake [G] 85 mm

206 207 NEW





SHAPE NX R

ARTICLE NUMBER

316375 LYT PR Rent Base 316385 Trackset SP adult 85

PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Structured Surface, Wood Composite Core, UHM C Base black, Allride Rocker

PRODUCT DETAILS

SHAPE CX R

SKI

ARTICLE NUMBER

316325 Trackset SP adult 85 316335 LYT PR Rent Base 316345 SLR PRO Rent Base 316315

PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Synthetic Core, UHM C Base black, Allride Rocker

PRODUCT DETAILS

LENGTH	142/149/156/163/170
SIDECUT	128/70/108 @ Length 170
RADIUS	12,4 @ Length 170
BINDING	114532 SP 10 GW PM



SKI

SHAPE AM 80 R

ARTICLE NUMBER

316273 Trackset SP adult 85 316283 LYT PR Rent Base

PRODUCT FEATURES

tion, Structured UHM C Base, Allride Rocker

PRODUCT DETAILS

FRUDUCI	FRODUCT DETAILS	
LENGTH	142/149/156/163/170/177	
SIDECUT	126/80/106 @ Length 170	
RADIUS	13,2 @ Length 170	
BINDING	114532 SP 10 GW PM	

SHAPE AM 74 R

ARTICLE NUMBER

316285 Trackset SP adult 85 316295 LYT PR Rent Base

PRODUCT FEATURES

Wood Composite Core, Graphene, Power Sidewall Jacket Construc- Wood Composite Core, Graphene, Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker


PRODUCT DETAILS


LENGTH	142/149/156/163/170/177
SIDECUT	128/74/112 @ Length 170
RADIUS	12,6 @ Length 170
BINDING	114532 SP 10 GW PM

208 209 NEW

3 SOLE LENGTHS FOR ALL SKIBOOT SIZES

How does its work?





>>> The color code speeds up the selection of matching the binding with the boot.

AMBITION R

ARTICLE NUMBER

AMBITION PRO R

316565 Trackset SP adult 85 316585 BYS Black 316595 BYS Yellow

PRODUCT FEATURES

ERA 2.0, Protective Frame Design, Integrated Tip Protector, Composite Radius Construction, Structured Surface, Woodcore Cap Construction, Black UHM C Base

PRODUCT DETAILS

LENGTH	130/140/150/160/170/180
SIDECUT	130/78/110 @ Length 150
RADIUS	10,6 @ Length 150
BINDING	114532 SP 10 GW PM

ARTICLE NUMBER

316435 Trackset SP adult 85 316445 BYS Black 316455 BYS Yellow

PRODUCT FEATURES


ERA 2.0, Protective Frame Design, Integrated Tip Protector, Composite Radius Construction, Structured Surface, Power Fiber Jacket Construction, Black UHM C Base

PRODUCT DETAILS

210

LENGTH	130/140/150/160/170	
SIDECUT	130/75/110 @ Length 150	
RADIUS	9,8 @ Length 150	
BINDING	114532 SP 10 GW PM	

SKI HEAD skis are availabe in 5 different sizes. Ambition Pro woodcore, 140cm to 180cm and Ambition PU core, 130cm to 170cm. All skis can be used with the BYS System.



>>> With color codes, you can easily identify the right HEAD setup immediately. All settings are pre-adjusted.

> Among the bindings you can choose between the color coded fix mounted toe- and heel-piece or the adjustable SP binding (track system).


Organizing your fleet not only by size but also by preset DIN settings (4, 5, and 6) will allow you to speed up your process.




HOW IT WORKS

4 sole lengths for all JR BOOT sizes.









RAZZLEDAZZLE

ARTICLE NUMBER

316994 SP 10 GW

PRODUCT FEATURES

SnakeSkin Top Sheet, Full Fiber Jacket, E base black, Pre-mounted SP 10 GW Binding

PRODUCT DETAILS

LENGTH	94
SIDECUT	129/90/118 @ Length 94
RADIUS	4,2 @ Length 94
BINDING	114534 SP 10 GW (G3/G4)
	Brake [D] 110 mm

SUPERSHAPE TEAM EASY R

ARTICLE NUMBER


316635 JRS R, Length 67/77/87/97/107/117/
127/137/147/157
316725 HRS ♠, Length 67/77/87
316735 HRS ♠, Length 77/87/97
316745 HRS ♠, Length 87/97/107
316755 HRS O, Length 107/117
316645 Length 67/77/87/97/107/
117/127/137/147/157

PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, Structured Surface, Black UHM C Base

PRODUCT DETAILS

LENGTH	67/77/87/97/107/117/
	127/137/147/157
SIDECUT	103/65/89 @ Length 87
RADIUS	4,1 @ Length 87
BINDING	114475 JRS 4.5 GW CA Brake
	[I] 80 mm





ATTACK 14 MN DEMO

ARTICLE NUMBER	NEV
114658 - solid black, W/O Brake [F]	

PRODUCT FEATURES

FR PRO3 Toe, AFS MN, Attack Demo, NX FR Heel

PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	4 - 14
WEIGHT	1285 g/pc.





FREEFLEX DEMO 14 GW

ARTICLE NUMBER

100909 - matt black/speed blue, Brake [D] 85 mm 114300 - solid black/white, Brake [D] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Demo, NX Heel

PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	4 - 14
WEIGHT	1325 g/pc.





ATTACK LYT 13 GW DEMO

ARTICLE NUMBER

ARTIOLE ROMPER
114608 - solid black, W/O Brake [F]
114609 - solid black, Brake [F] 95 mm
114610 - solid black, Brake [F] 110 mm


PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, NX FR Heel

PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	4 - 13
WEIGHT	1220 g/pc.
Note: with au	tomatic toe height adjustment for Alpine & GripWalk boots.





ALMONTE 10 PT DEMO

ARTICLE NUMBER

114591 - black/metallic grey, Brake [M] 90 mm 114592 - black/metallic grey, Brake [M] 105 mm

PRODUCT FEATURES

TOUR Toe, AFD PT, TOUR Demo, TOUR Heel

PRODUCT DETAILS

STAND HEIGHT	42 mm
DIN	4 - 10
WEIGHT	420 g/pc.

NOTE: product comes with pre-mounted U-PIN Medium.





ATTACK LYT 11 GW DEMO

ARTICLE NUMBER

114611 - solid black, W/O Brake [F]	
114612 - solid black, Brake [F] 95 mm	
114613 - solid black, Brake [F] 110 mm	
114614 - solid white/black, W/O Brake [F]	
114615 - solid white/black, Brake [F] 95 mm	
114616 - solid white/black, Brake [F] 110 mm	

PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, SX FR Heel

PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	3 - 11
WEIGHT	1160 g/pc.
Note: with au	tomatic toe height adjustment for Alpine & GripWalk boots.

GRIP WALK



SP 10 GW

ARTICLE NUMBER

114530 - solid black, Brake [D] 85 mm
114531 - solid black, W/O Brake [D]
114532 - solid black, PM, W/O Brake [D]
(premounted, needs trackset)
114533 - solid black, PM, W/O Brake [D],
multipack 8 pairs (premounted, needs trackset)
114543 - solid white/black, W/O Brake [D]

PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SYMPRO, NX Heel

PRODUCT DETAILS

STAND HEIGHT	31 mm
DIN	2,5 - 10
WEIGHT	1295 g/pc.





SRM 10 GW (MULTIPACK 4PRS)

ARTICLE NUMBER	NEV
114668 - solid black, Brake 85 [D], multipack 4 pairs	

PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SYMRENT, NX Heel

P	R	0	D	U	C	T	D	E	T	A	I	L	S

STAND HEIGHT	22 mm
DIN	2,5 - 10
WEIGHT	1100 g/pc.



JRS 7.5 GW CA SET+

ARTICLE NUMBER

114558 - solid black/white, Brake [H] 78 mm, SET+ (incl. JRS Base M, 8 mm + 6 mm screws)

PRODUCT FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS GW CA, JRS, SX Youth Heel

PRODUCT DETAILS

I KODOOI D	LIMILO
STAND HEIGHT	27 mm
DIN	2 - 7,5
WEIGHT	610 g/pc.





JRS 4.5 GW CA SET

ARTICLE NUMBER

114559 - solid black/white, Brake [I] 80 mm, SET (incl. JRS Base S, 6 mm screws)

PRODUCT FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS GW CA, JRS, SX Youth Heel

PRODUCT DETAILS

INODUCI	I KODOCI DETAILS		
STAND HEIGH	T 27 mm		
DIN	0,75 - 4,5		
WEIGHT	575 g/pc.		





ADULT RENTAL	JUNIOR RENTAL		
ARTICLE NUMBER	ARTICLE NUMBER		
381425 Color Coded Basket	381435 Color Coded Basket		
PRODUCT FEATURES	PRODUCT FEATURES		
7075 Aluminum	7075 Aluminum		
Cosmetics Screen Printed	Cosmetics Screen Printed		
Length Indication in both cm and	Length Indication in both cm and		
Inch	Inch		
Large Surface Color Coding	Large Surface Color Coding		
Soft Touch Grip	Soft Touch Grip		
PRODUCT DETAILS	PRODUCT DETAILS		
DIAMETER 18 mm	DIAMETER 16 mm		
LENGTH 110-135	LENGTH 70-105		




ADULT RENTAL SUBLIMA- JUNIOR RENTAL TED SUBLIMATED

381447 Color Coded Basket	381457 Color Coded Basket		
Seri ii color coded basket	Sol 131 color coded basket		
PRODUCT FEATURES	PRODUCT FEATURES		
7075 Aluminum	7075 Aluminum		
Cosmetics Sublimated and Cus-	Cosmetics Sublimated and Cus-		
tomizable	tomizable		
Length Indication in both cm and	Length Indication in both cm and		
Inch	Inch		
Large Surface and Basket Color	Large Surface and Basket Color		
Coding	Coding		
Soft Touch Grip	Soft Touch Grip		
PRODUCT DETAILS	PRODUCT DETAILS		
DIAMETER 18 mm	DIAMETER 16 mm		
LENGTH 110-135	LENGTH 70-105		

TECH FEATURES

SHELL



PU SHELL

On all models, including "J1, J2, J3" junior boots. More resistant material for longer service.



PRINTED SINGLE CODE WITH MM INDICATION

Available on all models. In the single code we have added the sole length. This helps you to quickly identify the sole length of the boot for quicker binding adjustments.



HIGH RESISTANCE PU HEEL AND TOE



BARCODE STICKERS

Centrally positioned to facilitate and speed up label scanning. Available on all models

* just on the left boot

LINER



SANITIZED® CHARCOAL FOOTBED

to absorb moisture, neutralize odour and to improve sanitation.



REINFORCED UPPER

for reinforced step in.

BUCKLES



SCREWED BUCKLES

on Formula



REINFORCED BUCKLES

for added durability.

BYS

EZON 2 BYS:

1 sole length, 2 shells, 2 sizes per shell. Boot sole: 365mm

NEXT EDGE BYS:

2 sole lengths, 4 shells, 2 sizes per shell. Boot Soles: 289mm and 329mm

218

BYS:

3 sole lengths, 6 shells, 2 sizes per shell. Boot Soles: 289mm, 329mm. and 365mm









KALIBER 11 R MV GW BOA

ARTICLE NUMBER

605605 Anthracite-speedblue

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Rear support tuning,

LINER

Rental Synapse , Stiffer upper, HP frame footbed, 40mm velcro strap

BUCKLES

Shell BOA, 2 screwed micro-adjustable alloy buckles, 1 screwed super macro, Low profile buckles

PRODUCT DETAILS

INODO	0. 5		1120		
LEVEL		Ex	pert		
FLEX		120/110			
SIZES		25	0/255		
		300/305			
SHELL		Pυ	l		
LAST		RS	1850	СС	
Last	98		100	102	
Size	25.5		26.5	27.5	

KALIBER 9 W R MV GW BOA

ARTICLE NUMBER

605606 Anthracite-turquoise

PRODUCT FEATURES

Women double adjustable cuff, Flex tuning, Cuff Alignment, Rear support tuning

LINER

Rental Synapse W, Stiffer upper, HP frame footbed, 35mm velcro strap

BUCKLES

Shell BOA, 2 screwed micro-adjustable alloy buckles, 1 screwed super macro, Low profile buckles

PRODUCT DETAILS

LEVEL	Expert				
FLEX		105/95			
SIZES		230/235			
		270/275			
SHELL		PU			
LAST		RS	1850	СС	
Last Size	96 24.5		98 25.5		100
3120	24.5		25.5		20.5

KALIBER 10 R MV GW

ARTICLE NUMBER

605611 Black

PRODUCT FEATURES

Flex tuning, Cuff Alignment, Rear support tuning,

LINER

Rental Synapse, Stiffer upper, HP frame footbed, 40mm velcro strap

BUCKLES

4 screwed micro-adjustable alloy buckles, 1 screwed super macro, Low profile buckles

PRODUCT DETAILS

LEVEL		Ex	pert		
FLEX		110	/100		
SIZES		25	0/255	ō	-
	300/305				
SHELL		PU	/SL		
LAST		RS	1850	СС	
Last	98		100		102
Size	25.5		26.5		27.5

KALIBER 8 W R MV GW

ARTICLE NUMBER

605612 Black

PRODUCT FEATURES

Women double adjustable cuff, Flex tuning, Cuff Alignment, Rear support tuning

LINER

Rental Synapse W, Stiffer upper, HP frame footbed, 35mm velcro strap

BUCKLES

4 screwed micro-adjustable alloy buckles, 1 screwed super macro, Low profile buckles

PRODUCT DETAILS

LEVEL		Expert			
FLEX		95/85			
SIZES		230/235			
		270/275			
SHELL		PU/SL			
LAST		RS 1850cc			
Last	96		98	100	
Size	24.5		25.5	26.5	



EDGE 10 R HV GW BOA

ARTICLE NUMBER	
605620 Black	
605622 Black (335-34	45 Advant
Edge/Buckles)	

PRODUCT FEATURES
EZ Tech Shell, Hi-Top, Power
Flex, Extended toe box, Bi-In-
jected Frame, Adjustable Profile

LINER
Rental Comfort, Stiffer upper,
35mm power strap

DUCKLES
Shell BOA, 2 micro-adjustable
alloy buckles, 1 Supermacro
ratchet

PRODUCT DETAILS

LEVEL		Ex	pert		
FLEX		10	0/90		
SIZES	IZES 250/255-260/26			60/265	
			300/3	305	;-
		30	0/315	-32	20/325
SHELL		Pι	J/SL		
LAST		C	2100c	С	
Last	100		102		104
Size	25.5		26.5		27.5



EDGE 9 R HV GW

ARTICLE	NUMBER
605633	Anthracite-speedblue
(GW)	
605634	Anthracite-speedblue
(up to 30)5)

PRODUCT FEATURES EZ Tech Shell, Hi-Top, Power

Flex, Extended toe box, Bi-Injected Frame, Adjustable Profile

LINER

Rental Comfort , Stiffer upper, Sanitized® charcoal footbed, 35mm power strap

BUCKLES

les, 1 Supermacro ratchet

PRODU	CT D	ETA	ILS	
LEVEL	Intermediate			
FLEX		95		
SIZES 250/255				
	300/305-310/315-			
	320/325			
SHELL	PU/SL			
LAST		C	2100c	2
Last	100		102	104
Size	25.5		26.5	27.5

4 micro-adjustable alloy buck-



EDGE 8 W R HV GW BOA

AR	TICLE	NUMBER	

605623 Anthracite

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Women's Adjustable Profile

LINER

Rental Comfort W, Stiffer upper, 35mm power strap

BUCKLES

Shell BOA, 2 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Exper	-t		
FLEX		80/70	80/70		
SIZES	SIZES 220/225				
	270/275				
SHELL		PU/SL			
LAST C 2100cc					
Last	98	100		102	
Size	24.5	25.	5	26.5	



EDGE 7 W R HV GW

ARTICLE NUMBER

605640 Black (GW)	
605641 Black	

PRODUCT FEATURES

EZ Tech Shell, Hi-Top, Power Flex, Extended toe box, Bi-Injected Frame, Women's Adjustable Profile

LINER

Rental Comfort W, Stiffer upper, Women auto adaptive tech., Sanitized® charcoal footbed, 35mm power strap

BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

PRODUCT DETAILS	P	RO	DI	JCT	DET/	AILS
-----------------	---	----	----	-----	------	------

LEVEL		In	terme	dia	te
FLEX		75	75		
SIZES 220/225				-	
		27	0/275		
SHELL		Pι	J/SL		
LAST		С	2100c	С	
Last	98		100		102
Size	24.5		25.5		26.5







ARTICLE NUMBER

605649 Black-speedblue 603655 Gray-red

4 micro-adjustable plastic buckles, 1 Supermacro ratchet,

PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo flex, Easy entry shell design, Single canting, Adjustable rear spoiler

LINER

Rental Comfort , Stiffer upper, Sanitized® charcoal footbed, 35mm power strap

BUCKLES

PRODUCT DETAILS

LEVEL		Int	erme	diate
FLEX		80)	
SIZES		25	0/255	j
		30	0/305	5
SHELL		Pι	J/SL	
LAST		C	2100c	С
Last	100		102	104
Size	25.5		26.5	27.5



B.Y.S. R

ARTICLE NUMBER

600685 Anthracite/black

PRODUCT FEATURES

3 sole lenghts, DIN interface for all rental bindings

LINER

Rental Comfort, Sanitized® charcoal footbed, Prepared for heating system

BUCKLES

3 micro-adjustable plastic buckles, 1 Supermacro ratchet

PRODUCT	DETAILS
LEVEL	Beginner
SIZES	230/235
	320/325-335-345
SHELL	PU/SL

EDGE LYT XR W R HV

ARTICLE NUMBER

603656 Gray

PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo flex, Easy entry shell design, Single canting, Adjustable rear spoiler

LINER

Rental Comfort W, Stiffer upper, Women auto adaptive tech, Sanitized® charcoal footbed, 35mm power strap

BUCKLES

4 Micro plastic buckles, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL		Intermediate			
FLEX		65			
SIZES 220/225			-		
		27	0/275)	
SHELL		PU/SL			
LAST		C 2100cc			
Last	98		100		102
Size	24.5		25.5		26.5



ARTICLE NUMBER

608545 Anthr./Black

PRODUCT FEATURES

Integrated auto-skiwalk

LINER

Rental Comfort quick entry , Sanitized® charcoal footbed, 35 mm velcro strap

BUCKLES

3 micro-adjustable plastic buckles, 1 micro-adjustable wide-body alloy buckle, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL	Intermediate					
FLEX	70					
SIZES 250/255						
	300/305					
SHELL	PU/SL					
LAST	EC 2200cc					
Last	102		104	1	106	
Size	25.5		26.5	1	27.5	



NEXT EDGE B.Y.S. 80 R

ARTICLE NUMBER

600675 Black

PRODUCT FEATURES

Tri-Inj. Energy frame, Easy entry shell design, Double canting, 2 sole lenghts

LINER

Rental Comfort, Sanitized® charcoal footbed

BUCKLES

4 micro-adjustable plastic buckles, 1 Supermacro ratchet

.EVEL	Beginner
LEX	80
SIZES	230/235-240/245
	woman constr.
	250/255-
	300/305 man
	constr.
HELL	PU/SL
.AST	C 2100cc

102 104 26.5 27.5

PRODUCT DETAILS

CUBE3 60 W R

ARTICLE NUMBER

608548 Anthr./Black

PRODUCT FEATURES

Integrated auto-skiwalk

LINER

Rental Comfort quick entry W, Sanitized® charcoal footbed, 35 mm velcro strap

BUCKLES

3 micro-adjustable plastic buckles, 1 micro-adjustable wide-body alloy buckle, 1 Supermacro ratchet

PRODUCT DETAILS

LEVEL	intermediate			
FLEX		60		
SIZES	230/235			
		260/265		
SHELL	. PU/SL			
LAST	EC 2200cc			
Last	100	102	104	
Size	24.5	25.5	26.5	



RAPTOR 50 R

ARTICLE NUMBER	PRODUCT DETAILS		
605652 Speedblue/white	LEVEL	Interme	
	SIZES	200/20	
PRODUCT FEATURES		270/275	

Intermediate

200/205-...-270/275

PU/SL

PRODUCT DETAILS

SIZES

SHELL

Beginner 180/185-...-

230/235

PU/SL

SHELL

PRODUCT FEATURES			
Jr racing flex tuning, Adult			
norm (size 220 up)			

LINER
Junior Team, Self-shaping foot-
bed

В	UCKLES	5
4	plastic	buckles

HEAD

HEAD

RAPTOR 40 R ARTICLE NUMBER 605655 Speedblue/white PRODUCT FEATURES Jr racing flex tuning, Adult

LINER	
Junior Team , Self-shaping	
footbed	

BUCKLES	
3 plastic buckles	



HEAD

J3 R

ARTICLE NUMBER	PRODUC	T DETAILS
605663 Anthracite-speedblue	LEVEL	Beginner
	SIZES	235-245-255-265
PRODUCT FEATURES	SHELL	PU/SL
Jr high top tech, Duo flex, Vario		

PRODUCT DETAILS

Beginner

PU/SL

195-205 (HRS ♦) 215-225 (HRS O)

LEVEL

SIZES

SHELL

J2 R

ARTICLE NUM	BER
605664 Anthr	acite-speedblue

last, Easy entry shell construction, Junior norm, Design your

Junior liner, Tongue handle,

boot stickers

Comfort footbed

LINER

BUCKLES 3 plastic buckles

PRODUCT FEATURES	
Jr high top tech, Duo flex, Vario)
last, Easy entry shell construc-	

INFD	
poot stickers	
ion, Junior norm, Design your	
, ,	

Junior liner,	Tongue handle,
Comfort foot	tbed

UCKLES	
plastic buckles	

J1 R

RTICLE NUMBER	PRODUC	T DETAILS
05665 Anthracite-speedblue	LEVEL	Beginner
	SIZES	155-165 (HRS ▲)
RODUCT FEATURES		175-185 (HRS 🔳)
r high top tech, Duo flex, Vario	SHELL	PU/SL
ast, Easy entry shell construc-		

boot stickers LINER Junior liner, Tongue handle, Comfort footbed

tion, Junior norm, Design your

В	UCKLE	S	
1	plastic	huckle	



CINEMA R

329025 black

329035 white

SIZES

XS/S

M/L

XL/XXL

VISOR

red S2/28%

ARTICLE NUMBER

52-55 cm

56-59 cm

60-63 cm

NEW VISOR HELMETS

CINEMA R

DURABILITY

The CINEMA R features a scratch resistant textured Shell, adding durability and an appealing matte effect.

USABILITY

The innovative free-hanging visor is easy to handle with just one hand. Its versatile lens ensures ideal eye protection and the comfortable face foam prevents wind coming in. With the Sphere Fit system and the Autoadjust Buckle the CINEMA R can be easily adjusted and provides a perfect fit to any customer.

SYSTEM INTEGRATION

A subtile but visible Color Coding is applied to the chin strap of the CINEMA R for size identification.



JR VISOR R



NEW KIDS' RENTAL HELMET WITH VISOR

The children's helmet is designed for easy use by kids, with color coding for sizes integrated into the design, with XXS being yellow and XS/S being blue. It combines style, function, and comfort, featuring a UV 400 lens to protect the eyes and a soft foam lip for wind protection, all without the need for constant adjustment of the ski googles. The perfect fit and adjustment of the ski goggles. The perfect fit and comfortable helmet climate are ensured by ventilation openings and a size adjuster, providing a secure fit for all-day wear on the slopes.









JR VISOR R

VISOR

red S2/28%

	ADTICLE N	HMDED	NFW
-	ARTICLE N	UMBEK	N E W
	329085		
	SIZES		
	XXS	47-51 cm	
	XS/S	52-56 cm	

In-Mold Technology, Visor Construction, Thermal Ventilation, Microfleece. Kid Specific Liner, Head 2D Fit, Rental Color Coding, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, EN 1077:2007 Class B, EN 174:2001

PRODUCT FEATURES

NEW PRODUCT FEATURES

174:2001

SPHERE

Hardshell Technology,

Visor Construction, 360° Microshell,

Sphere Fit, Autoadjust Buckle, Rental Color Coding, Easyclick Lens Exchange

System, Toric Lens, Ventilated Lens,

UV400 & Anti Fog, Comfort Foam, Spare

Visor Available, EN 1077:2007 Class B, EN

Thermal Ventilation, Microfleece,

CHARTER EVO SR

329333	olack
329343 nightblue	
SIZES	
	52-55 cm
XS/S M/L	52-55 cm 56-59 cm

PRODUCT FEATURES

Hardshell Technology, Textured Shell, 360° Microshell, Thermal Ventilation, Microfleece, Sphere Fit, Autoadjust Buckle, Rental Goggle Retainer, Rental Color Coding, EN 1077:2007 Class B









CHARTER EVO JR

ARTICL	.E NUMBER	
329463	lime	
329453	white	
SIZES		
XXS	48-51 cm	
XS/S	52-55 cm	
M/I	56-59 cm	

PRODUCT FEATURES

Hardshell Technology, Textured Shell, 360° Microshell, Thermal Ventilation, Microfleece, Sphere Fit, Autoadjust Buckle, Rental Goggle Retainer, Rental Color Coding, EN 1077:2007 Class B





RENTAL

ARTICLE NUMBER		PRODUCT FEATURES
329513	SR black	Hardshell Technology,
		Thermal Ventilation, Microfle
SIZES		Rental Goggle Retainer, Rent
XS/S	52-55 cm	Coding, Rental Size Adjustme
M/L	56-58 cm	1077:2007 Class B
XL/XXL	59-64 cm	

leece, ital Color nent, EN



TRACER

329107 S	R black	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

PRODUCT FEATURES

Hardshell Technology, Thermal Ventilation, Microfleece, Speedlock Buckle, Rental Goggle Retainer, Rental Color Coding, SD+D compatible, Rental Size Adjustment, EN 1077:2007



RENTAL

ARTICLE NUMBER	PRODUCT FEATURES
329813 JR white	Hardshell Technology,
	Thermal Ventilation, Microfleece,
SIZES	Rental Goggle Retainer, Rental Color
XXS 48-51 cm	Coding, Rental Size Adjustment, EN
XS/S 52-55 cm	1077:2007 Class B
M/L 56-58 cm	



TRACER

ARTICL	E NUMBER	PRODUCT FEATURES		
329207	JR white	Hardshell Technology,		
		Thermal Ventilation,		
SIZES		Microfleece, Speedlock Buckle,		
XXS	48-51 cm	Rental Goggle Retainer, Rental		
XS/S	52-55 cm	Color Coding, SD+D compatible,		
M/L	56-59 cm	Rental Size Adjustment, EN 1077:2007		
		Class B		



CLEANIE BEANIE PACK

ARTICLE NUMBER

375399 CLEANIE BEANIE PACK - 60 pcs

RETAIL-ORIENTED DESIGN

RETAIL-ORIENTED DESIGNS

Designs specifically created to enhance visual appeal and consumer engagement in retail environments.

CONSISTENT PRODUCT NAMES

Rental boards and retail boards share the related product names, making it easier for customers to compare and choose.

DURABLE RENTAL TOPSHEETS

Rental boards feature robust topsheets for extended durability, ideal for heavy use.

SUBTLE COLOR CODING

Descreet color-coded sizes on rental boards make it easy for retailers to quickly match bindings and boots with the right board.

JR COLOR CODING





DAY R Hybrid Camber POP Lightweight Wood Core 4D Compatible Easy Maintenance Die-Cut Base Easy Rent Topsheet



RUSH R Flat Rocker Poplar Wood Core 4D Compatible Easy Rent Topsheet



ARTICLE NUMBER

337015

PRODUCT FEATURES

CAMBER	Hybrid Camber Pop
ARCHITECTURES	Easy Board Architecture
FLEX INDEX	6

NEW

NEW

TERRAIN & PERFORMANCE

GROOMERS						
POWDER						
PARK						
EASY HANDLING						
POP						
TORSIONAL AGILITY	Y					

PRODUCT DETAILS

LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)
143	24,9	100,8	5,8	46	1,5
147	25,9	104,0	6,0	48	1,5
153	26,0	109,0	6,8	54	1,5
156	26,6	111,5	6,8	56	1,5
161	27.0	112.5	6.8	58	1.5



SE	Extruded	Bas

ARTICLE NUMBER

PRODUCT FEATURES

337035

CAMBER

FLEX INDEX

TERRAIN & PERFORMANCE							
GROOMERS							
POWDER							
PARK							
EASY HANDLING							
POP							

Flat Rocker

ARCHITECTURES Easy Board Architecture

PRODUCT DETAILS

LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)
147	24,4	111,0	6,2	53	0,0
153	24,6	113,5	6,3	54	0,0
156	25,0	114,5	6,6	56	0,0
159W	26,4	114,9	5,8	58	0,0
162W	26,6	119,9	7,6	60	0,0



STELLA R

Flat Rocker Poplar Wood Core True Twin Easy Rent Topsheet 4D Compatible

ARTICLE	NUMBER	1	NEW
337055			

PRODUCT FFATURES

PRODUCT FER	ATUKES
CAMBER	Flat Rocker
ARCHITECTURES	Easy Board Architecture
FLEX INDEX	3
BASE	Extruded Base

TERRAIN & PERFORMANCE

GROOMERS					
POWDER					
PARK					
EASY HANDLING					
POP					
TORSIONAL AGILITY					

PRODUCT DETAILS

(CM)	(CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	(CM)
139	23,5	103,5	5,6	48	0,0
143	23,7	106,5	5,9	50	0,0
147	24,2	110,5	6,0	52	0,0
153	24,4	111,0	6,2	53	0,0



FLOCKA 4D W

Flat Rocker
Poplar Wood Core
4D Compatible
Liquid Framewall
UVR Topsheet
Easy Maintenance Base
Retail Inspired Design



337365 FLOCKA 4D W + FutureDisc 337165 FLOCKA 4D W NEW

PRODUCT FEATURES

CAMBER Flat Rocker

PRODUCT DETAILS

	LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)				
	138	23,5	103,5	5,6	48	0,0				
	142	23,7	106,5	5,9	50	0,0				
	146	23,9	109,0	6,8	51	0,0				
	149	24,7	116,5	7,0	52	0,0				
Ī	151	24,4	111,0	6,2	53	0,0				
	154	25,0	114,5	6,5	56	0,0				



FLOCKA 4D

Flat Rocker
Poplar Wood Core
4D Compatible
Liquid Framewall
UVR Topsheet
Easy Maintenance Base
Retail Inspired Design

232



337325 FLOCKA 4D + FutureDisc 337125 FLOCKA 4D

PRODUCT FEATURES

CAMBER Flat Rocker

PRODUCT DETAILS

	LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)
	138	23,5	103,5	5,6	48	0,0
	142	23,7	106,5	5,9	50	0,0
	146	23,9	109,0	6,8	51	0,0
	149	24,7	116,5	7,0	52	0,0
	151	24,4	111,0	6,2	53	0,0
	154	25,0	114,5	6,5	56	0,0
	158W	26,4	115,0	5,8	58	0,0
	159	25,4	114,5	5,8	58	0,0
	163W	26,6	129,0	7,6	60	0,0
Ė	160W	26.0	125.0	0.0	60	0.0



FLOCKA 4D JR

Flat Rocker
Poplar Wood Core
4D Compatible
Liquid Framewall
UVR Topsheet
Easy Maintenance Base
Retail Inspired Design

ARTICLE NUMBER

337385 FLOCKA 4D JR + FutureDisc 337185 FLOCKA 4D JR

PRODUCT FEATURES

CAMBER Flat Rocker

PRODUCT DETAILS

LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)
90	18,5	62,0	4,0	32	0,0
100	20,0	71,0	5,0	33	0,0
110	21,4	82,0	5,5	33	0,0
120	22,0	93,0	6,4	38	0,0
130	23,0	97,5	6,8	44	0,0
140	24,0	105,5	6,8	46	0,0





FLEX 2.0 4D

Rocker Poplar Wood Core 4D Compatible Easy Maintenance Die-Cut Base Exchangeable Tip & Tail Protectors Easy Rent Topsheet FutureDisc pre-mounted



337723 FLEX 2.0 4D + FutureDisc 337863 FLEX 2.0 4D

PRODUCT FEATURES

Rocker

PRODUCT DETAILS

LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)
138	23,4	105,0	5,5	48	0,0
142	23,5	107,0	5,9	48	0,0
146	23,7	108,0	6,0	50	0,0
149	24,4	111,0	6,7	52	0,0
151	24,3	111,0	6,8	52	0,0
152W	26,2	113,1	7,6	56	0,0
154	25,0	117,0	8,4	56	0,0
158W	26,4	118,5	7,0	58	0,0
159	25,3	120,5	9,3	58	0,0
163W	26,6	121,5	7,4	60	0,0
168W	26.8	127.5	7,6	60	0.0





FLEX 2.0 4D JR

Rocker Poplar Wood Core 4D Compatible Easy Maintenance Die-Cut Base Exchangeable Tip & Tail Protectors Easy Rent Topsheet FutureDisc pre-mounted

ARTICLE NUMBER

337823 FLEX 2.0 4D JR + FutureDisc 337963 FLEX 2.0 4D JR

PRODUCT FEATURES

PRODUCT DETAILS

LENGTH (CM)	WAIST (CM)	EFFECTIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SETBACK (CM)
90	20,0	63,5	5,5	30	0,0
100	21,0	74,0	6,5	32	0,0
110	22,0	83,5	6,5	36	0,0
120	22,0	85,0	5,5	42	0,0
130	23,0	95,0	6,0	44	0,0
135	23,0	101,5	8,0	42	0,0
140	24,0	105,0	7,0	46	0,0



HOW DOES IT WORK?





THE 4D SYSTEM WORKS

BOOT



DEFINE THE COLOR CODE PER BOOT SIZE











18.5 - 25.0 29 - 39

Mondo EU

22.5 - 25.0 35 - 39 4 - 6.5

25.5 - 28.0 39.5 - 43 7 - 10

28.5 - 32.5 44 - 49.5 10.5 - 14.5

BINDING

SELECT THE ACCORDING BINDING COLOR


Several binding options are available per color code, in order to equip the customer with the perfect binding according to his style, needs and ability level.



JR 18.5 - 25.0



S 22.5 - 25.0






M 25.5 - 28.0 L 28.5 - 32.5

BOARD



SELECT THE ACCORDING BOARD LENGTH, BASED ON ABILITY LEVEL AND HEIGHT.

The 4D color code is integrated in the product design for quick identification, while not looking like a rental product. We offer a variety of snowboard shapes and styles, all featuring the same 4D color coding. Therefore the fleet can be mixed without having to worry about system compatibility.



RX 4D

ARTICLE NUMBER SIZES 347104 22.5-25.0 М 25.5-28.0 L 28.5-31.5

PRODUCT FEATURES

Reclining Highback System, 4D Compatible, FT1 Base, LYT-frame ankle strap, 3D Flex Toe Strap



FLATBED 4D

ARTICLE NUMBER SIZES 22.5-25.0 М 25.5-28.0 L 28.5-32.5

PRODUCT FEATURES

Extra Low Volume for Efficient Storage, Dura Tech Toe Straps, Alu Buckles, Alu Heelcup, Heavy Duty Baseplate, Minimum Amount of Parts, All Parts coded with a Spare Parts Number for simple Reorder, 4D Compatible



LYTRENT 4D

ARTICLE NUMBER	21752		
347323	S	22.5-25.0	
	M	25.5-28.0	
	<u> </u>	28.5-32.5	

PRODUCT FEATURES

LYT TECH, 4D Compatible,

Extra Low Volume for Efficient Storage, Minimum Amount of Parts, Single Component Straps, Alu Buckles, Padded Highback, Heavy Duty Baseplate, All Parts coded with a Spare Parts Number for simple

	\	/	Т	
∟		ı	1	
Ţ	Ξ	\mathbb{C}	Η	

LYTRENT 4D JR

ARTICLE NUMBER	SIZES	SIZES		
347604	XS	18.5-25.0		
	S	22.5-25.0		

PRODUCT FEATURES

LYT TECH, 4D Compatible, Lightweight Base, LYT-frame ankle strap, Easy Grip Buckle, JR Specific Construction, Multiple Size Adjustment





FUTUREDISC (5 PAIRS)

ARTICLE NUMBER	PRODUCT FEATURES
347853	3D Insert Pattern Compatible



FUTUREDISC

DURABILITY

- Teeth engagement to binding increased by 30%Bulletproof Design

USABILITY

- Slanted sidewalls for easy angle adjustment
 Angle adjustment without taking off the binding

SYSTEM INTEGRATION

- Compatible with all Speeddisc Bindings
- Compatible with 3x3 Snowboard Binding mounting standard









236



650 4D BOA FOCUS



PRODUCT FEATURES Double BOA® Fit System,

Heavy Profile Rubber Outsole, Frequency Technology, Full Toe and Heel Protection, Fully covered Lace Protection, 4D Compatible, Pro Fit Liner, Perfect Fit, S.Café® Lining Mesh, FPG Insole, Flex Index 6, Forward Lean 9°

SIZES

22.5 - 32.5



PRODUCT FEATURES







620 4D BOA

ARTICLE NUMBER 357111 620 4D BOA (+Coiler)

BOA® Coiler, Heavy Profile Rubber Outsole, Comfort Cuff, Cuff Cut Construction, Full Toe and Heel Protection, Full rubber guarter, Rubber Toecap, Rubber Covered Laceguides, 4D Compatible, EVA Liner, S.Café® Lining Mesh, FPG Insole, Flex Index 4, Forward Lean 9°

SIZES 22.5 - 32.5







600 4D BOA

357246 600 4D BOA (+Coiler)

BOA® Coiler, Explorer Outsole,

SIZES

22.5 - 32.5





ARTICLE NUMBER

357443 500 4D BOA (+Coiler)

357403 500 4D



BOA® Coiler, Explorer Outsole, Injected Heel Section, Rubber Toecap, Rubber Covered Laceguides, 4D Compatible, FPG Insole, Flex Index 5,

Forward Lean 7°

SIZES 22.5 - 32.5









ARTICLE NUMBER

357566 400 4D JR BOA

PRODUCT FEATURES

BOA®, Explorer Outsole, Full Toe and Heel Protection, Rubber Covered Laceguides, 4D Compatible, Linerless, S.Café® Lining Mesh, FPG Insole, Flex Index 3, Forward Lean 7°

SIZES 18.5 - 25.0









PRODUCT FEATURES

Full Toe and Heel Protection, Fully covered Lace Protection, 4D Compatible, S.Café® Lining Mesh, FPG Insole, Flex Index 5, Forward Lean 7°



TECHNOLOGY FEATURES SKI

Allride Rocker: Rocker that is equally at home on bulletproof snow as it is in powder. This profile uses early rise in the tip with regular camber throughout the rest of the ski. 20% rocker - 80% camber.

Crossforce Carbon Construction: Crossforce Carbon Construction is a unique construction method where the top sheet is removed under the binding, exposing a carbon wrap which the binding is mounted directly onto. Better power transmission of forces onto the slopes.

Diecut UHM C Base: This durable workhorse base material is dedicated to all forms of skiing. Diecuts are added for flare.

E Base black: Basic black never goes out of style, and it's always durable. Easy gliding is everyone's friend.

EMC: Energy Management Circuit - converts kinetic energy into electric energy, that then gets used to absorb negative vibrations.

ERA 3.0: A masterful blend of three independently important technologies to make the ultimate allcountry skis.

Rocker + Radius + Rebound = Rocker Done Right.

ERA 2.0: ERA 2.0 is the little brother of ERA 3.0 and is everything 3.0 has to offer as far as design, performance and geometry integration, but without the addition of "Rebound" with its piezoelectric elements.

Freeride Sandwich Cap Construction: has two layers of Titanal® along with a Karuba/Beech Wood Core in the KORE unisex models and a specifically tuned Poplar/PET Wood Core for our women's line, both providing the ultimate combination of stability and liveliness. A Flax layer and Graphene round out the construction in all models to provide our most performance driven freeride construction to date.

Full Triaxial Carbon Jacket: Full Triaxial Carbon Jacket is a reinforcement fabric that is optimized to obtain a high strength-to-weight ratio. Carbon fibers weaved in three different directions offer a unique construction method where the top sheet is removed on the full ski, exposing a carbon wrap. Better power transmission of forces onto the slopes, Ultralightweight, Optimum bell curve for perfect flex behaviour.

Graphene: Graphene is the thinnest and lightest element ever discovered. Using Graphene in specific areas of the construction gives an incredibly lightweight and strong ski tuned to your riding style.

Hybrid Top Surface: Provides a striking outline to the ski's look. The resin-coated flax top edge reduces chipping, while the traditional top-sheet it outlines minimizes scratches. The reduction in top-sheet material also means less plastic is used in the construction.

Highly transparent UHM Base: A high-density, determinedly durable base that allows gorgeous graphic details to shine through. The perfect combination of fashion and function.

ISS - Independent Suspension System: Elastomeric vibration killers located in the tip, tail and underfoot. The elastomers quiet the vibrations that are commonly associated with rockered skis. Underfoot, the vibrations are dampened to provide the skier with a smooth ride.

Junior Power Frame: A geometric ski shape that provides structural strength to the outer edges of the ski through geometric design, as opposed to altering the core material or density of the ski. Also, for kids it looks cool and feels different than a standard flat ski.

LYT Tech Construction: By developing a ski line with lightweight Karuba wood and Graphene fully embedded we were able to increase performance while making it lighter. A unique weight distribution makes tip and tail thicker and the middle section thinner. The V-shape gives you effortless control for better steering, more stability and control.

PET-Wood Core Carbon Sandwich Cap Construction: an eco-driven build which is mindful of sustainability while still delivering superb skiing. Utilizing poplar wood, recycled PET plastics and carbon provides optimal performance which is both weight and environmentally conscious.

PNP Rocker: Very subtle tip and tail rise with regular camber construction underfoot. PNP Rocker provides a rider a smother turn initiation as well as reduced edge contact to seamlessly butter into tricks and initiate spins. 30% rocker and 70% camber.

Power Sidewall Jacket: An innovation in ski construction that combines the well known fiber jacket construction with ABS sidewalls. A lightweight ski with easy skiing performance including sidewalls for better dampening, shock absorption and edge grip. Performance at its best for its great target group.

Race structured UHM C base: The highest quality, fastest base and finish known to man. The technicians who build the skis for our Worldcup Rebels use the same material and machines to put this scary fast base and structure into your skis.

RD Racing Top Sheet: A thinner topsheet material designed to maximize responsiveness. Exclusive to our RD skis.

Rebel Camber: Some years ago, it was rebellious to have rocker. Now, it's rebellious to have camber. With Rebel Camber, we feature explosive acceleration and excellent edge grip for the Worldcup Rebel inside you.

Sandwich Cap Construction: We take the basic framework from the Worldcup sandwich and place a cap that just wraps over the top edge of the sidewall to make the ski more suitable for all mountain skiing. Bomber construction with a rounded top edge makes for one incredible allcountry ski.

Sandwich Twintip Construction: We blend a full vertical laminate wood core for durability and add our bomber Independent Suspension System for killing chatter. Pipe, park, big mountains, whatever, bring 'em on and let this construction rin

SFC-Snow Free Coating: The applied coating prevents snow and ice from sticking to the top of the ski. Especially on ski tours, this is an effective remedy against annoying icing and exhausting ascents with skis weighed down by snow loads. But the coating also helps to optimize ski performance on the descent

Speed Rocker: For perfect handling on hardpack – a slight tip rise on a ski with standard camber, which means great performance, easy turn initiation, and high versatility on soft snow. 10% rocker and 90% camber is just enough to take the sting out of the edges, while keeping the bite you need to turn. Speed Rocker turns HEAD performance skis into a weapon of speed with power steering. It's fast. Are you?

Structured Surface: An extra-durable topsheet with a structured exterior. Designed to hold up against the most extreme abuse.

Structured UHM C Base: The same high quality material used in HEAD's world-leading race skis is used here. Different structured running base for all conditions

TNT Rocker: Tip and tail rocker combined with regular camber underfoot. This combination creates a surfy feel in powder while maintaining hard snow versatility.

Tuff-Wall/Base/Edge: Impact resistant ABS sidewalls. While maintaining responsiveness, Tuffwalls are designed to take a beating. The additional use of thicker edges and running bases ensure that these models can truly be described as hullet proof

Twintip Construction: A vertically laminated wood core, surrounded by a sock of fiberglass and covered by a durable topsheet. This forgiving twintip construction is slightly softer than our sandwich twintip layup, making it better for learning pipe and park tricks.

UHM C Base: Our highly durable base material for getting the job done well. Not flashy, but steady and stable. The kind of base that will last for years.

Wood Core Cap Construction: A vertically laminated wood core, surrounded by a sock of fiberglass and covered by a durable topsheet. This forgiving construction is slightly softer than our sandwich cap making it ideal for ramping up the learning curve.

Worldcup Sandwich Construction: The basic construction invented by Howard Head in the 1940's, perfected and hand built by the finest ski technicians in the modern world. The vertical laminate wood core is embraced by speedfreak phenolic sidewalls and the finest Titanal®.

This is the fastest contruction on the planet.

TECHNOLOGY FEATURES BINDINGS

AFS - Anti Friction Slider: New weight-optimized adapter for gliding insert at Power Bindings for reduced friction, constant release values and maximum safety.

AFS Junior: The innovative mechanical Anti Friction Slider (AFS) automatically adjusts to the boot sole height, compensating A/C standards as well as height differences due to icing up, dirt or boot wear.

AFS Metal: The 68 mm wide slider plus a stainless steel gliding element provides constant release values and results in a broader contact area to the ski hoof sole.

Better Balance PR Base: Inclined Better Balance PR Base providing a ramp angle of 0.75° for all boot sole sizes. Thus, all skiers benefit from easy turn initiation and high-speed stability.

Brakes: HEAD offers brakes with different widths for optimal fit on wider skis and flat skis up to 150 mm ski width in the brake area. Some binding models are delivered without brake - "w/o brake"- to avoid brake exchange at a later moment.

Climbing Aid: The climbing aid with its different climbing positions, which can be operated without stepping out of the binding, provides excellent balance and effortless climbing.

FHR: The innovative Full Heel Release Technology (FHR) delivers intelligent 180° release both horizontally and vertically ensuring maximum safety in forward and backward twisting fall situations. The FHR function can reduce ACL strain by more than 50%*.

Freeflex Demo: These racing bindings are for rental purposes. They combine the look and performance of a racing retail binding with the functionality and durability of the rental binding.

Freeflex Pro: Best performance enabled by the innovative Freeflex Pro System. The free-gliding heel allows the ski to bend through unimpeded and retain its natural dynamics. Due to the reduced stand height, the Freeflex band is now much closer to the ski boot. Constant release values reduce the risk of injury and ensure safe ski steering.

FR LYT Toe: 15% lighter toe compared to the FR Pro3 Toe, with automatic toe height adjustment for Alpine & GripWalk boots.

FR Pro Toe: The Freeride (FR) Pro Toe can be easily adjusted to different boot sole heights. Its horizontal spring reflects the modern architecture of the AAA-Series

Full Diagonal: Intelligent 180° release both horizontally and vertically of the Diagonal Toe.

GripWalk Compatibility: Ski Bindings with GW in the product's name are GripWalk compatible and can be adjusted to Adult Alpine (ISO 5355) and GripWalk ski boots (within ISO 9523). Ski bindings with "GW CA" in the product's name can be used with Adult Alpine (TYPE A), Children Alpine (TYPE C), and GripWalk ski boots (TYPE A & C).

GW: Bindings marked with GW will fit adult Alpine ski boots (ISO 5355 TYPE A) and adult Walk ski boots (ISO 23223 TYPE A). No further adjustment to boot sole height is necessary, except for ATTACK models. Optimal height shall be tested with the boot height adjustment tester.

GW CA: Bindings marked with GW CA will fit Alpine ski boots (both ISO 5355 TYPE A & TYPE C) plus all Walk ski boots (ISO 23223, TYPE A & TYPE C). No further adjustment to boot sole height necessary.

HR Heel: The HR Heel offers the innovative Full Heel Release Technology (FHR), a combination of horizontal and vertical release to ensure maximum safety.

HR Lite Heel: The HR Lite Heel offers the innovative Full Heel Release Technology (FHR), a combination of horizontal and vertical release to ensure maximum safety. Compared to the HR Heel it is lighter and has a lower stand height.

JOY "BB" SLR Pro Base: Inclined Base providing optimal forward lean. Test sessions with our female test team have shown that the ideal value is 0.55°, ensuring easy turn initiation and high-speed stability.

MN: Bindings marked MN will fit adult Alpine ski boots (ISO 5355 TYPE A), adult Walk ski boots (ISO 23223 TYPE A) and all Touring ski boots (ISO 9523). The height of the AFD needs to be adjusted to the ski boot sole height. Optimal height shall be tested with the boot height adjustment tester.

 ${\bf NX}$ ${\bf Heel:}$ 3-piece heel for easy step-in and step-out. Better stability and power transmission.

Pin Technology: Accommodates Adult Walk (ISO 23223 TYPE A), Touring (ISO 9523) and non-compliant soles with tech inserts. The boot needs to have tech inserts. Compatibility with tech bindings might be limited. Check the recommendations of the binding and boot manufacturer.

RX-Diagonal Heel: The RX-Diagonal Heel provides a 150° release. Thus, pressure on the knee and ligaments upon twisting forward falls are reduced.

SuperLiteRail System: In combination with the integrated Freeflex function, the SLR Base provides better energy transmission without affecting the natural ski flex. During the turn, this SuperLiteRail Base guarantees constant force distribution which leads to flawless control, thus enhancing the on-hill experience. The remarkable benefits include highly efficient and agile ski performance.

RX Toe: The performance-oriented RX toe defines stability and power, much as a strong and tough bull extremely durable and absolutely reliable.

PowerRail: The unrivalled technology for retail, demo & rental by the well-received rail system on a modular basis provides easiest handling, maximum flexibility, optimized performance, perfect match, more stability and durability.

Race Pro Heel: The stand height was reduced according to the current FIS rules. An increased contact area reduces friction and provides constant forward pressure in all skiing situations.

SLR Pro Base: The 2-piece base provides an optimized drill pattern and an enlarged adjustment range of 120 mm. It comes in 3 different mounting positions to cover boot sole lengths between 183 mm and 363 mm.

STREAM toe: The racing toe features independent spring-loaded pincers for more precise control, two mounting positions of the gliding element for an adjustable pressure point and a steel base plate between the binding and the plate for a better power transmission. Thanks to the aerodynamic design, even faster runs are possible.

SX Heel: Based on improved kinematics the ski boot is precisely secure in the binding. This ensures exact and more direct power transmission from boot to edge

SX Junior Toe: The innovative kinematics of HEAD's SX adult line provide advantages in performance and stability for the SX Junior line for young speedsters as well.

SX Kid Toe: With the SX kid toe for up-and-comers and integrated innovative SX kinematics ski steering now requires even less effort.

SX Lite Heel: Weight-optimized heel for junior and lightweight skiers with proven safety features of the HEAD/TYROLIA binding technology.

SX Youth Heel: The SX Youth Heel guarantees an easier step-in and step-out. Due to the new shape of the sole lug and softer brakes, the entry force is reduced by 15%.

TX Lite Toe: A new stretched design for a more adult look and updated kinematics allow for an improved release behavior in backward twist releases, enhancing the safety of all models.

TX Toe: The kinematic improvements are reflected in the product design of the TX toe as well. With its high cheek bones, it reminds of a fox - smart, spry, agile and very clever.

 $\textbf{Sympro:} \ \ \text{With the Rental Sympro bindings, the length of the toe and heel can be adjusted with only a few easy steps. For fast on-hill adjustment.}$

Symrent: With a mobile heel the Symrent bindings can be simply and quickly adjusted to almost any size of boot.

Telescopic Tube: With only one binding model it is possible to cover the entire range of different sole lengths (from 260 mm up to 350 mm).

TOUR Toe: Touring toe with Pin technology and an optimized step-in for an easy and fast entry. The ergonomic toe lever can be operated by hand and pole.

TOUR Heel: Touring heel with Pin technology, active heel adaptation (6 mm elastic travel) and 25 mm heel adjustment range. The heel piece provides an intuitive handling of hike & ski mode with an automatic brake lock and an isolated mechanism to prevent icing.

TRP - TYROLIA Roller Pincer System: The TYROLIA Roller Pincer Toe System (TRP System) of the HEAD bindings with its four rollers and gliding inserts ensure a 180° release and exact centering of the ski boot. The TRP system reduces the load on knees and ligaments and improves performance considerably.

^{*}finite element model simulations by University of Innsbruck: "Lateral Heel Release Reduces ACL strain in Simulated Backward Twisting Falls"

TECHNOLOGY FEATURES BOOTS

LINERS

Auto Adapt Tech / Women Auto Adapt Tech: Allows the calf of the liner to widen freely. The cuff can move into the space created by the adjustable profile, to comfortably accommodate all calf sizes.

Double Power Booster Velcro: The strap of the Double Power Booster Velcro works as a double pulley for better closure and a tighter wrapping on the cuff. The elastic Booster strap allows more dynamic response on the boot. The result is more precise transmission and faster ski reaction.

HeatFit (HF) Liners: Multi-component liners with moldable inserts in liner and tongue. 5 minutes of heating, is all that is required, to make the lining adapting and get the perfect precision and comfort.

Perfect Fit 3D: Perfect fit is the revolutionary customization system that ensures comfortable, performances-oriented customization in HEAD's superb skiboots. The 3D pre-shaped construction have been developed to provide the maximum comfort and optimal adaptation to the foot shape.

Perfect Fit (PF): Perfect Fit is the revolutionary customization system that provides the best level of precision, comfort and durability. The Perfect Fit material allows the liner to adapt to your feet, ensuring maximum power transmission. 5 minutes of heating at 80 degrees, is all that is required, to make the lining adapting and get the perfect precision and comfort.

Pro Liners: Pro Series are thin and very supportive liners developed to assure maximum wrapping and extreme high performance. They come with a stretchy upper material, thermo-moldable ankle inserts and a rear sliding insert.

Quick Entry Liners: These liners come with a unique easy entry construction in the forefoot. Developed both for skiing and walking, Quick Entry liners always feel extremely comfortable.

Ratchet Velcro: The new light velcro, offers high performance, quick and efficient closure.

CRUX Pro HP: The customizable liner has been designed to best skiing and hiking performance. ATTENTION: The liner should be customized before skiing.

BUCKLES

BOA®: designed for a precise foot wrap and a tunable fit on the fly in an intuitive fit system.

Buckle Lock: Lock the buckle in a open position for an easy hike.

Double Power Lever: The Double Power lever reduces the effort needed to close the buckle by 50 %. Developed and patented by HEAD.

Ratchet Lock: Lock the buckle's bail in place for a secure fit while ascending.

Spineflex Buckle: A revolutionary buckle concept with a flexible element and a constant closure point. The flexible element allows the buckle to adapt to the shell profile. The constant closure point increases the overlap between the shell flaps and reduces pressure points. The increased comfort and precision results in better performance.

Superleggera Buckle: The new light buckles: 90% aluminum, simple, effective and reliable.

Supermacro Ratchet: An adjustable, ratcheted toothplate that provides 28 mm of calf-adjustment.

Wide-Body Buckle: Oversized buckle designed for an extreme ease of use. The fastest way to close the boot cuff.

FEATURES

Adjustable Rear Spoiler:

Height adjustable spoiler increases rearward support as it's raised.

Bi-Inj. Frame: A high performance, multi-density shell that optimizes easy entry, foot wrapping, comfort and energy transmission.

Double Adjustable Profile: A double mechanism in the upper rear part of the boot which adapts the circumference of the cuff up to 1cm to fit individual anatomical needs. Located on the either side of the cuff's spine, this mechanism allows the cuff to adjust up to 1cm to better fit the anatomical needs of skier.

Duo Flex: Enables a progressive and reactive flex with precise ski control through all phases of the turn.

Easy Entry Shell Design: Located in the throat of the boot, 4 channels are cut into the plastic to reduce the thickness of the material and thus provide smoother entry and better wrapping to the foot.

Extended Toe Box: The longer toe box has been designed to reduce torsion and increase power transmission.

EZ Tech Shell: With Head's EZ-Tech shell design, every skier can enjoy its benefits: EZ-On and EZ-Ski. These new boots are YOUR EDGE TO BETTER SKIING.

Flex Stance Tuning: Screw mechanism with a plate support on the spine of the cuff. By adding the screw(s) the link between shell and cuff becomes stronger and the flex of the boot stiffer. It also works as a forward lean adjuster

Flex Tuning: A screw mechanism on the spine of the cuff that links shell and cuff. To get a softer flex, the screw(s) can be replaced by the plastic caps included in the box.

Form Fit: 100% customizable shell fit system. New Form Fit plastic holds modifications better than ever

Graphene: The Graphene infused plastic combined with the new Smart Frame shell delivers the perfect balance of performance, comfort and lightweight design.

Hi-Top Tech: Direct contact between the boot tongue and shell delivers supreme support for more confident skiing.

Integrated AutoSkiWalk (ASW): HEAD patented integrated device which automatically switches between skiing and walking position when stepping in or out of the bindings.

Liquid Fit: Material provides the most precise and the quickest customization. The material's density ensures the perfect mold in the most critical area of the boot, the ankle and heel pocket. The performance and precision of a foam liner in 10 easy, comfortable minutes.

Power Control Frame: Designed to reinforce the Cube 3 line shell structure in order to give more stability and performance to the boot.

Power Plate: HEAD has designed a Velcro spoiler to increase support through the upper cuff, adding a higher level of performance.

 $\label{power_flex:} \textbf{Power Flex:} \ \ \text{enables a progressive and reactive flex with precise ski control throught all phases of the turn.}$

Rubber Insert: Designed for enhanced grip when hiking.

Ski-Hike Mechanism: provides strong, precise connection between upper and lower boot.

Smart Frame: The new lightweight shell construction is specifically designed for a more dynamic rebound that greatly improves performance for the all mountain skiers.

Stiffer/Softer Flex Adjustment: It's an adjustment placed on the spine of the cuff to select between a stiffer or softer flex depending on snow condition and level of skiing.

Vibram Durastep Outsole: The rubber sole designed for reliability, durability and grip.

Traction Lug: Designed micro elements developed for a better grip.

CRUX - A NEW BENCHMARK POWER LYT DESIGN



COMFORT SKIN SHELL

Designed to wrap the foot with a balanced and comfortable 99 mm touring last. The reactive material provides lightweight and precise adaptation to the foot.



CONTROL CUFF

Featuring 2 buckles and a high profile for superior ski control even in the most demanding conditions and speeds.



LYT DYNAMIC FRAME

Connects the shell, cuff and ski-hike device, providing the direct and powerful energy transmission.

YOUR ACCESS

DISCOVER OUR WHOLE COLLECTION

Accessing information on current and upcoming product lines has never been easier.

HEAD's online platforms help you place orders efficiently and find the assets you need quickly.

BYNDER

Access all of the latest HEAD Wintersports assets.



WEBSITE

View all current collections at HEAD.com.





OMS

A fast and efficient platform used to place your orders.







HEADQUARTERS

HEAD Sport GmbH Wuhrkopfweg 1

6921 Kennelbach Austria T. +43 5574 608 0

HEAD Sport GmbH

Branch Schwechat Tyroliaplatz 1 2320 Schwechat Austria T. +43 1 70 1790

E. marketing@tyrolia.com

HEAD Skiboot Division

Via Mure, 45/d 31030 Altivole, Treviso Italy

T. (+39) 0423 527-555

HEAD UNITS

AUSTRIA

HEAD Austria GmbH Tyroliaplatz 1 2320 Schwechat Austria T. +43 1 701 79 0 E. info@at.head.com

BENELUX

HEAD BeNeLux BV. Plesmanstraat 1 3833 LA Leusden The Netherlands T. +31 33 2030 117 E. info.benelux@head.com

CANADA

HEAD Canada Inc. 935A Southgate Dr. Unit 4 Guelph, ON, N1L OB9 Canada T. +1 800 265 7257 E. info@ca.head.com

CZECHREPUBLIC & SLOVAKIA

HEAD Sport s.r.o. Sportovni 457 252 42 Vestec Czech Republic T. +420 267 2811 11 E. info.czechia@head.com

FRANCE

HEAD France SAS ZA les Condamines Bresson BP 29 38320 Eybens France T. +33 476 62 69 00 E. standard@fr.head.com

GERMANY

HEAD Germany GmbH Velaskostr. 8 85622 Feldkirchen Germany T. +49 89 90 99 95 0 E. info@de.head.com

ITALY

Mares S.p.A. Salita Bonsen, 4 16035 Rapallo (GE) T. +39 0185 2011 E. info-head@it.head.com

JAPAN

HEAD Japan Co., Ltd. M-City Edogawabashi Building 3F 1-44-10-3F Sekiguchi Bunkyo-ku Tokyo 112-0014 Japan T. +81 3 3528 9810 E. sales@jp.head.com

HEAD Norway AS

Vollsveien 13H 1366 Lysaker Norway T. +47 971 14 949 E. info.norway@head.com

OCEANIA

HEAD Oceania PTY LTD Unit 2A 93 Burnside Road Yatala, QLD 4207 Australia T. +61 (0)7 3386 1210 E. headski.au@head.com

POLAND

HEAD Poland sp. z o.o. UI. Rydlówka 20 30-363 Kraków Poland T. +48 12 255 44 00 E. info@pl.head.com

SCANDINAVIA

(Sweden, Denmark, Finland) HEAD Scandinavia AB Hangövägen 18 115 41 Stockholm Sweden T. +46 647 50610 E. info.scandinavia@head.com

SPAIN

HEAD Spain SA Roger 65-67 5a 08028 Barcelona Spain T. +34 93 409 20 80 E. info@es.head.com

SWITZERLAND

HEAD Switzerland AG Rothusstrasse 17 6331 Hünenbera Switzerland T. +41 41 767 07 07 E. info@ch.head.com

UNITED KINGDOM

HEAD UK ITD 2 Beezon Road Kendal, Cumbria LA9 6BW UK T. +44 15 39 72 47 40 E. info@uk.head.com

USA

HEAD USA, Inc. 3125 Sterling Circle Suite 101 Boulder, CO 80301 USA T. +1 800 874 3235 E. info@us.head.com

HEAD PARTNER

ARGENTINA

Sports & Adventure S.A. T. +54 11 4711 6411 E. recepcion@grupovieytes.com

AZERBAIJAN

Rich Company T. +994 51 742 0089 E. office@richsport.az

BELARUS

Shkursky Alexandr Viktorovich T. +375 296206131 E. alex@cast.by

BULGARIA

Miras-Krastevi LTD T. +359 88 206 4060 E. office@miras-sport.com

Inver Tech Ltda T. +56 2 681 23 08 E. pablo.zuninoerlauer@gmail.com

Nanjing B.C. Sports Products T. +86 13522000872 E. liqy@bc-sports.com.cn

CROATIA & BIH

MARINES d.o.o. T. + 385 1 6055 625 E. andrej@marines.hr

Sportland International Group T. +372 6 548 434 E. info@sportland.ee

GEORGIA

D.V. Sport Ltd. T. +995 32 2518949 E. dvsport@dvsport.ge

GREECE

Parnass Ski T. +30 22670 22646 E. info@parnass.gr

HUNGARY

WINTERSPORT Co. Ltd. T. +36 70 376 0640 E. wintersport@wintersport.hu

ICELAND

Utivera EHF T/A Everest T. +354 533 44 50 E. everest@everest.is

KAZAKHSTAN

MAK ImpEx. Ltd. T. +7 727 2663333 E. makimpex.kz@gmail.com KOSOVO

SINA Ltd. T. +377 44 124 955 E. sinaltd.perparim@gmail.com

Burusports T. +371 67317780 E. info@burusports.lv

LEBANON

Mike Sport T. +9611888855 E. charbel.aoun@mikesport.com

LITHUANIA

Baltaura LT T. +370 687 431 82 E. baltaura@baltaura.lt

MACEDONIA

Vekon Int Dooel T. +389 7 039 3341 E. r.kochovski@elteh.com.mk

NEW ZEALAND

Allsports Distribution Ltd T. +64 7 377 1033 E. info@allsports.co.nz

ROMANIA

SC Nevesport SRL T T. +40 (740) 676 586 E. nagynorbertski@gmail.com

Markoni Sport d.o.o. T. +381692628828 E. veleprodaja@markonisport.rs

SOUTH KOREA

Alchemist T. +82 2 430 8060 E. head@alchemist.kr

TÜRKIYE

SPORTCITY Hakan Osman Turnaoglu T: +90 532 351 9494 E: hakan@sportcity.com.tr

UKRAINE

Extreme Style T. +380 97 511 6510 E. denis@extremstyle.ua

UZBEKISTAN

MEGASHOP LLC T. +998 71 235 91 81 E. buyer.hardgoods@union-space.com







